




Description

36-0101


- | | |
|---|-----------------------------------|
| 1.Working Voltage: DC 10.5V~16V | 7.Output impedance: 50Ω |
| 2.Working current: 30mA~60mA | 8.V.S.W.R: ≤3.0:1 |
| 3.Rated voltage: DC 12V | 9.NS: ≤2dB |
| 4.Rated Current: 40mA~50mA | 10.Working Temperature: -30℃~+80℃ |
| 5.Working Frequency: 170MHz~240MHz (Band III) | 11.Storage Temperature: -40℃~+90℃ |
| 1452MHz~1492MHz (L-Band) | 12.Cable specification: 1.5DS, 5M |
| 6.Output Gain: 15dB±3dB (Band III) | 13.Connector: SMA/SMB |
| 12dB±3Db (L-Band) | |



Description

36-0102

- | | |
|---|-----------------------------------|
| 1.Working Voltage: DC 10.5V~16V | 7.Output impedance: 75Ω |
| 2.Working current: 30mA~60mA | 8.V.S.W.R: ≤3.0:1 |
| 3.Rated voltage: DC 12V | 9.NS: ≤2dB |
| 4.Rated Current: 40mA~50mA | 10.Working Temperature: -30℃~+80℃ |
| 5.Working Frequency: 170MHz~240MHz (Band III) | 11.Storage Temperature: -40℃~+90℃ |
| 1452MHz~1492MHz (L-Band) | 12.Cable specification: 1.5DS, 5M |
| 6.Output Gain: 15dB±3dB (Band III) | 13.Connector: SMA/SMB |
| 12dB±3Db (L-Band) | |



Description

36-0103

- | | |
|---|-----------------------------------|
| 1.Working Voltage: DC 10.5V~16V | 7.Output impedance: 50Ω |
| 2.Working current: 30mA~60mA | 8.V.S.W.R: ≤3.0:1 |
| 3.Rated voltage: DC 12V | 9.NS: ≤2dB |
| 4.Rated Current: 40mA~50mA | 10.Working Temperature: -30℃~+80℃ |
| 5.Working Frequency: 170MHz~240MHz (Band III) | 11.Storage Temperature: -40℃~+90℃ |
| 1452MHz~1492MHz (L-Band) | 12.Cable specification: 1.5DS, 5M |
| 6.Output Gain: 15dB±3dB (Band III) | 13.Connector: SMA |
| 12dB±3Db (L-Band) | |



Description

36-0104

- Antenna AM/FM/DAB mast
- 1.Frequency: Radio-AM: 520KHz~1710KHz
Radio-FM: 87.5MHz~108MHz
DAB: 170MHz~240MHz
- 2.V.S.W.R: ≤2:1
- 3.Length :324MM



Description

36-0105

- AM/FM/DAB Antenna mast
- Mast Length :195.2MM
- 1、AM frequency : 522~1710KHz;
- 2、FM frequency : 87.5~108MHz;
- 3、DAB-III:174~240MHZ;
- 4、DAB-L : 1452~1492MHZ ;
- 5、V.S.W.R:≤2.0:1 98%P2MHZ



Description

36-0106

- AM/FM/DAB Antenna mast
- Mast Length :320MM
- 1、AM frequency : 522~1710KHz;
- 2、FM frequency : 87.5~108MHz;
- 3、DAB-III:174~240MHZ;
- 4、DAB-L : 1452~1492MHZ ;
- 5、V.S.W.R:≤2.0:1 98%P2MHZ



Description

36-0107

- DAB/AM/FM adapter
- 1.Working Voltage: DC9.0V~16.0V
- 2.Working current: 30mA~60mA
- 3.Frequency: DAB:174MHz~240MHz
AM:520KHz~1710KHz
FM:87.8MHz~108MHz
4. Output Gain:DAB:8dB±2dB
AM/FM:-2±2dB
5. Output impedance: 50Ω



Description

36-1001

- | | |
|--|----------------------------------|
| 1.Assemble Location: roof mount | 7.V.S.W.R: ≤3.0 : 1 |
| 2.Working Principle: PCB amplify | 8.Working Voltage: DC10.5-16V |
| 3.With power lead | 9.Working Current: ≤60mA |
| 4.Cable Length: 300mm | 10.Operating Temp. - -30℃ ~ +80℃ |
| 5.Connector: AM/FM-DIN plug standard, DAB-SMA plug | 11.Storage Temp. -40℃ ~ +90℃ |
| 6.AM/FM | 12.DAB frequency: 150MHz~240MHz |
| Frequency: AM:520KHz~1620KHz | |
| FM:87.5MHz~108MHz | |
| Gain: AM:-2±3dB | FM:10±3dB |



Description

36-1002

- | | |
|--------------------------------|------------------------|
| Frequency GPS: 1575.42mhz+3mhz | Frequency: Fm76-110mhz |
| Work voltage: 3-5V | AM525-1700Khz |
| SWR:<2:1 | Gain:15dBi±3dBi |
| Gain: >25dbi | Work voltage: 10-14V |
| Frequency: GSM 890-960mhz | Cable: Rg174, 5000mm |
| 1710-1990Mhz | Impedance: 50ohm |
| VSWR<2:1 | Connector: SMA MCX FME |
| Power: 25W | Boring dia:Φ15mm |



Description

36-1003

- | | |
|--------------------------------|------------------------|
| Frequency GPS: 1575.42mhz+3mhz | Frequency: Fm76-110mhz |
| Work voltage: 3-5V | AM525-1700Khz |
| SWR:<2:1 | Gain:15dBi±3dBi |
| Gain: >25dbi | Work voltage: 10-14V |
| Frequency: GSM 890-960mhz | Cable: Rg174, 5000mm |
| 1710-1990Mhz | Impedance: 50ohm |
| VSWR<2:1 | Connector: SMA MCX FME |
| Power: 25W | Boring dia:Φ15mm |



Description

36-1004

- Frequency: FM76-110MHZ
- AM525-1700Khz
- Gain:15dBi±3dBi
- Work voltage: 10-14V
- Cable length: 250mm
- Impedance: 75ohm
- Boring dia.:Φ15mm
- Connector: AUDIO



Description

36-2001

- | | |
|---|--|
| 1.Working Voltage: DC 10.5V~16V | 7.Gain(PCB): Radio-AM: 10±3dB |
| 2.Working current: 30mA~60mA | Radio-FM: 10±3d |
| 3.Rated voltage: DC 12V | DAB: 20±3dB |
| 4.Rated Current: 40mA~50mA | 8.V.S.W.R: ≤3.0: 1 |
| 5.Working Frequency: 170MHz~240MHz (Band III) | 9.Temperature Range: -40℃~+80℃ |
| 1452MHz~1492MHz (L-Band) | 10. Coaxial Cable: 75ohms, Length: 300mm |
| 6.Output Gain: 15dB±3dB (Band III) | 11.Coaxial Cable: RG-178, 50Ω±2Ω,105PF/m±5PF |
| 12dB±3Db (L-Band) | 1.5C-2V, 75Ω±3Ω,69PF/m±3PF |
| | 12.Mast length: 355mm |



Description

Frequency GPS: 1575.42mhz+ 3mhz
Work voltage: 3-5V
SWR:<2:1
Gain:>25db
Impedance: 50ohm
Cable: RG174. 5000mm
Frequency: GSM 890-960mhz
1710-1990Mhz
VSWR<2: 1
Power: 25W

Impedance: 50ohm
Cable: RG174. 250mm
Frequency: FM 76-110mhz
AM525-1700Khz
Gain:10dBi±3dBi
Work voltage: 10-14V
Cable: RG174, 250mm
Impedance: 50ohm
Boring dia:Φ15mm
Connector: SMA. FME. AUDIO

36-2002



Description

Frequency GPS: 1575.42mhz+ 3mhz
Work voltage: 3-5V
SWR:<2:1
Gain:>25db
Impedance: 50ohm
Cable: RG174. 250mm
Frequency: GSM 890-960mhz
1710-1990Mhz
VSWR<2: 1
Power: 25W

Impedance: 50ohm
Cable: RG174. 250mm
Frequency: FM 76-110mhz
AM525-1700Khz
Gain:10dBi±3dBi
Work voltage: 10-14V
Cable: RG174, 250mm
Impedance: 50ohm
Boring dia:Φ15mm
Connector: SMA. FME. AUDIO

36-2003



Description

Whip length: 16
Frequency: FM 76-110mhz AM525-1700Khz
Gain:10dbi(FM)±3dBi 5dbi(AM)±3dBi
Impedance: 50ohm
Voltage: 10-14V
Cable length: 8
Angle:58°
Boring dia:Φ15mm
Fit VW. Peugeot

36-2004



Description

Frequency GPS: 1575.42mhz* 3mhz
Work voltage: 3-5v
SWR:<2:1
Gain: >25d Bi
Frequency: VHF 174-230mhz or
UHF 470-862mhz
Gain:25dBi±3dBi
Frequency: FM76-110mhz
AM525-1700Khz

Gain:15dBi±3dBi
Work voltage: 10-12V
Cable: RG174. 5000mm
Impedance: 50ohm
Whip length: 175mm
Boring dia:Φ15mm
Connector: SMA, MCX, MMCX

36-2005



Description

Frequency: FM 88-110mhz AM525-1700Khz
Gain:10dBi±3dBi
Work voltage: 10-14V
Whip length: 175mm
Cable: RG174, 250ml
Impedance: 50ohm
Boring dia.:Φ15mm
Connector: Audio/FM Male
Fit: VW Main Cars

36-2006



Description

Frequency: FM 88-110mhz AM525-1700Khz
Gain:10dBi±3dBi
Work voltage: 10-14V
Whip length: 175mm
Cable: RG174, 250ml
Impedance: 50ohm
Boring dia.:Φ15mm
Connector: Audio/FM Male
Fit: VW Main Cars


36-2007



Description

Frequency: FM 76-110mhz
AM525-1700Khz
SWR:≤1.5:1
Whip length: 16"
Cable length: 1500 mm
Impedance: 75ohm
Boring dia.:Φ8mm
Connector: AUDIO
Fit most car

36-2008



Description

Frequency: FM 76-110mhz AM525-1700Khz
sWR:≤1.5:1
Whip length:30"
Cable length: 1500 mm
Impedance: 75ohm
Angle:0-90°
Boring dia:Φ10mm
Connector: AUDIO
Fit most car

36-2009



Description

Frequency: FM 76-110mhz AM525-1700Khz
sWR:≤1.5:1
Whip length:16"
Cable length: 1500 mm
Impedance: 75ohm
Angle:0-90°
Boring dia:Φ8mm
Connector: AUDIO
Fit most car

36-2010



Description

Frequency: Fm76-110mhz AM525-1700Khz
SWR:≤1.5:1
Whip length: 12.5"
Sections: 1
Cable length: 1300mm
Impedance: 75ohm
Ange:0-90° Boring dia.Φ8mm
Color: Red, Black, White
Connector: AUDIO Fit Passenger, truck

36-2011



Description

Frequency: Fm76-110mhz AM525-1700Khz
SWR:≤1.5:1
Whip length: 13.5"
Sections: 1
Cable length: 1300mm
Impedance: 75ohm
Ange:0-90° Boring dia.Φ8mm
Color: Red, Black, White
Connector: AUDIO Fit Passenger, truck

36-2012



Description

Frequency: FM 88-110MKHZ AM525-1700KHZ
Gain:10dBi±3dBi
Work voltage:10-14v
whip length:175mm
Cable:RG174 3m
Impedance:50ohm
Connector:Audio/FM Male

36-2013



Description
New Ford focus antenna base

36-2014



Description
Frequency: FM 76-110Mhz
AM525-1700Khz
Gain:15dBi±3dBi
Impedance: 75ohm
Voltage: 10-14V
Cable length: 2300mm
Whip length: 3"
Connector: AUDIO
Stick install

36-3001



Description
Frequency: FM 76-110Mhz
AM525-1700Khz
Gain:15dBi±3dBi
Impedance: 75ohm
Voltage: 10-14V
Cable length: 2300mm
Whip length: 11"
Connector: AUDIO
Stick install

36-3002



Description
Frequency: FM 76-110Mhz
AM525-1700Khz
Gain:15dBi±3dBi
Impedance: 75ohm
Voltage: 10-14V
Cable length: 2300mm
Whip length: 13"
Connector: AUDIO
Stick install

36-3003



Description
Frequency: FM 76-110Mhz
AM525-1700Khz
Gain:20dBi±3dBi
Impedance: 75ohm
Voltage: 10-14V
Cable length: 2300mm
Connector: AUDIO
Stick install

36-3004



Description
Frequency: FM 76-110Mhz
AM525-1700Khz
Gain:20dBi±3dBi
Impedance: 75ohm
Voltage: 10-14V
Cable length: 2300mm
Connector: AUDIO
Stick install

36-3005



Description
Frequency: FM 76-110Mhz
AM525-1700Khz
Gain:15dBi±3dBi
Impedance: 75ohm
Voltage: 10-14V
Cable length: 2300mm
Whip length: 11"
Connector: AUDIO
Stick install

36-3006



Description
GPS&GLONASS Antenna
Size: 46*39*13±2mm
Weight: <100gram
Connector: MCX Male
Cable: RG174 1.5 meter
Center Frequency: 1575.42/1605MHz
V.S.W.R: <1.5
Impedance: 50Ω
Supply Voltage: 2.2-5V DC

36-4001



Description
GPS+ 4G Antenna
Electrical Specifications
Frequency Range: 698-2700/MHz 1575.42±5MHz
Gain Polarization:≥3dB 27dB
V.S.W.R: ≤2.5
Input Connector:SMA Male,SMA Female
Mechanical Specifications
Dimensions of Antenna: 72.5*21±2mm
Cable length: 2m
Weight: 93.8gram

36-4002



Description
Car modification shark fin antenna roof decoration
Material:ABS
Color:black、red、blue、gold、silver、white、brown、grey
Size:17.5*7.2*6cm

36-5001



Description
Car refit automotive antenna personalized bullet head antenna
Item name:bullet head antenna
Color:black/red /silver/blue/gold/purple
Length:14cm
Size:16*6*1CM(packing size)
Weight:200g
Material:aluminum

36-5002

Car Antennas

37-0101



CHRSYLER,DODGE,FORD
GM,JEEP
CAR ANTENNA ADAPTOR
2002-UP

37-0102



CHRSYLER,DODGE,FORD
GM,JEEP
CAR ANTENNA ADAPTOR
2002-UP

37-0103



CHRSYLER,DODGE,FORD
GM,JEEP
CAR ANTENNA ADAPTOR
2002-UP

37-0104



CHRYSLER/DODGE
FORD/GM/JEEP
CAR ANTENNA ADAPTERS

37-0201



FORD,LINCOLN,MERCURY
CAR ANTENNA ADAPTOR
1995-2005

37-0202



FORD,LINCOLN,MERCURY
CAR ANTENNA ADAPTOR
1995-2005

37-0203



FORD,LINCOLN,MERCURY
CAR ANTENNA ADAPTOR
1995-2005

37-0301



AUDI,VW,BMW,MERCEDES
CAR ANTENNA ADAPTOR
1988-2005

37-0302



AUDI,VW,BMW,MERCEDES
CAR ANTENNA ADAPTOR
1988-2005

37-0303



AUDI,VW,BMW,MERCEDES
CAR ANTENNA ADAPTOR
1988-2005

37-0304



AUDI/VW/BMW/MERCEDES
2002 UP
CAR ANTENNA ADAPTERS

37-0305



AUDI/BMW/VW
DUAL FAKRA 2005 UP
CAR ANTENNA ADAPTERS

Car Antennas

37-0306



AUDI/BMW/VW/MERCEDES
DUAL FAKRA 2005 UP
CAR ANTENNA ADAPTERS

37-0307



AUDI/BMW/VW
CAR ANTENNA ADAPTERS

37-0308



AUDI/VW
1996-2011
CAR ANTENNA ADAPTERS

37-0309



AUDI/VW
1996-2011
CAR ANTENNA ADAPTERS

37-0310



AUDI/VW
CAR ANTENNA ADAPTERS

37-0311



AUDI/VW
CAR ANTENNA ADAPTERS

37-0401



INFINITI,NISSAN
CAR ANTENNA ADAPTOR
1987-2006

37-0402



INFINITI,NISSAN
CAR ANTENNA ADAPTOR
1987-2006

37-0403



INFINITI,NISSAN
CAR ANTENNA ADAPTOR
1987-2006

37-0404



INFINITI,NISSAN
CAR ANTENNA ADAPTOR
1987-2006

37-0405




INFINITI,NISSAN
CAR ANTENNA ADAPTOR
1987-2006

37-0406



INFINITI,NISSAN
CAR ANTENNA ADAPTOR
1987-2006

37-0407




INFINITI/NISSAN
CAR ANTENNA ADAPTERS

37-0409



INFINITI/NISSAN
CAR ANTENNA ADAPTERS

37-0502



HONDA,ACURA 2005 UP
CAR ANTENNA ADAPTERS

37-0504



HONDA,ACURA 2009 UP
CAR ANTENNA ADAPTERS

37-0506



HONDA,ACURA 2009 UP
CAR ANTENNA ADAPTERS

37-0602



KIA 2007 UP
CAR ANTENNA ADAPTERS

37-0408




INFINITI/NISSAN
CAR ANTENNA ADAPTERS

37-0501




HONDA/ACURA 2005 UP
CAR ANTENNA ADAPTERS

37-0503



HONDA,ACURA 2005 UP
CAR ANTENNA ADAPTERS

37-0505



HONDA,ACURA 2009 UP
CAR ANTENNA ADAPTERS

37-0601



KIA 2007 UP
CAR ANTENNA ADAPTERS

37-0603




KIA 2007 UP
CAR ANTENNA ADAPTERS

37-0701



SUBARU 2009 UP
CAR ANTENNA ADAPTERS

37-0703



SUBARU 2009 UP
CAR ANTENNA ADAPTERS

37-0802



TOYOTA/LEXUS 2009
CAR ANTENNA ADAPTERS

37-0901



DUAL FAKRA 90° (TYP B)
TO 2x FAKRA (TYP Z) 20CM
CAR ANTENNA ADAPTERS

37-0903



DUAL FAKRA TO DIN 20CM
CAR ANTENNA ADAPTERS

37-0905



SMA-B (FEMALE) TO
FAKRA (FEMALE) 20CM
CAR ANTENNA ADAPTERS

37-0702



SUBARU 2009 UP
CAR ANTENNA ADAPTERS

37-0801



TOYOTA/LEXUS 2009
CAR ANTENNA ADAPTERS

37-0803



TOYOTA/LEXUS 2009
CAR ANTENNA ADAPTERS

37-0902




DUAL FAKRA TO ISO 20CM
CAR ANTENNA ADAPTERS

37-0904



FAKRA (FEMALE) TO
UNIVERSAL (FEMALE) 20CM
CAR ANTENNA ADAPTERS

37-0906



FAKRA (FEMALE) TO
FAKRA (MALE) 20CM
CAR ANTENNA ADAPTERS

Car Antennas

37-0907



FAKRA(FEMALE) TO
SMA-A(MALE) 20CM
CAR ANTENNA ADAPTERS

37-0908



DUAL FAKRA 90° (TYP Z)
TO 2xFAKRA(TYP Z) 20CM
CAR ANTENNA ADAPTERS

37-0909




FAKRA(FEMALE) TO
RCA (FEMALE)
CAR ANTENNA ADAPTERS

37-0910




MALE TO FAKRA MALE
CAR ANTENNA ADAPTERS

37-0911



DIN TO FAKRA (MALE) 20CM
CAR ANTENNA ADAPTERS

37-1001



VOLVO
1998-04
CAR ANTENNA ADAPTERS

37-1002



VOLVO
1998-04
CAR ANTENNA ADAPTERS

37-1003



VOLVO
1999-up
CAR ANTENNA ADAPTERS

37-1101



GM
CAR ANTENNA ADAPTOR
1988-2008

37-1102



GM
CAR ANTENNA ADAPTOR
1988-2008

37-1103



GM
CAR ANTENNA ADAPTOR
1988-2008

37-1104



GM/CHRYSLER/VW
2002 UP
CAR ANTENNA ADAPTERS

Car Antennas

37-2001



MALE RCA PLUG

37-2002



FEMALE RCA SOKET

37-2003



2RCA MALE TO 3.5 STEREO

37-2004



2RCA MALE TO 3.5 STEREO

37-3001



UNIVERSAL
CAR ANTENNA ADAPTOR

37-3002



UNIVERSAL
CAR ANTENNA ADAPTOR

37-3003



RAKU II TO DIN(FEMALE)
CAR ANTENNA ADAPTOR

37-3004



DIN(FEMALE) TO RAST II
CAR ANTENNA ADAPTOR

37-3005



RAKU II TO DIN(FEMALE)
CAR ANTENNA ADAPTOR

37-3006



UNIVERSAL
MALE TO TWO FEMALE
CAR ANTENNA CABLE

37-3007



UNIVERSAL
MALE TO TWO FEMALE
CAR ANTENNA CABLE

37-3008



UNIVERSAL
EXTENSION CABLE
15/30/45/61/91/122/244
305/518/610 CM

37-3009



UNIVERSAL
EXTENSION CABLE

37-3010



INCLUDES TO STANDARD
(MALE) CONNECTOR
CAR ANTENNA ADAPTERS

37-3011



INCLUDES TO STANDARD
(FEMALE) CONNECTOR
CAR ANTENNA ADAPTERS

37-3012



SMA-B(FEMALE) TO
SMA-A(MALE) 1M
CAR ANTENNA ADAPTERS

37-3013



SMA-B(FEMALE) TO
SMA-A(MALE) 20CM
CAR ANTENNA ADAPTERS

37-3014



SMA-B(FEMALE) TO
WCLIC(MALE) 20CM
CAR ANTENNA ADAPTERS

37-3015



SMA-B(FEMALE) TO
FME(MALE) 20CM
CAR ANTENNA ADAPTERS

37-3016



SMA-B(FEMALE) TO
FME(FEMALE) 20CM
CAR ANTENNA ADAPTERS

37-3017



SMA-B(FEMALE) TO
SMA-B(FEMALE) 1M
CAR ANTENNA ADAPTERS

37-3018



SMA-B(FEMALE) TO
RAKU II 20CM
CAR ANTENNA ADAPTERS

37-3019



USB A MALE TO
1.35 DC PLUG

37-3020



37-3021



3.5 STEREO TO 3.5 STEREO

38-0101



UNIVERSAL STANDARD
MALE ANTENNA PLUG

38-0102



AUDI/BMW/MERCEDES/VW

38-0103



GENERAL MOTORS
1988-2008

38-0104



CAR ANTENNA ADAPTOR

38-0105



CAR ANTENNA ADAPTOR

38-0106



CAR ANTENNA ADAPTOR

38-0107



CAR ANTENNA ADAPTOR

38-0108



CAR ANTENNA ADAPTOR

38-0109



CAR ANTENNA ADAPTOR

38-0110



CAR ANTENNA ADAPTOR

38-0111



CAR ANTENNA ADAPTOR

38-0112



CAR ANTENNA ADAPTOR

38-0113



CAR ANTENNA ADAPTOR

38-0114



CAR ANTENNA ADAPTOR

38-0115



CAR ANTENNA ADAPTOR

38-0116



CAR ANTENNA PLUG

38-0117



CAR ANTENNA PLUG

38-0118



CAR ANTENNA PLUG

38-0119



CAR ANTENNA PLUG

38-0120



CAR ANTENNA JACK

38-0121



CAR ANTENNA JACK

38-0122



CAR ANTENNA ADAPTOR

38-0123



CAR ANTENNA JACK

38-0124



BMW PLUG&JACK
4-8PIN