

17-0101



DESCRIPTION
input:12V output :5v
current output:3A

17-0102



DESCRIPTION
input:12-24V output :5v
current output:600mA

17-2001



DESCRIPTION
input:12-24V output :5v
current output:3600mA

17-2002



DESCRIPTION
input:12-24V output :5v
current output:2100mA

17-0103



DESCRIPTION
input:12-24V output :5v
current output:3100mA

17-0104



DESCRIPTION
input:12-24V output :5v
current output:0.5-1A

17-2003



DESCRIPTION
input:12-24V output :5v
current output:2400mA

17-2004



DESCRIPTION
input:12V output :5v
current output:2400mA

17-0105



DESCRIPTION
input:12-24V output :5v
current output:1200mA

17-0106



DESCRIPTION
input:12-24V output :5v
current output:800mA

17-2005



DESCRIPTION
input:12 output :5v
current output:2100mA

17-2006



DESCRIPTION
input:12-24V output :5v
current output:1000mA

17-0107



DESCRIPTION
input:12-24V output :5v
current output:800mA

17-0108



DESCRIPTION
input:12-24V output :5v
current output:1000mA

17-2007



DESCRIPTION
input:12V output :5v
current output:2000mA

17-2008



DESCRIPTION
input:12V output :5v
current output:2000mA

17-0109



DESCRIPTION
input:12-24V output :5v
current output:1200mA

17-0110



DESCRIPTION
input:12-24V output :5v
current output:800mA

17-2009



DESCRIPTION
input:12V output :5v
current output:2100mA

17-2010



DESCRIPTION
input:12V output :5v
current output:2100mA

17-0111



DESCRIPTION
input:12-24V output :5v
current output:600mA

17-2011



DESCRIPTION
input:12V output :5v
current output:4800mA

17-2012



DESCRIPTION
TYPRC input:12V
output :5v current
output:3100mA

17-2013



DESCRIPTION

input:12V output :5v
current output:2400mA

17-2014



DESCRIPTION

input:12V output :5v
current output:2100mA

17-2015



DESCRIPTION

input:12V output :5v
current output:2100mA

17-2016



DESCRIPTION

input:12V output :5v
current output:3100mA



20-0101



Mercedes Benz TRUCK
Dual Charger USB Switch Hole Cover
Input voltage : 12-24V
USB Voltage : 5V
USB output : 3.1A
Button size : 40x20mm

20-0102



Mercedes Benz TRUCK
Dual Charger USB Switch Hole Cover
Input voltage : 12-24V
USB Voltage : 5V
USB output : 3.1A
Button size : 40x20mm

20-0301



CHEVROLET
Single Charger USB Switch Hole Cover
Input voltage : 12V
USB Voltage : 5V
USB output : 2.1A
Button size : 33x22mm

20-0401



DAF
Dual Charger USB Switch Hole Cover
Input voltage : 12V
USB Voltage : 5V
USB output : 2.1A
Button size : 46x22mm

20-0501



FORD
Dual Charger USB Switch Hole Cover
Input voltage : 12V
USB Voltage : 5V
USB output : 2.1A
Button size : 38x23mm

20-0502



FORD
Dual USB Switch Hole Cover Charger+Audio
Input voltage : 12V
USB Voltage : 5V
USB output : 2.1A
Button size : 38x23mm

20-0503



FORD
Single USB Switch Hole cover Charger+Digital Voltmeter
Input voltage : 12V
USB Voltage : 5V
USB output : 2.1A
Button size : 33x22mm

20-0601



HONDA
Single Charger USB Switch Hole Cover
Input voltage : 12V
USB Voltage : 5V
USB output : 2.1A
Button size : 45x26mm

20-0602



HONDA
Dual Charger USB Switch Hole Cover
Input voltage : 12V
USB Voltage : 5V
USB output : 2.1A
Button size : 45x26mm

20-0603



HONDA
Dual USB Switch Hole Cover Charger+Audio
Input voltage : 12V
USB Voltage : 5V
USB output : 2.1A
Button size : 45x26mm

20-0604



HONDA
Single USB Switch Hole cover Charger+Digital Voltmeter
Input voltage : 12V
USB Voltage : 5V
USB output : 2.1A
Button size : 45x26mm

20-0701



HYUNDAI
Dual Charger USB Switch Hole Cover
Input voltage : 12V
USB Voltage : 5V
USB output : 2.1A
Button size : 42x23mm

20-0702



HYUNDAI
Single USB Switch Hole cover Charger+Digital Voltmeter
Input voltage : 12V
USB Voltage : 5V
USB output : 2.1A
Button size : 42x23mm

20-0801



ISUZU
Single Charger USB Switch Hole Cover
Input voltage : 12V
USB Voltage : 5V
USB output : 2.1A
Button size : 35x22mm

20-0802



ISUZU
Dual Charger USB Switch Hole Cover
Input voltage : 12V
USB Voltage : 5V
USB output : 2.1A
Button size : 35x22mm

20-0803



Mercedes Benz TRUCK
Dual USB Switch Hole Cover Charger+Audio
Input voltage : 12V
USB Voltage : 5V
USB output : 2.1A
Button size : 35x22mm

20-0804



ISUZU
Single USB Switch Hole cover Charger+Digital Voltmeter
Input voltage : 12V
USB Voltage : 5V
USB output : 2.1A
Button size : 35x22mm

20-0901



IVECO
Dual Charger USB Switch Hole Cover
Input voltage : 12V
USB Voltage : 5V
USB output : 2.1A
Button size : 50x27mm

20-1001




MAN
Dual Charger USB Switch Hole Cover
Input voltage : 12-24V
USB Voltage : 5V
USB output : 3.1A
Button size : 39x19mm

20-1101




MAZDA
Dual Charger USB Switch Hole Cover
Input voltage : 12V
USB Voltage : 5V
USB output : 2.1A
Button size : 36x24mm

20-1102



MAZDA
Dual USB Switch Hole Cover
Charger+Audio
Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 36x24mm

20-1103




MAZDA
Single USB Switch Hole cover
Charger+Digital Voltmeter
Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 36x24mm

20-1201




MITSUBISHI
Single Charger USB
Switch Hole Cover
Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 36x20mm

20-1202




MITSUBISHI
Dual Charger USB
Switch Hole Cover
Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 36x20mm

20-1203




MITSUBISHI
Dual USB Switch Hole Cover
Charger+Audio
Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 36x20mm

20-1204



MITSUBISHI
Single USB Switch Hole cover
Charger+Digital Voltmeter
Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 36x20mm

20-1205



MITSUBISHI
Single USB Switch Hole Cover
Charger+HDMI
Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 36x20mm

20-1301



NISSAN
Single Charger USB
Switch Hole Cover
Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 36x20mm

20-1302




NISSAN
Dual Charger USB
Switch Hole Cover
Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 36x20mm

20-1303



NISSAN
Dual USB Switch Hole Cover
Charger+Audio
Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 36x20mm

20-1304



NISSAN
Single USB Switch Hole cover
Charger+Digital Voltmeter
Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 36x20mm

20-1305




NISSAN
Switch Hole Cover
Digital Voltmeter+Temperature
Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 36x20mm

20-1306



NISSAN
Dual Charger USB
Switch Hole Cover
Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 35x23mm

20-1307



NISSAN
Single USB Switch Hole cover
Charger+Digital Voltmeter
Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 35x23mm

20-1308



NISSAN
3 Charger USB
Switch Hole Cover
QC 3.0
Input voltage : 12-24V
USB Voltage : 5V
USB output : 3.1A
Button size : 34x20mm

20-1309




NISSAN
Single USB Switch Hole cover
Charger+AUX
Input voltage : 12 V
USB Voltage : 5 V
USB output : 3.1A
Button size : 34x20mm

20-1310




NISSAN
Dual Charger USB
Switch Hole Cover
2 Charger+Digital Voltmeter
QC 3.0
Input voltage : 12 V
USB Voltage : 5 V
USB output : 3.1A
Button size : 34x20mm

20-1401




SCANEA
Dual Charger USB
Switch Hole Cover
Input voltage : 12-24V
USB Voltage : 5V
USB output : 3.1A
Button size : 36x20mm

20-1501



SUZUKI
Dual Charger USB
Switch Hole Cover
Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 42x22mm

20-1502



SUZUKI
Dual USB Switch Hole Cover
Charger+Audio
Input voltage : 12-24V
USB Voltage : 5V
USB output : 3.1A
Button size : 42x22mm

20-1601




TOYOTA-LEXUS
Single Charger USB
Switch Hole Cover
Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 40x20mm

20-1602



TOYOTA-LEXUS
Single Charger USB
Switch Hole Cover
Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 40x20mm

20-1603




TOYOTA-LEXUS
Dual Charger USB
Switch Hole Cover
Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 40x20mm

20-1604



TOYOTA-LEXUS
Dual USB Switch Hole Cover
Charger+Audio
Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 40x20mm

20-1605



TOYOTA-LEXUS
Single USB Switch Hole cover
Charger+Digital Voltmeter

Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 40x20mm


20-1606



TOYOTA-LEXUS
Switch Hole Cover
Digital Voltmeter+Temperature

Input voltage : 12 V
Button size : 40x20mm


20-1607



TOYOTA-LEXUS
Dual Charger USB
Switch Hole Cover

Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 34x23mm

20-1608



TOYOTA-LEXUS
Dual USB Switch Hole Cover
Charger+Audio

Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 34x23mm

20-1610



TOYOTA-LEXUS
Single USB Switch Hole cover
Charger+Digital Voltmeter

Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 34x23mm


20-1611



TOYOTA-LEXUS
Switch Hole Cover
Digital Voltmeter+Temperature

Input voltage : 12 V
Button size : 34x23mm


20-1612



TOYOTA-LEXUS
Single Charger USB
Switch Hole Cover

Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 33x22mm

20-1613



TOYOTA-LEXUS
Single USB Switch Hole cover
Charger+Button

Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 40x20mm


20-1614



TOYOTA-LEXUS
Dual Charger USB
Switch Hole Cover
QC 3.0

Input voltage : 12 V
USB Voltage : 5 V
USB output : 3.1A
Button size : 34x23mm

20-1615



TOYOTA-LEXUS
Single USB Switch Hole Cover
Charger+HDMI

Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 34x23mm


20-1616



TOYOTA-LEXUS
Dual Charger USB
Switch Hole Cover
QC 3.0

Input voltage : 12 V
USB Voltage : 5 V
USB output : 3.1A
Button size : 26x22mm

20-1617



TOYOTA-LEXUS
Single USB Switch Hole cover
Charger+AUX

Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 26x22mm


20-1618



TOYOTA-LEXUS
Dual Charger USB
Switch Hole Cover
QC 3.0

Input voltage : 12 V
USB Voltage : 5 V
USB output : 3.1A
Button size : 34x23mm

20-1701



VOLVO TRUCK
Dual Charger USB
Switch Hole Cover

Input voltage : 12-24V
USB Voltage : 5V
USB output : 3.1A
Button size : 47x27mm


20-1801



VW Golf 4
Dual Charger USB
Switch Hole Cover

Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 34x23mm

20-1802



VW
Single USB Switch Hole cover
Charger+AUX

Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 34x23mm

20-6001



UNIVERSAL
Single USB +AUX
Extension Cable

20-6002



UNIVERSAL
Dual USB Extension Cable

20-6003



UNIVERSAL
USB +AUX-USB+2RCA
Extension Cable

20-6004



UNIVERSAL
Single USB Extension Cable

20-6005




UNIVERSAL
Single USB +AUX
Extension Cable

20-6006



UNIVERSAL
USB +AUX-USB+2RCA
Extension Cable


20-6007



UNIVERSAL
Dual Charger USB
Switch Hole Cover

Input voltage : 12-24V
USB Voltage : 5V
USB output : 3.1A
Button size : 48x25mm

20-6008



UNIVERSAL
Single USB Switch Hole cover
Charger+AUX

Input voltage : 12-24V
USB Voltage : 5V
USB output : 3.1A
Button size : 48x25mm