


30-0001



- 1/0AWG Power Cable 53.20mm²
- OD:15.8mm

30-0002




- 2AWG Power Cable 33.25mm²
- OD:12.5mm

30-0003



- 4AWG Power Cable 21.6mm²
- OD:10mm

30-0004



- 6AWG Power Cable 13.85mm²
- OD:8.5mm

30-0005



- 8AWG Power Cable 8.31mm²
- OD:6.5mm















30-0006



- 10AWG Power Cable 5.22mm²
- OD:5.5mm

	30-0007 WHITE
	30-0008 ORANGE
	30-0009 LIGHT BLUE
	30-0010 BLACK
	30-0011 CYAN
	30-0012 PURPLE
	30-0013 RED-WHITE
	30-0014 YELLOW
	30-0015 PINK
	30-0016 GRAY
	30-0017 BROWN
	30-0018 RED
	30-0019 GREEN
	30-0020 BLUE

 30-0021 ▪ 12AWG 2×2.77mm ² ▪ OD:4.5×9.0mm	 30-0030 ▪ 16AWG 2×1.6mm ² ▪ OD:3.5×7.0mm
 30-0022 ▪ 12AWG 2×3.3mm ² ▪ OD:5.0×10.0mm	 30-0031 ▪ 16AWG 2×0.735mm ² ▪ OD:3.0×6.0mm
 30-0023 ▪ 12AWG 2×3.3mm ² ▪ OD:5.0×10.0mm	 30-0032 ▪ 16AWG 2×0.735mm ² ▪ OD:3.0×6.0mm
 30-0024 ▪ 12AWG 2×3.3mm ² ▪ OD:5.0×10.0mm	 30-0033 ▪ 16AWG 2×0.735mm ² ▪ OD:3.0×6.0mm
 30-0025 ▪ 12AWG 2×3.3mm ² ▪ OD:5.0×10.0mm	 30-0034 ▪ 16AWG 2×0.75mm ² ▪ OD:3.0×6.0mm
 30-0026 ▪ 12AWG 2×3.3mm ² ▪ OD:5.0×10.0mm	 30-0035 ▪ 16AWG 2×0.45mm ² ▪ OD:3.0×6.0mm
 30-0027 ▪ 16AWG 2×1.6mm ² ▪ OD:3.5×7.0mm	 30-0036 ▪ 16AWG 2×0.45mm ² ▪ OD:3.0×6.0mm
 30-0028 ▪ 16AWG 2×1.6mm ² ▪ OD:3.5×7.0mm	 30-0037 ▪ 18AWG 2×0.55mm ² ▪ OD:2.5×5.0mm
 30-0029 ▪ 16AWG 2×1.6mm ² ▪ OD:3.5×7.0mm	 30-0038 ▪ 18AWG 2×0.45mm ² ▪ OD:2.4×4.8mm





30-0060

2M2M

▪ OD:6.5mm



30-0061

2M2M

▪ OD:4.0×8.0mm



30-0062

2M2M

▪ OD:7.5mm



30-0063

2M2M

▪ OD:4.0×8.0mm



30-0064

2M2M

▪ OD:6.0mm



30-0065

2M2M

▪ OD:5.3×2.5×5.3mm



30-0066

2M2M

▪ OD:6.5mm



30-0067

2M2M

▪ OD:5.5mm



30-0068

2M2M

▪ OD:7.5mm



30-0069

2M2M

▪ OD:6.0mm



30-0070

2M2M

▪ OD:7.5mm



30-0071

2M2M

▪ OD:6.0mm



30-0072

2M2M

▪ OD:6.5mm



30-0073

2M2M

▪ OD:4.0×8.0mm



30-0078

2M2M

▪ OD:6.5mm



30-0079

2M2M

▪ OD:6.0mm



30-0074

2M2M

▪ OD:6.5mm



30-0075

2M2M

▪ OD:4.0×8.0mm



30-0080

2M2M

▪ OD:4.5+2.0+4.5mm



30-0081

2M2M

▪ OD:6.5mm



30-0076

2M2M

▪ OD:6.0mm



30-0077

2M2M

▪ OD:4.0×8.0mm



30-0082

2M2M

▪ OD:7.5mm



30-0083

2M2M

▪ OD:4.5×9.0mm



30-0084
2F1M 2M1F
OD:4.0×8.0mm



30-0085
2F1M 2M1F
OD:8.0mm




30-0086
2F1M 2M1F
OD:6.0mm



30-0087
2M2M
OD:6.5mm



30-0088
2F1M 2M1F
OD:4.0×8.0mm



30-0089
1F2M 2F1M
OD:4.0×8.0mm



30-0090
2M1F 2F1M
OD:4.0×8.0mm



30-0092
2M2M
OD:4.0×2.0×4.0mm



30-0094
2M1F 2F1M
OD:6.0mm



30-0095
2F1M 2M1F
OD:4.0×8.0mm



30-0091
2M1F 2F1M
OD:4.0×8.0mm



30-0093
2M1F 2F1M
OD:4.0×8.0mm



30-0096
2F1M 2M1F
OD:3.7×7.4mm



30-0097

2M2M

▪ OD:6.5mm



30-0098

2M2M

▪ OD:5.5×2.5×5.5mm



30-0099

2M2M

▪ OD:6.0mm



30-0100

2M2M

▪ OD:4.0×8.0mm



30-0101

2M2M

▪ OD:5.3×2.5×5.3mm



30-0102

2M2M

▪ OD:4.0×8.0mm



30-0103

2M2M

▪ OD:3.8×2.0×3.8mm



30-0104

2M2M

▪ OD:3.5×7.0mm



30-0105

2M2M

▪ OD:3.6×7.2mm



30-0106

2M2M

▪ OD:4.5×9.0mm



30-0107

2M2M

▪ OD:5.5mm



30-0108

2M2M

▪ OD:4.0×8.0mm



30-0109

3M3M

▪ OD:3.5×6.0×3.5mm



30-0110

2M2M

▪ OD:6.8mm



30-0115

2M2M

▪ OD:4.0×8.0mm



30-0116

2M2M

▪ OD:6.8mm



30-0111

3M3M

▪ OD:3.5×5.0×3.5mm



30-0112

2M2M

▪ OD:6.8mm



30-0117

2M2M

▪ OD:3.7×7.6mm



30-0118

2M2M

▪ OD:3.8×7.6mm



30-0113

3M3M

▪ OD:3.6+3.6+3.6mm



30-0114

2M2M

▪ OD:5.0×10.0mm



30-0119

2M2M

▪ OD:3.5×2.0×3.5mm



30-0120

2M2M

▪ OD:4.0×8.0mm



30-0121

2M2M

▪ OD:4.0×8.0mm



30-0122

2M2M

▪ OD:4.0×8.0mm



30-0123

2M2M

▪ OD:4.0×8.0mm



30-0124

2M2M

▪ OD:4.0×8.0mm



30-0125

2M2M

▪ OD:4.0×8.0mm



30-0126

2M2M

▪ OD:4.0+2.0+4.0mm



30-0127

2M2M

▪ OD:7.0mm



30-0128

2M2M

▪ OD:5.8mm



30-0129

2M2M

▪ OD:3.6×7.2mm



30-0130

2M2M

▪ OD:4.0×8.0mm



30-0131

2M2M

▪ OD:3.6×3.6mm



30-0132

2M2M

▪ OD:4.0×8.0mm



30-0133

2M2M

▪ OD:4.0×8.0mm



30-0134

2M2M

▪ OD:4.0×8.0mm



30-0135

2M2M

▪ OD:4.0×8.0mm



30-0136

4M4M

▪ OD:7.0mm



30-0137

2M2M

▪ OD:5.5mm



30-0138

2M2M

▪ OD:4.0×8.0mm



30-0139

2M2M

▪ OD:3.6×7.2mm



30-0140

2M2M

▪ OD:4.0×8.0mm



30-0141

2M2M

▪ OD:3.6×7.2mm



30-0142

2M2M

▪ OD:3.6×7.2mm



30-0143

2M2M

▪ OD:4.0×8.0mm



30-0144

2M2M

▪ OD:4.0+2.0+4.0mm



30-0145

2M2M

▪ OD:3.6×7.2mm



30-0146

2M2M

▪ OD:4.5×9.0mm



30-0147

2M2M

▪ OD:4.0×8.0mm



30-0148

2M2M

▪ OD:4.0×8.0mm



30-0149

2M2M

▪ OD:4.0×8.0mm



30-0150

2M2M

▪ OD:4.0×8.0mm



30-0151

▪ OD:3.0mm



30-0153

▪ OD:3.0mm



30-0155

▪ OD:3.0mm



30-0152

▪ OD:2.6×5.2mm



30-0154

▪ OD:2.6×5.2mm



30-0156

▪ OD:3.0mm



30-0157

▪ OD:3.0mm



30-0162

▪ OD:3.0mm



30-0163

▪ OD:3.0mm



30-0158

▪ OD:3.0mm



30-0159

▪ OD:3.0mm



30-0164

▪ OD:3.0mm



30-0165

▪ OD:3.0mm



30-0160

▪ OD:3.0mm



30-0161

▪ OD:3.0mm



30-0166

▪ OD:3.0mm



30-0167

▪ OD:3.0mm

30-0168

1/0AWG

- 1-17FT of 1/0awg frosted transparent power cable
- 1-3FT of 1/0awg frosted black ground cable
- 1-17FT of transparent frosted black twist RCA cable
- 1-12FT of 12awg speaker wire, frosted transparent/frosted transparent black
- 1-17FT 18awg solid blue remote turn-on wire
- 1-ANL fuse holder with 250amp ANL fuse
- 2-Nickel plated 1/0awg ring terminal with 8.5mm hole
- 2-1/0awg spade terminal, one with silver boot the other with black boot
- 1-22-18awg nickel plated spade lug
- 1-22-18awg red vinyl butt splice
- 10-6" black wire ties
- 2-black self-tapping screw
- 1-Snap-in wire grommet

30-0170

4AWG

- 1-17FT of 4awg transparent blue power cable
- 1-3FT of 4awg transparent ground cable
- 1-17FT of twist transparent blue/transparent RCA wire
- 1-17FT of 16awg transparent speaker wire
- 1-17FT 18awg solid blue remote turn-on wire
- 1-ANL fuse holder with 100amp ANL fuse
- 1-Nickel Plated 4awg ring terminal with 8.5mm hole- red boot
- 1-Nickel Plated 4awg ring terminal with 8.5mm hole- black boot
- 2-4awg spade terminal, one with red boot the other with black boot
- 1-6FT black split loom, OD: 10.5mm
- 2-16-22ga butt connector
- 10-4" black wire ties
- 1-4awg snap bushing

30-0169

2AWG

- 1-17FT of 2awg frosted transparent orange power cable
- 1-3FT of 2awg frosted black ground cable
- 1-17FT of frosted transparent orange twist RCA wire
- 1-17FT 18awg frosted transparent orange remote turn-on wire
- 1- Nickel plated AFS fuse holder with 125amp AFS fuse
- 1- Nickel plated 2awg ring terminal with 8.5mm hole- red boot
- 1- Nickel plated 2awg ring terminal with 8.5mm hole- black boot
- 2-14-16awg blue female quick disconnect
- 3-22-18awg nickel plated spade lug
- 2-22-18awg red vinyl butt splice
- 10-6" black wire ties
- 1-Snap-in wire grommet

30-0171

4AWG

- 1-17FT of 4awg matte solid red power cable
- 1-3FT of 4awg matte solid black ground cable
- 1-17FT of matte solid red RCA cable
- 1-12FT of 12ga matte solid red /matte solid black speaker wire
- 1-17FT 18awg solid blue remote turn-on wire
- 1-AGU fuse holder with 80amp AGU fuse installed & connected to wire
- 1-Nickel Plated 4awg ring terminal with 8.5mm hole- red boot
- 1-Nickel Plated 4awg ring terminal with 8.5mm hole- black boot
- 2-4awg spade terminal, one with red boot the other with black boot
- 4-Nickel speaker terminals, two with red boot the other with black boot
- 1-22-18awg nickel plated spade lug
- 1-22-18awg red vinyl butt splice
- 10-4" black wire ties
- 1-4awg snap bushing
- 2-black self-tapping screw

30-0172

4AWG



- 1-17FT of 4awg frosted transparent blue power cable
- 1-3FT of 4awg frosted transparent black ground cable
- 1-17FT of transparent blue RCA wire
- 1-17FT of 16awg transparent speaker wire with blue edge
- 1-17FT 18awg solid blue remote turn-on wire
- 1- Gold plated AGU fuse holder with 60amp AGU fuse
- 1-Gold plated 4awg ring terminal with 8.5mm hole- blue boot
- 1-Gold plated 4awg ring terminal with 8.5mm hole- black boot
- 2-4awg spade terminal, one with blue boot the other with black boot
- 4- Gold speaker terminals, two with blue boot the other with transparent boot
- 10-4" black wire ties
- 1-Snap-in wire grommet
- 2-black self-tapping screw

30-0174

6AWG



- 1-17FT of 6awg transparent red power cable
- 1-3FT of 6awg transparent black ground cable
- 1-17FT of blue double shielding structured RCA wire with remote
- 1-Gold plated AGU fuse holder with 60amp AGU fuse
- 2-Gold plated 6awg ring terminal with 8.5mm hole
- 2-6awg spade terminal, one with red boot the other with black boot
- 1-22-18awg red vinyl butt splice
- 1-4awg snap bushing
- 10-4" black wire ties

30-0173

4AWG



- 1-17FT of 4awg transparent blue power cable
- 1-3FT of 4awg transparent ground cable
- 1-17FT of blue double shielding structured RCA cable
- 1-17FT 18awg solid blue remote turn-on wire
- 1- Nickel plated AGU fuse holder with 80amp AGU fuse
- 1-Nickel plated 4awg ring terminal with 8.5mm hole- blue boot
- 1-Nickel plated 4awg ring terminal with 8.5mm hole- black boot
- 2-4awg spade terminal, one with blue boot the other with black boot
- 4-22-18awg nickel plated spade lug, two with red boot the other with black boot
- 1-6FT black split loom, OD: 10.5mm
- 1-4awg snap bushing
- 2-black self-tapping screw

30-0175

8AWG



- 1-17FT of 8awg frosted transparent violet power cable
- 1-3FT of 8awg frosted transparent black ground cable
- 1-17FT of frosted transparent violet twist RCA cable
- 1-17FT of 16awg frosted transparent violet / matte solid black speaker wire
- 1-17FT 18awg solid black remote turn-on wire
- 1- Nickel plated AFS fuse holder with 60amp AFS fuse
- 2-Nickel plated 8awg ring terminal with 8.5mm hole
- 2-8awg spade terminal, one with red boot the other with black boot
- 4- Nickel speaker terminals, two with red boot the other with black boot
- 1-22-18awg red vinyl butt splice
- 10-4" black wire ties
- 1-8awg snap bushing
- 2-black self-tapping screw

30-0176

8AWG

- 1-17FT of 8awg matte solid blue power cable
- 1-3FT of 8awg matte solid black ground cable
- 1-17FT of frosted braid blue RCA cable
- 1-17FT of 16ga matte solid blue/matte solid black speaker wire
- 1-17FT 18awg solid blue remote turn-on wire
- 1-Gold plated AFS fuse holder with 60amp AFS fuse
- 2-Gold plated 8awg ring terminal with 8.5mm hole
- 2-8awg spade terminal, one with blue boot the other with black boot
- 4- Gold speaker terminals, two with blue boot the other with transparent boot
- 1-22-18awg red vinyl butt splice
- 10-4" black wire ties
- 1-Snap-in wire grommet
- 2-black self-tapping screw

30-0178

10AWG

- 1-17FT of 10awg matte solid red power cable
- 1-3FT of 10awg matte solid black ground cable
- 1-17FT of frosted transparent black twist RCA wire
- 1-12FT of 12awg speaker wire, frosted transparent/frosted transparent black
- 1-17FT 18awg solid blue remote turn-on wire
- 1-ATC fuse holder with 30amp fuse(connected)
- 1-Nickel plated 10awg ring terminal with 8.5mm hole- red boot
- 1-Nickel Plated 10awg ring terminal with 8.5mm hole- black boot
- 2-10awg spade terminal, one with red boot the other with black
- 4- 12-10 awg yellow female quick disconnect
- 1-22-18awg nickel plated spade lug
- 1-22-18awg red vinyl butt splice
- 10-4" black wire ties
- 1-10awg snap bushing

30-0177

8AWG

- 1-17FT of 8awg matte solid red power cable
- 1-3FT of 8awg matte solid black ground cable
- 1-17FT of matte solid red RCA wire
- 1-12FT of 12awg matte solid red /matte solid black speaker wire
- 1-17FT 18awg solid blue remote turn-on wire
- 1-AGU fuse holder with 40amp AGU fuse installed & connected to wire
- 1-Nickel plated 8awg ring terminal with 8.5mm hole- red boot
- 1-Nickel Plated 8awg ring terminal with 8.5mm hole- black boot
- 2-8awg spade terminal, one with red boot the other with black boot
- 4- Nickel speaker terminals, two with red boot the other with black boot
- 1-22-18awg nickel plated spade lug
- 1-22-18awg red vinyl butt splice
- 10-4" black wire ties
- 1-8awg snap bushing
- 2-black self-tapping screw

