



Since 1999



Integration Guide 2020/2021 Autumn



CONTENTS

Car Audio Installation Kits	01
9 Inch and 10.1 Inch Facial Panel	21
Radio Removal Keys & Tools	39
Harley Audio Accessories	43
Marine Audio	45
Car Economic Speaker	49
Subwoofer	57
Tweeter	59
Car Amplifier Kit	73
Electronic Audio	75
Bluetooth Music Adapter	79
Car Fuse Holder	85
Car Antenna & Adapters	111
Car Wiring Harness	127
Car CAMERA	155
Car USB Charger & Adapters	169
Led Work Light	179


Car LED Bulb	185
Wheel Hub Lamp	189
Data Charging Cable	193
Car Floor Mats	195
Special Car Wireless Charger	197
Car Key Housing	205
Audio Cables	211
Ev Charging Cable	241
Switch Panels	243
Car Roof Luggage Rack	247

11-0101



ALFA
single din
black
Version:
156 <2001

11-0102



ALFA
single din
Silver
Version:
147

11-9050



ALFA
Double din
Silver
Version:
147 2000-2010
GT 2004-2010

11-0104



ALFA
Double din
Silver
Version:
159 2005-2011
Brera 2005-2010
Spider 2006-2010
(Type 939)

11-0105



ALFA
Double din
Black
Version:
159 2005-2011
Brera 2005-2010
Spider 2006-2010
(Type 939)

11-0201



AUDI
Version:
Audi A4 (B6) 2002-2006
Audi A4 (B7) 2004-2009
SEAT Exeo 2009+ w/pocket

11-9045



AUDI
Version:
A3 2003- 2012
A4 2008-2018

11-0203



AUDI
Version:
Audi A6(4B) 2001-2004
Allroad 2000-2006
w/pocket

11-0204



AUDI
Version:
Audi A3(8L)
1996-2000

11-0205



AUDI
Version:
A2(8Z) 1998-2005
A3(8L)2000
A4 (B5) 1999-2001
A6 (4B) 1997-2000
A6 (4B) 2003-2004

11-0206



AUDI
Version:
TT(8N)
1998-2006

11-0207



AUDI
Version:
A4 >99

11-0208




AUDI
Version:
A4(B6) 2000-2006

11-0209



AUDI
Version:
A3(8L) 2003-2008

11-0214



AUDI
Version:
A3 2003-2012

11-0215



AUDI
Version:
A6, A8

11-0301



Mercedes Benz
Version:
E-Class (W211)
2002-2009 w/pocket

11-0302



Mercedes Benz
Version:
Class (W203)
2000-2004
CLK-class (W209)
2002-2005
Viano(W639)
2003-2008
Vito (W639)
2003-2006w/pocket

11-0303



Mercedes Benz
Version:
Sprinter W902/905
2000- 2006

11-0304



Mercedes Benz
Version:
A-Class W176
2013-2018
B-Class W246
2013-2018

11-0305



Mercedes Benz
Version:
A B class/Sprinter/
Vito 2004 -2006

11-0306



Mercedes Benz
Version:
A-Class 2004 -2012
B-Class 2005- 2011
Sprinter 2006 -2018
Viano 2006 -2018

11-9056



Mercedes Benz
Version:
C-Class 2000- 2004
Viano 2003-2006
Vito 2003-2006
CLK 2002-2004

11-0308




Mercedes Benz
Version:
E-Class 2002-2009
CLS 2005-2010

11-0401

BMW

Version:
3-Series (E46)
1998-2005



11-0402

BMW

Version:
MINI COOPER
(R50) 2001-2006
(R52) 2004-2008
(R53) 2002-2006



11-0403

BMW

Version:
5 Series (E39)
1995-2003
BMW X5 (E53)
1999-2006w/pocket



11-0404

BMW

Version:
3-Series
Front & Rear 130mm



11-0405

BMW

Version:
Mini 2001>
Front 165mm



11-9028

BMW

Version:
E46 Double din
1998-2005



11-0407

BMW

Version:
3-Series
Rear shelf 6*9



11-0408

BMW

Version:
5-Series (E39)
1995-2003
X5 (E53)
1999-2006



11-0409

BMW

Version:
1-Series 2004- 2011
E81/E82/E87/E88
3-Series 2000 -2012
E90/E91/E92/E93
X1 2000- 2015
E84/E81/E82/E87/
E88
Z4 2009-2018



11-0501

CHEVROLET

Grey
Version:
1500 Series 88-89



11-0501

CHEVROLET

BROWN
Version:
1500 Series 88-89



11-0502

CHEVROLET

Version:
Aveo, Lova 2007+
Captiva, Epica
2006+



11-0503

CHEVROLET

Version:
Tahoe 2007+
Suburban 2007+
Yukon 2007+



11-9005

CHEVROLET

Version:
sail 2010-2018



11-9040

CHEVROLET

Speaker Adapter
6 to 6.75 inch
Version:
Camaro 10-15
Malibu 16-Up



11-0601

CHRYSLER

Version:
Chrysler> 3/99



11-0602

CHRYSLER

Version:
300M 1999-2004
Concorde 1998-2003
LHS 1996-2001
PT Cruiser 2001-2005
Saber, Town & Country
2001-2004
Dodge
Caravan 2001-2004
Dakota 2001-2004
Durango 2000-2004
Intrepid 1998-2004
Neon 2000-2004
Ram pick-up 2002-2005
Ram Van 1994-2002
Stratus 2001-2004
Stratus Coupe 2002-2004
Stratus Sedan 2002-2004



11-0603

CHRYSLER

Version:
Chrysler Wrangler



11-0604

CHRYSLER

Version:
300C 2004+ ,
PT cruiser 2006+
Dodge
Charger /Ram /
Dakota/Magnum 2006+
Durango 2004+
Jeep
Grand Cherokee 2005+
Commander 2006+.



11-9002

CHRYSLER

Version:
Multi-kit 1998-20



11-0701

CITROEN

Version:
Citroen Xantia



11-0702

CITROEN

Version:
Citroen zx berlingo



11-0703

CITROEN

Version:
Citroen C1 2005+
Toyota Aygo 2005+
Peugeot (107)
2005+



11-0704

CITROEN

Version:
Citroen C5
2004-2008
Peugeot (407)
2004-2010
(407) coupe 2005+



11-0705



CITROEN

Version:
Citroen C1

11-0710



CITROEN

Version:
Citroen XSARA

11-9057



CITROEN

Version:
Citroen C5 2001-> 1 DIN
Black

11-9060



CITROEN

Version:
Citroen C2 2003->2009
Citroen C3 2002->2010
Citroen C3 Pluriel (H)
2003->2010
Fiat Scudo 2007->
Peugeot 207 2006->2012
Peugeot 207 CC 2007->
Peugeot 307 2001->2006

11-9061



DACIA

Version:
Citroen Jumper 2006->
Fiat Ducato 2006->
Peugeot Boxer 2006->

11-2801



DACIA

Version:
Dacia Duster 2012-2016
Dacia Logan 2012-2016
Dacia Sandero 2012-2018
BLACK

11-2802



DACIA

Version:
Dacia Duster 2012-2016
Dacia Sandero 2012-2018
GREY

11-2803



DACIA

Version:
Dacia Duster 2012-2018
Dacia Sandero 2012-2018
Dacia Logan N/A
Dacia Dokker 2012-2018
PIANO BLACK

11-9063



DACIA

Version:
Dacia Dokker 2012->
Dacia Duster 2013->
Dacia Lodgy 2012->
Dacia Sandero 2013->

11-0801



DAEWOO

Version:
Daewoo Matiz
Front 165mm

11-0902



FIAT

Version:
Fiat Panda
Rear 165mm

11-0903



FIAT

Version:
Fiat Panda
Front 165mm

11-0904



FIAT

Version:
Fiat Brava
Bravo

11-0905



FIAT

Version:
Brav0(182),Brava
(182),Marea(185),
1995-2001

11-0906



FIAT

Version:
Fiat Punto 1999-2004

11-0909



FIAT

Version:
Fiat
Grande Punto (199) 2005+
Linea(323) 2007+

11-9067



FIAT

Version:
Fiat Grande Punto 2005->
Fiat Linea 2007->
metallic anthracite

11-9068



FIAT

Version:
Fiat Grande Punto 2005->
Fiat Linea 2007->
Grey

11-9069



FIAT

Version:
Fiat Grande Punto 2005->
Fiat Linea 2007->
Silver

11-0911



FIAT

Version:
Fiat Ducato 2006+
Citroen Jumper 2006+
Peugeot Boxer 2006+

11-0912



FIAT

Version:
Fiat Bravo
Double din set

11-0913



FIAT

Version:
Fiat
Panda (169) 2003-2012

11-0914



FIAT

Version:
Fiat Ducato 2006+
Citroen Jumper 2006+
Peugeot Boxer 2006+

11-9065



FIAT

Version:
Fiat Stilo 2001->

11-0915

FIAT

Version:

Fiat sedici 2006,
SUZUKI SX4 2006



11-9070

NEW

FIAT

Version:

Fiat Punto 2012->
Fiat Punto Evo
10/2009->2012 1 DIN
black, gloss



11-1002

FORD

Version:

Ford
Fiesta 1995-2001,
Focus 1998-2004,
Galaxy 2000-2006,
Mondeo 1996-2003,
Cougar, puma 1998-2002,
Escape 2000-2007,
Explorer before 2001,
Transit before 2005,
Jaguar
S-type 1999+



11-1004

FORD

Version:

Ford Ka (RHS) ☐
1996-2008



11-1006

FORD

Version:

Ford
Fiesta 1995-2001,
Focus 1998-2004,
Galaxy 2000-2006,
Mondeo 1996-2003,
Cougar, puma 1998-2002,
Escape 2000-2007,
Explorer before 2001,
Transit before 2005,
JAGUAR
S-Type 1999+ w/pocket



11-1008

FORD

Version:

Ford
FocusII, C-Max 2005+,
S-Max, Fusion, Transit
2006+
Fiesta III 2006-2008,
w/pocket



11-9059

NEW

FIAT

Version:

Fiat Stilo 2001->,
2 DIN
Black



11-1001

FORD

Version:

Ford Escort



11-1003

FORD

Version:

Ford Scorpio



11-1005

FORD

Version:

Ford Ka (LHS) ☐
1996-2008



11-1007

FORD

Version:

Ford Triton
Series 04-05



11-1009

FORD

Version:

Ford Mondeo



11-1010

FORD

Version:

Ford
Fiesta 2001-2005
Fusion 2002-2005




11-1012

FORD

Version:

Ford Fiesta
Front 130mm



11-1014

FORD

Version:

Ford Fiesta
Rear Shelf 130mm



11-1016

FORD

Version:

Ford Focus
C-Max Front



11-1008DD

FORD

Version:

Ford Focus C-max
Double din



11-1020

FORD

Version:

Ford Fiesta,
Mazda



11-1011

FORD

Version:

Ford
Mondeo 2002-2006
w/pocket



11-1013

FORD

Version:

Ford Escort
Front Door 165mm



11-1015

FORD

Version:

Ford Mondeo



11-1019

FORD

Version:

Ford Fiesta



11-1010DD

FORD

Version:

Ford Fiesta
Double din



11-1021

FORD

Version:

Ford C-max,
Focus 2005



11-1022

FORD

Version:

Ford Focus Double din
C-max, Fusion,
Fiesta 06+



11-1023

FORD

Version:

Ford Focus 2007-2011
Ford Mondeo Mk 4 2007-2014
Ford S-Max 2006-
Ford Galaxy 2006-
Ford C-Max 2007-2010
Silver+



11-1031

FORD

Version:

Ford Focus 2007-2011
Ford Mondeo Mk 4 2007-2014
Ford S-Max 2006-
Ford Galaxy 2006-
Ford C-Max 2007-2010
Silver



11-1024

FORD

Version:

Ford KA 2009-2018



11-1025

FORD

Version:

Ford Focus



11-1026

FORD

Version:

Ford



11-1027

FORD

Version:

Ford Focus 2007-2011
Ford Mondeo 2007-2014
BLACK



11-1028

FORD

Version:

Ford Focus 2007-2011
Ford Mondeo 2007-2014
Silver



11-9049

FORD

Version:

FORD Mondeo 2003-2007



11-1030

FORD

Version:

Ford C-Max 2003-2010 Visteon 6000CD
Ford Fiesta 2005-2008 Visteon 6000CD
Ford Focus 2004-2007 Visteon 6000CD
Ford Fusion 2005-2012 Visteon 6000CD
Ford Galaxy 2006-2018 Visteon 6000CD
Ford Kuga 2008-2012 Visteon 6000CD
Ford S-Max 2006-2018 Visteon 6000CD
Ford Transit 2006-2013 Visteon 6000CD




11-9003

GM

Version:

GM Multi-Kit
1990-2012
95-2001



11-9006

GREAT WALL

Version:

GREAT WALL H5



11-1032

GREAT WALL

Version:

GREAT WALL H6
2013-2018



11-9001

GM

Version:

Ford
GM, 1995-2015; 5.25"
OR 6.25"



11-9041

LADA

Version:

Facia adapter for LADA
1DIN LADA Priora,
Kalina-2



11-9042

LADA

Version:

Facia adapter for LADA
2DIN LADA Kalina 2013+,
Granta 2013+



11-9043

LADA

Version:

Facia adapter for LADA
2DIN LADA VESTA



11-9051

LADA

Version:

2018 LADA GRANTA FL,
2 DIN
178x100MM




11-1101

HYUNDAI

Version:

Hyundai Santa Fe
2006-2012



11-1102

HYUNDAI

Version:

Hyundai
Veracruz 2007+
IX-55 2008+



11-1103

HYUNDAI

Version:

Hyundai
Elentra (HD),
Avante(HD),
2006-2010



11-1104

HYUNDAI

Version:

Hyundai Ix35



11-9044

HYUNDAI

Version:

installation kit for
Hyundai IX-25 2016+
Creta 2015+.



11-9046

HYUNDAI

Version:

Hyundai IX25 2014+
2din Creta 2016+ 2din



11-1107

HYUNDAI

Version:
Facia adapter for HYUNDAI 2 DIN
Hyundai Solaris 2010 ->
Hyundai Accent 2010 ->
Hyundai Verna 2010 ->
Hyundai i25 2010 ->



11-9047

HYUNDAI

Version:
Hyundai Accent 2018+
Hyundai Solaris 2018+
Hyundai Verna 2018+



11-1201

HONDA

Version:
Honda Civic 01+ (RHS)



11-1203

HONDA

Version:
Honda
Civic 2008+
Ballade 2011+
(w/manual AIR-Conditioning)



11-1204

HONDA

Version:
Honda CR-V 2007-2012



11-1205

HONDA

Version:
Civic Sedan 2007-2011
(left Wheel)



11-1206

HONDA

Version:
Honda accord 2006-2011



11-1301

KIA

Version:
Kia Shuma



11-1302

KIA

Version:
Kia Sportage 05



11-1307

KIA

Version:
Kia Ceed
Double din set



11-1308

KIA

Version:
Kia Spectra 01+
Sephia 2, Shuma 2,
Mentor 2



11-1309

KIA

Version:
Kia Ceed



11-2601

Mitsubishi

Version:
Mitsubishi Lancer,
EVO 08



11-2602

Mitsubishi

Version:
Mitsubishi Pajero



11-1401

NISSAN

Version:
Nissan Almera rhd



11-9007

NISSAN

Version:
Nissan Pocket



11-1501

OPEL

Version:
Black/Silver
Vauxhall, Omega,
Opel, Agila, Corsa



11-1502

OPEL

Version:
Silver/Black
Opel, Meriva, Corsa,
Sport, Opel Agila, Omega
Corsa



11-1502

OPEL

Version:
Silver
Opel, Meriva, Corsa,
Sport, Opel Agila,
Omega Corsa



11-1503

OPEL

Version:
Vauxhall Astra 03/04
Vectra CSW 05



11-1504

OPEL

Version:
Vauxhall Astra H 2004,
Vectra CSW 05



11-1508

OPEL

Version:
Vauxhall Corsa
Front 130mm,
165mm



11-1509

OPEL

Version:
Opel Vectra, Astra,
Front 165mm



11-1511

OPEL

Version:
Opel, Omega,
Vectra, Zafira



11-1513



OPEL
Version:
Opel,Antara,
Double din

11-1601



PEUGEOT
Version:
Peugeot 106

11-1602



HONDA
Version:
Peugeot 206

11-1603



PEUGEOT
Version:
Peugeot 306 (RHS)

11-1604



PEUGEOT
Version:
Peugeot 306 (LHS)

11-1605



PEUGEOT
Version:
Peugeot 406

11-1701



Renault
Version:
Renault Megane
Black

11-1701



Renault
Version:
Renault Megane
Gray

11-1702



Renault
Version:
Renault Megane 2002

11-9058



RENAULT
Version:
Renault Megane II 2002/11->
2009/05 2 DIN,
Black

11-1801



Range Rover
Version:
Range Rover

11-1802



Range Rover
Version:
Range Rover 75

11-1901



SEAT
Version:
Seat Toledo,A3
12/00>

11-1902



SEAT
Version:
Seat Toledo Dal
1999 Al2004

11-1903



SEAT
Version:
Seat Ibiza 2002
5 porte 3porteant

11-1905



SEAT
Version:
Seat,Lbiza,Copdoba

11-9062



SEAT
Version:
Seat Altea 2004->
Seat Altea XL 2006->
Seat Toledo 2004->2009

11-2001



SKODA
Version:
Skoda Fabia

11-2002



SKODA
Version:
Skoda Octavia 2004

11-2003



SKODA
Version:
Skoda Fabia 2003

11-2004



SKODA
Version:
Skoda Fabia 2003

11-2050



SUBURA
Version:
subura imparez

11-0705




















TOYOTA
Version:
TOYOTAAYGO

11-2201



TOYOTA
Version:
Toyota celica



11-2310



VW
Version:
VW golf5, Touran,
Jetta,Passat B6,
Skoda Fabia

11-2311




VW
Version:
VW GOLF

11-2312



VW
Version:
VW,99Golf,Jetta,
02Passat,Clasico

11-2313



VW
Version:
JETTA

11-2401



Volvo
Version:
Volvo 740,760,
940,960

11-2402



Volvo
Version:
Volvo Front
130mm

11-2501



Suzuki
Version:
Suzuki Grand Vitara 05+

11-9008



Suzuki
Version:
SUZUK JIMNY 08 2DIN

11-2701



MAZDA3
Version:
MAZDA 3 2004-2009

11-2702



MAZDA6
Version:
MAZDA 6 2006-2008

11-6001



Universal Din poket
Version:

11-6002



Iso Head Unit
Version:

11-6003



ISO Dash
Version:

11-6004



SO Radio Cover
Version:

11-6005



ISO Pocket
Version:

11-6006



ISO Plastic Spacer
Version:

11-6007



Universal Facia panel
Version:

11-6008



Universal Case
Version:

11-6009



**165mm-130mm
mounting plate reducer**
Version:

11-6010



**Universal Spacer
for 6*9 Speakers**
Version:

11-6011



ISO speaker adapter

11-6012



Speaker Adapter

11-9004



universal CD Housing

11-6013




**118 x 188.5mm Universal
Double Din**
Citroën C2, Citroën C2,
Citroën C3, Ford Galaxy
2005->, Mercedes A-Class
(W168), Mercedes M-Class ->2005,
Mercedes Vaneo 2005->, Peugeot 206,
Peugeot 307, Renault Traffic,
Seat Ibiza,Seat Ibiza, Suzuki Swift
2005->,
VW Bora ->2005, VW Golf IV ->2005,
VW Lupo ->2005, VW Passat ->2005,
VW Polo ->2005, VW Transporter T5,
Volvo S40, Volvo S80, Skoda Fabia II
2007->,
Skoda Octavia ->2004, Skoda Superb

11-6014




110 x 188.5mm Universal Double Din
Citroën C2, Citroën C3, Ford Galaxy
2006->,
Mercedes A-Class, Mercedes M-Class
(W163), Mercedes Vaneo 2005->,
Peugeot 206, Peugeot 307, Renault
Traffic,
Seat Arosa, Seat Ibiza, Suzuki Swift
2005-> VW Bora->2005,
VW Golf IV->2005, VW Lupo->2005,
VW Passat->2005, VW Polo->2005,
VW Transporter T5, Volvo S40,
Volvo S80, Skoda Fabia 12007->,
Skoda Octavia->2004, Skoda Superb

11-8001




ISO Radio cage

11-8002




ISO Radio cage

11-8003




ISO Radio cage

11-8004




ISO Radio cage
kits

11-8005



ISO Radio cage
kits

11-8006



ISO Radio cage
kits

11-8007




Black
Cage for Daewoo

11-8012



Radio Cage & ISO
Cover

11-8013



ISO Radio cage

24-0101


Buick
GL6 2018+ (9 inch)

24-0102


Buick
GL8 2012+ (10.1 inch)

24-0103


Buick
Envision 2014+ (10.1 inch)

24-0104


Buick
Lacrosse 2016+ (10.1 inch)

24-0105


Buick
GL8 2017+ (10.1 inch)

24-0106


Buick
Verano GS 2016+ (9 inch)

24-0107


Buick
Encore 2013+ (9 inch)

24-0108


Buick
Regal 2013+ (9 inch)

24-0109


Buick
Lacrosse 2013+ (10.1 inch)

24-0110


Buick
Excelle 2015+ (9 inch)

24-0111


Buick
Encore 2016+ (9 inch)

24-0112


Buick
Verano 2015+ (9 inch)

24-0113


Buick
Excelle 2008+ (10.1 inch)

24-0201


Chevrolet
Sail 2010-2013 (9 inch)

24-0202


Chevrolet
Aveo 2011-2013 (9 inch)

24-0203


Chevrolet
Cavalier 2016+ (9 inch)

24-0204


Chevrolet
Equinox 2017+ (9 inch)

24-0205


Chevrolet
Lova RV 2016+ (9 inch)

24-0206


Chevrolet
Malibu XL 2016+ (9 inch)

24-0207


Chevrolet
Malibu 2015+ (9 inch)

24-0208


Chevrolet
Trax 2017+ (9 inch)

24-0209


Chevrolet
Aveo 2014+ (9 inch)

24-0210


Chevrolet
Trax 2014-2016 (9 inch)

24-0211


Chevrolet
Cruze 2009+ (9 inch)

24-0212

Chevrolet
Cruze 2014+ (9 inch)



24-0214

Chevrolet
Epica 2007-2012
(9 inch)



24-0302

Citroen
C4L 2013+ (10.1 inch)



24-0402

Ford
Ecosport 2017+ (9 inch)



24-0404

Ford
Focus 2005-2012 (9 inch)



24-0406

Ford
Mondeo 2013+ (9 inch)



24-0213

Chevrolet
Sail 2015+ (9 inch)



24-0301

Citroen
C-Quatre 2012+
(10.1 inch)



24-0401

Ford
Kuga 2013+ (9 inch)



24-0403

Ford
Focus 2012-2017 (9 inch)



24-0405

Ford
Focus with manual air
conditioner 2005
-2012 (9 inch)



24-0407

Ford
Escort 2014+ (10.1 inch)



24-0408

Ford
Taurus 2015+ (9 inch)



24-0501

Honda
Vezel/XRV 2015+
(9 inch)



24-0503

Honda
CRV 2017+ (10.1 inch)



24-0505

Honda
Civic 2005-2011
(10.1 inch)



24-0507

Honda
Vezel/XRV 2015+
(10.1 inch)



24-0509

Honda
CRV 2010+ (9 inch)



24-0409

Ford
Edge 2015-2018 (9 inch)



24-0502

Honda
Odyssey 2009-2014
(10.1 inch)



24-0504

Honda
Fit 2008-2013 (10.1 inch)



24-0506

Honda
Accord 8 (10.1 inch)



24-0508

Honda
Old City (10.1 inch)



24-0510

Honda
Accord 9 (10.1 inch)



24-0511



Honda
CRV 2013+ (10.1 inch)

24-0513



Honda
Civic 2012+ (9 inch)

24-0515



Honda
Fit 2014+ (10.1 inch)

24-0517



Honda
Crider 2013-2019
with manual air
conditioner (10.1 inch)

24-0519



Honda
Jade 2013+ (9 inch)

24-0602



Hyundai
Sonata 9 2018+ (9 inch)

24-0512



Honda
Civic 2016+ (9 inch)

24-0514



Honda
Odyssey 2015+
(10.1 inch)T

24-0516



Honda
City 2015+ (10.1 inch)

24-0518



Honda
Crider 2013-2019 with
auto air conditioner
(10.1 inch)

24-0601



Hyundai
Sonata 8 2011-
2015 (10.1 inch)

24-0603



Hyundai
IX35 2018+ (9 inch)

24-0604



Hyundai
Reina 2017+ (9 inch)

24-0606



Hyundai
Mistra 2017+ (10.1 inch)

24-0608



Hyundai
Ix35 2011-2017
(10.1 inch)

24-0610



Hyundai
Sonata 2015-2017
(9 inch)

24-0612



Hyundai
Elantra 2015-2017
(9 inch)

24-0614



Hyundai
Verna 2010-2017
(9 inch)

24-0605



Hyundai
Verna 2017+ (9 inch)

24-0607



Hyundai
Celesta 2017+ (10.1 inch)

24-0609



Hyundai
Elantra 2008-2010 (9 inch)

24-0611



Hyundai
Avante 2012+ (9 inch)

24-0613



Hyundai
Mistra 2012-2017
(9 inch)

24-0615



Hyundai
Ix25 2014+ (10.1 inch)

24-0616



Hyundai
IX45 2015+ (9 inch)

24-0617



Hyundai
Tucson 2014+
(10.1 inch)

24-0701



Jeep
Compass 2017+
(10.1 inch)

24-0702



Jeep
Compass 2010-2016
(10.1 inch)

24-0703



Jeep
Cherokee 2015+
(10.1 inch)

24-0704



Jeep
Renegade 2016+
(9 inch)

24-0801



Kia
KX5 2016+ (9 inch)

24-0802



Kia
Forte 2018+ (9 inch)

24-0803



Kia
K5 2011+ (9 inch)

24-0804



Kia
K4 cachet 2017+ (9 inch)

24-0805



Kia
Forte 2010-2017 (9 inch)

24-0806



Kia
Sorento 2015+
(10.1 inch)

24-0807



Kia
Cerato 2017+ (10.1 inch)

24-0808



Kia
Kx7 2017+ (10.1 inch)

24-0809



Kia
K2 2017+ (10.1 inch)

24-0810



Kia
Cerato 2012+
(10.1 inch)

24-0811



Kia
Sportage 2007+ (9 inch)

24-0812



Kia
Sportage 2010+ (9 inch)

24-0813



Kia
K3 2012+ (9 inch)

24-0814



Kia
K4 2014+ (9 inch)

24-0815



Kia
K5 2016+ (10.1 inch)

24-0816



Kia
K2 2012+ (9 inch)

24-0817



Kia
KX3 2014+ (10.1 inch)

24-0901



Mazda
6 2004-2016 (9 inch)

24-0902



Mazda
6 2009+ (9 inch)

24-0903



Mazda
3 2011-2015 (9 inch)

24-0904



Mazda
3 2008-2013 (9 inch)

24-0905



Mazda
Axela 2014+ (10.1 inch)

24-0906



Mazda
Cx4 2016+ (10.1 inch)

24-0907



Mazda
Cx5 2013-2017
(10.1 inch)

24-1001



Mitsubishi
Pajero 2013+ (9 inch)

24-1002



Mitsubishi
LancerEX 2015+
(10.1 inch)

24-1003



Mitsubishi
ASX 2013+ (10.1 inch)

24-1004



Mitsubishi
Outlander 2017
+ (10.1 inch)

24-1101



Nissan
Qashqai X-Trail
2014+ (10.1 inch)

24-1102



Nissan
Sylphy 2012-2017
(10.1 inch)

24-1103



Nissan
Patrol (10.1 inch)

24-1104



Nissan
Qashqai 2008-
2015 (9 inch)

24-1105



Nissan
Tida 2011-2015 (9 inch)

24-1106



Nissan
X-Trail 2008-
2012 (10.1 inch)

24-1107



Nissan
Tida
2011-2015 (10.1 inch)

24-1108



Nissan
Navara 2017+ (10.1 inch)

24-1109


Nissan
Teana 2009+ (10.1 inch)

24-1110


Nissan
Kicks 2017+ (10.1 inch)

24-1111


Nissan
Tida
2005-2010 (9 inch)

24-1112


Nissan
Sunny
2011-2013 (9 inch)

24-1113


Nissan
Tida
2016+ (9 inch)

24-1114


Nissan
Qashqai 2016+
(10.1 inch)

24-1115


Nissan
Sunny 2015+ (10.1 inch)

24-1116


Nissan
Sylphy 2008+ (10.1 inch)

24-1117


Nissan
Bluebird 2015+ (9 inch)

24-1118


Nissan
Livina 2007+ (10.1 inch)

24-1119


Nissan
Murano 2015+
(10.1 inch)

24-1120


Nissan
X-Trail 2015+ (10.1 inch)

24-1121


Nissan
Teana 2013+ (10.1 inch)

24-1122


Nissan
Sylphy 2016+ (10.1 inch)

24-1201


Peugeot
3008 2013+ (9 inch)

24-1202


Peugeot
408 2014+ (10.1 inch)

24-1203


Peugeot
2008 2015+ (10.1 inch)

24-1204


Peugeot
308 2016+ (9 inch)

24-1205


Peugeot
301 2014+ (9 inch)

24-1301


Renault
Kadjar 2016+ (9 inch)

24-1401


Sabru
Forester 2008-
2012 (10.1 inch)

24-1402


Sabru
Forester 2014+ (9 inch)

24-1501


Skoda
Fabia 2015+ (9 inch)

24-1502


Skoda
Octavia 2017-2014
(10.1 inch)

24-1503


Skoda
Kodiaq 2017+ (10.1 inch)

24-1504


Skoda
Yeti 2014+ (10.1 inch)

24-1505


Skoda
Octavia 2014+
(10.1 inch)

24-1506


Skoda
Superb 2015+ (10.1 inch)

24-1601


Suzuki
Vitara 2015+ (9 inch)

24-1602


Suzuki
Swift 2009+ (10.1 inch)

24-1701


Toyota
Prado 2018+ (10.1 inch)

24-1702


Toyota
Camry 2018+ (10.1 inch)

24-1703


Toyota
Corolla 2007-2013
(9 inch)

24-1704


Toyota
Reiz 2008+ (9 inch)

24-1705


Toyota
Corolla 2009+ (9 inch)

24-1706


Toyota
Prado 2010-2013
(10.1 inch)

24-1707


Toyota
Highlander 2009-2013
(10.1 inch)

24-1708


Toyota
Camry 2012+ (10.1 inch)

24-1709


Toyota
Corolla 2014+ (10.1 inch)

24-1710


Toyota
Yaris 2017+ (10.1 inch)

24-1711


Toyota
Corolla 2017+ (10.1 inch)

24-1712


Toyota
Prado 2010+ (9 inch)

24-1713


Toyota
RAV4 2009+ (10.1 inch)

24-1714


Toyota
Prado 2004-2006 (9 inch)

24-1715


Toyota
Land cruiser
2007-2015 (10.1 inch)

24-1716


Toyota
Prado 2014+ (10.1 inch)

24-1717


Toyota
Highlander 2015+
(10.1 inch)

24-1718


Toyota
Camry 2015+ (10.1 inch)

24-1719



Toyota

Land cruiser
2016+ (10.1 inch)

24-1721



Toyota

Yaris/Vios 2013
-2016 (10.1 inch)

24-1723



Toyota

Levin 2013+ (10.1 inch)

24-1801



VW

Teramont 2017+
(10.1 inch)

24-1803



VW

Passat 2012+ (10.1 inch)

24-1805



VW

Passat 2016+ (10.1 inch)

24-1720



Toyota

Camry 2007+ (10.1 inch)

24-1722



Toyota

Reiz 2011+ (9 inch)T

24-1724



Toyota

RAV4 2012+ (10.1 inch)

24-1802



VW

Lamando 2014+ (9 inch)

24-1804



VW

Tiguan 2010-2015
(10.1 inch)

24-1806



VW

Touran 2016+ (10.1 inch)

24-1807



VW

Magotan 2017+
(10.1 inch)

24-1809



VW

Golf SPORTSVAN
2016+ (10.1 inch)

24-1811



VW

Polo 2012+ (9 inch)

24-1813



VW

Magotan 2010+
(10.1 inch)

24-1808



VW

Tiguan 2017+ (10.1 inch)

24-1810



VW

Lamando 2018+ (10.1 inch)

24-1812



VW

Golf 7 2013+ (10.1 inch)

24-1814



VW

Sagita 2012+ (10.1 inch)

NEW

9 Inch and 10.1 Inch Facial Panel

	24-0114 Buick Excelle 2018 (9 inch)
	24-0410 Ford Ranger 2012 (9 inch)
	24-0412 Ford Figo (9 inch)
	24-1124 Nissan Navara/Terra 2014 up (9 inch)
	24-2001 BMW E46 (9 inch)
	24-2601 Fiat 500X 2014-2019 (9 inch)

	24-0115 Buick High configured GL6 2018 (9 inch)
	24-0411 Ford Ecosport 2013-2017 (9 inch)
	24-1123 Nissan Serena (9 inch)
	24-1125 Nissan Teana 2019 (10.1 inch)
	24-2002 BMW E39 (9 inch)

9 Inch and 10.1 Inch Facial Panel

Radio Release Keys

29-1001



Version:
A3 2003-2012
A4 2007>
A6 2001-04
TT 2006>

29-1002



Version:
A2 >2005
A3 2003-2012
A4 2002-2015
A6 2001-2004
A8 1994-1998
TT 1998-2012

29-1003



Version:
Becker Radio
Release keys

29-1004



Version:
Celta 2002-2010
Corsa Classic 2002-2010

29-1005



Version:
Clarion Release Keys.
All models except
CE-NET head units

29-1006



Version:
clarion Release keys

29-1007



Version:
Fiat Release keys

29-1008



Version:
JVC Radio Release Keys

29-1009



Version:
kenwood Release keys

29-1010



Version:
kenwood Release keys

29-1011



Version:
Kenwood Release
keys < 2002

29-1012



Version:
Panasonic Release Keys

Radio Release Keys

29-1013



Version:
Panasonic Release Keys

29-1014



Version:
PIONEER Release keys

29-1015



Version:
KENWOOD Radio
Release Keys

29-1016



Version:
Sony Release keys

29-1017



Version:
ALL MODELS 2003>

29-1018



Version:
VW release keys

29-1019



Version:
Universal Release
Keys (Pair)

29-1020



Version:
20 Piece Radio Removal
Set. Includes release
keys for all major brands,
including: Alpine, Blaupunkt,
Citroen, Peugeot, Clarion,
Skoda, Becker, BMW, Vauxhall,
VW, Mercedes, Porsche,
Renault, Alfa Romeo, Fiat, Ford,
Grundig, VDO

29-1021



Version:
radio removal key wallet
□ 多少 P C S)

29-1022



Version:
32 Piece radio removal
tool set. Includes all
popular release keys
for OEM and aftermarket
head unit brands

29-1023



Version:
36 piece folding radio
removal tool set. Includes
keys for
Audi, BMW, Fiat, Ford, Merce
des,
Porsche, Skoda, Vauxhall/Op
el, VW, Becker, Clarion, JVC, K
enwood, Panasonic, Sony

29-1024



Version:
36 piece folding radio
removal tool set. Includes
keys for
Audi, BMW, Fiat, Ford, Merce
des,
Porsche, Skoda, Vauxhall/Op
el, VW, Becker, Clarion, JVC, K
enwood, Panasonic, Sony

Radio Release Keys

29-1025



Version:
12 Piece Panel Removal Tool Set.
Color: Orange, Red, White

29-1027



Version:
4 Piece Panel Removal Tool Set.

29-1029



Version:
5 Piece Panel Removal Set - Blue. Includes panel removal tools for all types and shapes of dashboard panels.

29-1031



Version:
(Soft) will replace screwdrivers, pry bars and other metal scraping or prying tools that cause damage and marring on delicate surfaces. set includes 4" curved end, 4" & 3" straight blade.

29-1033



Version:
Roller for damping materials, 30mm

29-1035



Version:

29-1026



Version:
4 Piece Panel Removal Tool Set.

29-1028



Version:
OTK12HD04

29-1030



Version:
(hard) will replace screwdrivers, pry bars and other metal scraping or prying tools that cause damage and marring on delicate surfaces. set includes 4" curved end, 4" & 3" straight blade.

29-1032



Version:
32 Piece radio removal tool set. includes all popular release keys for OEM and aftermarket head unit brands

29-1034



Version:

29-1036



Version:

Radio Removal Tools

29-1037



Version:
Roller for damping materials 30mm

29-1038



Version:
Roller for damping materials. 50mm



Description **11-7001**

Universal Bluetooth Remote Control Receiver Adapter / Wireless Audio Controller for Mobile Vehicles (Automobile, Car, Boat, Motorcycle, Watercraft, ATV/UTV)



Description **11-7002**

1998-2013 HARLEY DAVIDSON SPEAKER ADAPTER TO 6.5"-6.75" SPEAKERS 82-9601



Description **11-7003**

1998-2013 HARLEY DAVIDSON SPEAKER ADAPTER TO 5.25"-6.5" SPEAKERS



Description **11-7004**

Stereo Installation Kit for Select 1998-2013 Harley Davidson Motorcycles 99-9600



Description **11-7005**

Single DIN In Dash Kit for Select 2014-UP Harley-Davidson



Description

6.5-Inch 2Way, 200 Watt, Marine, Loudspeaker
Featuring Multi Color Illumination
Options and Remote Control

11-7101



Description

6.5 " 2-Way Marine Speaker With LED	6.5 " 2-Way Marine Speaker With LED
6.5 " Impp Cone With Cloth Edge	6.5 " Impp Cone With Cloth Edge
30mm Mylar Tweeter	30mm Mylar Tweeter
1" ASV Coil	1" ASV Coil
10 Oz Magnet	10 Oz Magnet
4/8 Ohm Impedance	4/8 Ohm Impedance
30 W RMS. Power	30 W RMS. Power
LED Color:Blue	LED Color:Blue

11-7102



Description

6"X9" 2-Way Marine Speaker With LED	6"X9" 2-Way Marine Speaker With LED
6"X9" Impp Cone With Cloth Edge	6"X9" Impp Cone With Cloth Edge
30mm Mylar Tweeter(0,75 "KSV)	30mm Mylar Tweeter(0,75 "KSV)
1" ASV Coil	1" ASV Coil
10 Oz Magnet	20 Oz Magnet
4 Ohm Impedance	4 Ohm Impedance
60 W RMS. Power	60 W RMS. Power

11-7103



Description

5.25 " 2-Way Marine Speaker	5.25 " 2-Way Marine Speaker
5.25 " Impp Cone With Cloth Edge	5.25 " Impp Cone With Cloth Edge
30 mm Mylar Tweeter	30 mm Mylar Tweeter
1" ASV Coil	1" ASV Coil
6 Oz Magnet	6 Oz Magnet
4 Ohm Impedance	4 Ohm Impedance
25 W RMS. Power	25 W RMS. Power
outer diameter:147xH65mm	outer diameter:147xH65mm
Cut-Size:116mm	Cut-Size:116mm
Install the depth:47mm	Install the depth:47mm

11-7104



Description

6"X9" 2-Way Marine Speaker
6"X9" Impp Cone With Cloth Edge
1" ASV Coil
20 Oz Magnet
4 Ohm Impedance
Tweeter:30mm Mylar
Voice Coil:0.5"KSV
60 W RMS. Power
Overall dimensions:276X206X109mm
Install The High Degree:81mm
Out-Cut:228x155mm

11-7105



Description

6.5 " 2-Way Marine Speaker
6.5 " Impp Cone With Cloth Edge
30mm Mylar Tweeter
1 " ASV Coil
10 Oz Magnet
4/8 Ohm Impedance
30 W RMS. Power

11-7106



Description

6.5 " 2-Way Marine Speaker
6.5 " Impp Cone With Cloth Edge
30mm Mylar Tweeter
1 " ASV Coil
10 Oz Magnet
4/8 Ohm Impedance
30 W RMS. Power

11-7107



Description

6.5 " 2-Way Marine Speaker
6.5 " Impp Cone With Cloth Edge
30mm Mylar Tweeter
1 " ASV Coil
10 Oz Magnet
4/8 Ohm Impedance
30 W RMS. Power

11-7108



Description

6.5 " 2-Way Marine Speaker
6.5 " Impp Cone With Cloth Edge
30mm Mylar Tweeter
1" ASV Coil
10 Oz Magnet
4/8 Ohm Impedance
30 W RMS. Power


11-7109



	Description 11-7115 4" Woofer 4" Impedance Cone With Rubber Edge Magnet : 10 Oz 1"ASV Voice Coil Tweeter material:Mylar 0.5 KSV Voice Coil Impedance:4-8 Ohm RMS. Power:50W Size:W160XH205XD126
	Description 11-7110 4-Channel Marine Powersports Amplifier
	Description 11-7111 Marine Universal Wired AM/FM Radio Antenna
	Description 11-7112 Marine Universal Wired AM/FM Radio Antenna
	Description 11-7113 Marine Soft Wire AM/FM Radio Antenna Flexible Hideaway
	Description 11-7114-B Marine Rubber Boat Yacht Outdoor AM/FM Radio Antenna(Black)

	Description 11-7114-W Marine Rubber Boat Yacht Outdoor AM/FM Radio Antenna(White)
	Description 11-7114-C Camouflage Flexible Rubber Mast Marine Boat Yacht AM/FM Radio Antenna
	Description 11-7116 Universal USB 3.5mm auxiliary interface Mount For Stereo Radio Players
	Description 11-7117 Universal Marine waterproof Radio Cover (Black/White)
	Description 11-7118 Universal Marine waterproof Radio Cover (BLACK/WHITE)
	Description 11-7119 Marine Universal Waterproof Radio Cover and Housing

Car Economic Speaker

Type	Woofer cone	Magnet	Voice coil	Freq. Response	Sensitivity	Edge	RMS Power	Impedance
4" 2-Way	IMPP	5.4 OZ	20mm ASV	80-20Khz	87±3dB/W/m	Rubber edge	15 Watts	4 Ω
5 1/4" 2-Way	IMPP	8 OZ	25mm ASV	65-20Khz	88±3dB/W/m	Rubber edge	20 Watts	4 Ω
6 1/2" 3-Way	IMPP	10OZ	25mm ASV	55-20Khz	89±3dB/W/m	Rubber edge	25 Watts	4 Ω
6"x9" 3-Way	IMPP	20OZ	25mm ASV	45-22Khz	91±3dB/W/m	Rubber edge	35 Watts	4 Ω











26-1001

6.5"-300W Subwoofer

6.5inch aluminium basket
127mm T-yoke and Washer with black Y35,134mm magnet
Double magnet
20mm+15mm thickness 2inch-4L voice coil
D2 PC spider with 4leads 24threads
Non-pressed pulp cone with foam surround
Normal package
Dustcap and package can print logo



26-1002

12"-800W subwoofer

Voice Coil diameter:75mm
Basv Magnet :180*90*20 Double (127OZ)
Frenquency Range 56Hz-1.5K
Sensitivity: 86+-3dB
Impedance :4+4Ohm
Peak Power : 1800W
Rate Power : 800W
FS:56 Hz
Qts:0.75
Vas:11.275



26-1006

12" Subwoofer 200W

12" Paper Cone With Foam
Edge 2.5" 4-layer BASV Coil
Magnet:Ø156*Ø80*25(Y25) Impedance: 2+2Ohm
MAX Power: 400W
RMS Power : 200W



26-1007

15" Subwoofer 300W

15" Paper Cone With Foam
Edge 3." 4-layer BASV Coil
Magnet:Ø180*Ø90*25(Y25)
Impedance: 2+2Ohm
MAX Power: 600W
RMS Power : 300W



Nominal Impedance: 4--8ohm
Power Capacity: 30 RMS W
Sensitivity (1w/1m): 106 db
Frequency Range: 2KHZ-16KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: CCAW
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Aluminum
Magnet Size: 25*7
Overall Diameter: 58.0mm
Overall Depth: 75.0mm
Net Weight: 0.56kg

30-1001



Nominal Impedance: 4--8ohm
Power Capacity: 30 RMS W
Sensitivity (1w/1m): 106 db
Frequency Range: 2KHZ-16KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: CCAW
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Aluminum
Magnet Size: 25*7
Overall Diameter: 58.0mm
Overall Depth: 75.0mm
Net Weight: 0.56kg

30-1002



Nominal Impedance: 4--8ohm
Power Capacity: 30 RMS W
Sensitivity (1w/1m): 106 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: Ronud copper wire
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Aluminum
Magnet Size: 70*32*10
Overall Diameter: 97.0mm
Overall Depth: 45.0mm
Net Weight: 0.5kg

30-1003



Nominal Impedance: 4--8ohm
Power Capacity: 30 RMS W
Sensitivity (1w/1m): 106 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: Ronud copper wire
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Aluminum
Magnet Size: 70*32*10
Overall Diameter: 97.0mm
Overall Depth: 45.0mm
Net Weight: 0.5kg

30-1004



Nominal Impedance: 4--8ohm
Power Capacity: 30 RMS W
Sensitivity (1w/1m): 103 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: Ronud copper wire
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Aluminum
Magnet Weight: 5.2 Oz
Overall Diameter: 97.0mm
Overall Depth: 45.0mm
Net Weight: 0.4kg

30-1005



Nominal Impedance: 4--8ohm
Power Capacity: 30 RMS W
Sensitivity (1w/1m): 106 db
Frequency Range: 2KHZ-16KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: Ronud copper wire
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Plastic
Magnet Weight: 5.2Oz
Overall Diameter: 97.0mm
Overall Depth: 45.0mm
Net Weight: 0.4kg

30-1006



Nominal Impedance: 4--8ohm
Power Capacity: 30 RMS W
Sensitivity (1w/1m): 106 db
Frequency Range: 2KHZ-16KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: Ronud copper wire
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Plastic
Magnet Weight: 5.2Oz
Overall Diameter: 97mm
Overall Depth: 45mm
Net Weight: 0.4kg

30-1007



Nominal Impedance: 4--8ohm
Power Capacity: 30 RMS W
Sensitivity (1w/1m): 106 db
Frequency Range: 2KHZ-16KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: Ronud copper wire
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Aluminum
Magnet Weight: 7.8Oz
Overall Diameter: 80.0mm
Overall Depth: 63.0mm
Net Weight: 0.5kg

30-1008



Nominal Impedance: 4--8ohm
Power Capacity: 30 RMS W
Sensitivity (1w/1m): 106 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: Ronud copper wire
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Aluminum
Magnet Weight: 7.8Oz
Overall Diameter: 80.0mm
Overall Depth: 63.0mm
Net Weight: 0.8kg

30-1009



Nominal Impedance: 4--8ohm
Power Capacity: 30 RMS W
Sensitivity (1w/1m): 105 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: Ronud copper wire
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Plastic
Magnet Weight: 7.8Oz
Overall Diameter: 80.0mm
Overall Depth: 63.0mm
Net Weight: 0.5kg

30-1010



Nominal Impedance: 4--8ohm
Power Capacity: 30 RMS W
Sensitivity (1w/1m): 106 db
Frequency Range: 2KHZ-16KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: Ronud copper wire
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Plastic
Magnet Weight: 7.8Oz
Overall Diameter: 80.0mm
Overall Depth: 63.0mm
Net Weight: 0.5kg

30-1011



Nominal Impedance: 4--8ohm
Power Capacity: 30 RMS W
Sensitivity (1w/1m): 105 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: Ronud copper wire
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Aluminum
Magnet Weight: 5.2Oz
Overall Diameter: 95.0mm
Overall Depth: 40.0mm
Net Weight: 0.5kg

30-1012



Nominal Impedance: 4–8ohm
Power Capacity: 30 RMS W
Sensitivity (1w/1m): 110 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: CCAW
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Aluminum
Magnet Size: 25*7
Overall Diameter: 79.0mm
Overall Depth: 52.0mm
Net Weight: 0.55kg

30-1013



Nominal Impedance: 4–8ohm
Power Capacity: 30 RMS W
Sensitivity (1w/1m): 109 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: CCAW
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Aluminum
Magnet Size: 25*7
Overall Diameter: 79.0mm
Overall Depth: 53.0mm
Net Weight: 0.55kg

30-1014



Nominal Impedance: 4–8ohm
Power Capacity: 30 RMS W
Sensitivity (1w/1m): 109 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: CCAW
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Aluminum
Magnet Size: 25*7
Overall Diameter: 79.0mm
Overall Depth: 53.0mm
Net Weight: 0.55kg

30-1015



Nominal Impedance: 4–8ohm
Power Capacity: 30 RMS W
Sensitivity (1w/1m): 109 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: CCAW
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Aluminum
Magnet Size: 25*7
Overall Diameter: 79.0mm
Overall Depth: 53.0mm
Net Weight: 0.55kg

30-1016



Nominal Impedance: 4–8ohm
Power Capacity: 30 RMS W
Sensitivity (1w/1m): 106 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: Ronud copper wire
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Aluminum
Magnet Weight: 5.2Oz
Overall Diameter: 100.0mm
Overall Depth: 85mm
Net Weight: 0.6kg

30-1017



Nominal Impedance: 4–8ohm
Power Capacity: 30 RMS W
Sensitivity (1w/1m): 106 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: CCAW
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Aluminum
Magnet Weight: 15.6Oz
Overall Diameter: 89.0mm
Overall Depth: 78.0mm
Net Weight: 1.4kg

30-1018



Nominal Impedance: 4–8ohm
Power Capacity: 25 RMS W
Sensitivity (1w/1m): 102 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: CCAW
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Aluminum
Magnet Size: 25*7
Overall Diameter: 58.0mm
Overall Depth: 59.5mm
Net Weight: 0.5kg

30-1019



Nominal Impedance: 4–8ohm
Power Capacity: 25 RMS W
Sensitivity (1w/1m): 102 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: CCAW
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Aluminum
Magnet Size: 25*7
Overall Diameter: 70.0mm
Overall Depth: 79.0mm
Net Weight: 0.6kg

30-1020



Nominal Impedance: 4–8ohm
Power Capacity: 25 RMS W
Sensitivity (1w/1m): 102 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: CCAW
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Aluminum
Magnet Size: 25*7
Overall Diameter: 70.0mm
Overall Depth: 79.0mm
Net Weight: 0.6kg

30-1021



Nominal Impedance: 4–8ohm
Power Capacity: 25 RMS W
Sensitivity (1w/1m): 102 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: CCAW
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Aluminum
Magnet Size: 25*7
Overall Diameter: 58.0mm
Overall Depth: 59.5mm
Net Weight: 0.6kg

30-1022



Nominal Impedance: 4–8ohm
Power Capacity: 25 RMS W
Sensitivity (1w/1m): 102 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: Ronud copper wire
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Aluminum
Magnet Weight: 5..2Oz
Overall Diameter: 95.0mm
Overall Depth: 40.0mm
Net Weight: 0.52kg

30-1023



Nominal Impedance: 4–8ohm
Power Capacity: 30 RMS W
Sensitivity (1w/1m): 106 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: Ronud copper wire
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Aluminum
Magnet Weight: 5..2Oz
Overall Diameter: 100.0mm
Overall Depth: 85.0mm
Net Weight: 0.6kg

30-1024



Nominal Impedance: 4–8ohm
Power Capacity: 30 RMS W
Sensitivity (1w/1m): 106 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: Ronud copper wire
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Aluminum
Magnet Weight: 7.8Oz
Overall Diameter: 89.0mm
Overall Depth: 78.0mm
Net Weight: 0.53kg

30-1025



Nominal Impedance: 4–8ohm
Power Capacity: 30 RMS W
Sensitivity (1w/1m): 105 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: Ronud copper wire
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Aluminum
Magnet Weight: 5.2Oz
Overall Diameter: 95.0mm
Overall Depth: 40.0mm
Net Weight: 0.5kg

30-1026



Nominal Impedance: 4–8ohm
Power Capacity: 30 RMS W
Sensitivity (1w/1m): 105 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: Ronud copper wire
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Aluminum
Magnet Weight: 5.2Oz
Overall Diameter: 95.0mm
Overall Depth: 40.0mm
Net Weight: 0.5kg

30-1027



Nominal Impedance: 4–8ohm
Power Capacity: 30 RMS W
Sensitivity (1w/1m): 106 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: Ronud copper wire
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Aluminum
Magnet Weight: 5.2Oz
Overall Diameter: 100.0mm
Overall Depth: 40.0mm
Net Weight: 0.6kg

30-1028



Nominal Impedance: 4–8ohm
Power Capacity: 30 RMS W
Sensitivity (1w/1m): 105 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 32.4mm
Voice coil Material: CCAW
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Aluminum
Magnet Size: 32*16*7
Overall Diameter: 100.5mm
Overall Depth: 47.0mm
Net Weight: 0.6kg

30-1029



Nominal Impedance: 4–8ohm
Power Capacity: 30 RMS W
Sensitivity (1w/1m): 106 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: CCAW
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Aluminum
Magnet Weight: 5.2Oz
Overall Diameter: 100.0mm
Overall Depth: 85.0mm
Net Weight: 0.6kg

30-1030



Nominal Impedance: 4–8ohm
Power Capacity: 38 RMS W
Sensitivity (1w/1m): 105 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 37.6mm
Voice coil Material: CCAW
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Aluminum
Magnet Weight: 11.3Oz
Overall Diameter: 103.0mm
Overall Depth: 69.0mm
Net Weight: 1.3kg

30-1031



Nominal Impedance: 4–8ohm
Power Capacity: 38 RMS W
Sensitivity (1w/1m): 105 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 37.6mm
Voice coil Material: CCAW
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Aluminum
Magnet Weight: 11.3Oz
Overall Diameter: 103.0mm
Overall Depth: 69.0mm
Net Weight: 1.3kg

30-1032



Nominal Impedance: 4–8ohm
Power Capacity: 38 RMS W
Sensitivity (1w/1m): 105 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 37.6mm
Voice coil Material: CCAW
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Aluminum
Magnet Weight: 11.3Oz
Overall Diameter: 103.0mm
Overall Depth: 69.0mm
Net Weight: 1.3kg

30-1033



Nominal Impedance: 4–8ohm
Power Capacity: 40 RMS W
Sensitivity (1w/1m): 105 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 44.4mm
Voice coil Material: CCAW
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Aluminum
Magnet Weight: 11.3Oz
Overall Diameter: 100.0mm
Overall Depth: 75.0mm
Net Weight: 1.5kg

30-1034



Nominal Impedance: 4–8ohm
Power Capacity: 40 RMS W
Sensitivity (1w/1m): 102 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 44.4mm
Voice coil Material: CCAW
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Aluminum
Magnet Size: 17.3 Oz
Overall Diameter: 110.0mm
Overall Depth: 75.0mm
Net Weight: 2.2kg

30-1035



Nominal Impedance: 4–8ohm
Power Capacity: 40 RMS W
Sensitivity (1w/1m): 102 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 44.4mm
Voice coil Material: CCAW
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Aluminum
Magnet Size: 17.3 Oz
Overall Diameter: 110.0mm
Overall Depth: 75.0mm
Net Weight: 2.2kg

30-1036



Nominal Impedance: 4--8ohm
Power Capacity: 40 RMS W
Sensitivity (1w/1m): 102 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 44.4mm
Voice coil Material: CCAW
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Aluminum
Magnet Size: 11.3 Oz
Overall Diameter: 100.0mm
Overall Depth: 75.0mm
Net Weight: 1.5kg

30-1037



Nominal Impedance: 4--8ohm
Power Capacity: 40 RMS W
Sensitivity (1w/1m): 102 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 44.4mm
Voice coil Material: CCAW
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Aluminum
Magnet Size: 11.3 Oz
Overall Diameter: 100.0mm
Overall Depth: 75.0mm
Net Weight: 1.5kg

30-1038



Nominal Impedance: 4--8ohm
Power Capacity: 40 RMS W
Sensitivity (1w/1m): 106 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 44.4mm
Voice coil Material: CCAW
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Aluminum
Magnet Size: 17.2 Oz
Overall Diameter: 110.0mm
Overall Depth: 75.0mm
Net Weight: 2.2kg

30-1039



Nominal Impedance: 4--8ohm
Power Capacity: 40 RMS W
Sensitivity (1w/1m): 106 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 44.4mm
Voice coil Material: CCAW
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Aluminum
Magnet Size: 11.3 Oz
Overall Diameter: 100.0mm
Overall Depth: 75.0mm
Net Weight: 1.4kg

30-1040



Nominal Impedance: 4--8ohm
Power Capacity: 40 RMS W
Sensitivity (1w/1m): 106 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 44.4mm
Voice coil Material: CCAW
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Aluminum
Magnet Size: 11.3 Oz
Overall Diameter: 90.0mm
Overall Depth: 75.0mm
Net Weight: 1.5kg

30-1041



Nominal Impedance: 4--8ohm
Power Capacity: 43 RMS W
Sensitivity (1w/1m): 100 db
Frequency Range: 2KHZ-16KHZ
Voice Coil Diameter: 44.4mm
Voice coil Material: CCAW
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Aluminum
Magnet Size: 33 Oz
Overall Diameter: 168.0mm
Overall Depth: 92.0mm
Net Weight: 2.3kg

30-1042



Nominal Impedance: 4--8ohm
Power Capacity: 43 RMS W
Sensitivity (1w/1m): 100 db
Frequency Range: 2KHZ-16KHZ
Voice Coil Diameter: 46.0mm
Voice coil Material: Round copper wire
Voice Coil Former: KSV

Diaphragm Material: Phenolic
Housing Material: Plastic
Magnet Weight: 23 Oz
Overall Diameter: 125.0mm
Overall Depth: 63.0mm
Net Weight: 1.4 kg

30-1043



Nominal Impedance: 4--8ohm
Power Capacity: 43 RMS W
Sensitivity (1w/1m): 110 db
Frequency Range: 2KHZ-16KHZ
Voice Coil Diameter: 46.0 mm
Voice coil Material: Round copper wire
Voice Coil Former: KSV

Diaphragm Material: Phenolic
Housing Material: Plastic
Magnet Weight: 10.5Oz
Overall Diameter: 128.0mm
Overall Depth: 90.0mm
Net Weight: 1.5kg

30-1044



Nominal Impedance: 4--8ohm
Power Capacity: 45 RMS W
Sensitivity (1w/1m): 102 db
Frequency Range: 2KHZ-16KHZ
Voice Coil Diameter: 50.8mm
Voice coil Material: CCAW
Voice Coil Former: KSV

Diaphragm Material: Phenolic
Housing Material: Aluminum
Magnet Weight: 10.5 Oz
Overall Diameter: 120.0mm
Overall Depth: 52.0 mm
Net Weight: 1.25 kg

30-1045



Nominal Impedance: 4--8ohm
Power Capacity: 45 RMS W
Sensitivity (1w/1m): 105 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 50.8mm
Voice coil Material: CCAW
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Aluminum
Magnet Weight: 10.5 Oz
Overall Diameter: 120.0mm
Overall Depth: 52.0mm
Net Weight: 1.25 kg

30-1046



Nominal Impedance: 4--8ohm
Power Capacity: 48 RMS W
Sensitivity (1w/1m): 105 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 62.0mm
Voice coil Material: Round copper wire
Voice Coil Former: KSV

Diaphragm Material: Phenolic
Housing Material: Plastic
Magnet Weight: 39.8 Oz
Overall Diameter: 180.5 mm
Overall Depth: 79.2 mm
Net Weight: 5kg

30-1047



Nominal Impedance: 4--8ohm
Power Capacity: 50 RMS W
Sensitivity (1w/1m): 110 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 72.0 mm
Voice coil Material: CCAW
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Aluminum
Magnet Weight: 45.5 Oz
Overall Diameter: 155.0mm
Overall Depth: 77.0mm
Net Weight: 5.8kg

30-1048

TWEETER



Nominal Impedance: 4--8ohm
Power Capacity: 50 RMS W
Sensitivity (1w/1m): 110 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 72.0 mm
Voice coil Material: CCAW
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Aluminum
Magnet Weight:45.5 Oz
Overall Diameter: 155.0mm
Overall Depth: 77.0mm
Net Weight: 5.8 kg

30-1049



Nominal Impedance: 4--8ohm
Power Capacity: 50 RMS W
Sensitivity (1w/1m): 110 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 72.0mm
Voice coil Material: CCAW
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Aluminum
Magnet Weight: 45.5 Oz
Overall Diameter: 180.0mm
Overall Depth: 120.0mm
Net Weight: 45.5kg

30-1050



Nominal Impedance: 4--8ohm
Power Capacity: 50 RMS W
Sensitivity (1w/1m): 110 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 72.0mm
Voice coil Material: CCAW
Voice Coil Former: KSV

Diaphragm Material: Titanium
Housing Material: Aluminum
Magnet Weight: 45.5 Oz
Overall Diameter: 180.0mm
Overall Depth: 120.0mm
Net Weight: 45.5kg

30-1051

TWEETER



Nominal Impedance: 4--8ohm
Power Capacity: 30 RMS W
Sensitivity (1w/1m): 106 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: Round copper wire
Voice Coil Former: KSV

Diaphragm Material: Silk
Housing Material: Aluminum
Magnet Weight:5.2 Oz
Overall Diameter: 110.0mm
Overall Depth: 38.0mm
Net Weight: 0.55kg

30-1052



Nominal Impedance: 4--8ohm
Power Capacity: 30 RMS W
Sensitivity (1w/1m): 108 db
Frequency Range: 2KHZ-16KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: CCAW
Voice Coil Former: KSV

Diaphragm Material: Silk
Housing Material: Aluminum
Magnet Size: 25*3
Overall Diameter: 80.0mm
Overall Depth: 24.0mm
Net Weight: 0.2 kg

30-1053



Nominal Impedance: 4--8ohm
Power Capacity: 30 RMS W
Sensitivity (1w/1m): 107 db
Frequency Range: 2KHZ-16KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: CCAW
Voice Coil Former: KSV

Diaphragm Material: Silk
Housing Material: Aluminum
Magnet Size: 25*3
Overall Diameter: 88.0mm
Overall Depth: 24.0mm
Net Weight: 0.25kg

30-1054



Nominal Impedance: 4--8ohm
Power Capacity: 30 RMS W
Sensitivity (1w/1m): 103 db
Frequency Range: 2KHZ-16KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: Round copper wire
Voice Coil Former: KSV

Diaphragm Material: Silk
Housing Material: Plastic
Magnet Weight: 7.8 Oz
Overall Diameter: 100.0mm
Overall Depth: 32.6mm
Net Weight: 0.56 kg

30-1055



Nominal Impedance: 4--8ohm
Power Capacity: 30 RMS W
Sensitivity (1w/1m): 103 db
Frequency Range: 2KHZ-16KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: Round copper wire
Voice Coil Former: KSV

Diaphragm Material: Silk
Housing Material: Plastic
Magnet Weight: 7.8 Oz
Overall Diameter: 100.0mm
Overall Depth: 39.0mm
Net Weight: 0.58kg

30-1056



Nominal Impedance: 4--8ohm
Power Capacity: 25 RMS W
Sensitivity (1w/1m): 102 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: Round copper wire
Voice Coil Former: KSV

Diaphragm Material: Silk
Housing Material: Plastic
Magnet Weight: 7.8 Oz
Overall Diameter: 100.0mm
Overall Depth: 39.0mm
Net Weight: 0.58kg

30-1057

TWEETER



Nominal Impedance: 4--8ohm
Power Capacity: 25 RMS W
Sensitivity (1w/1m): 102 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: CCAW
Voice Coil Former: KSV

Diaphragm Material: Silk
Housing Material: Plastic
Magnet Weight: 7.8 Oz
Overall Diameter: 103.0mm
Overall Depth: 35.8mm
Net Weight: 0.6kg

30-1058



Nominal Impedance: 4--8ohm
Power Capacity: 30 RMS W
Sensitivity (1w/1m): 105 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: Round copper wire
Voice Coil Former: KSV

Diaphragm Material: Silk
Housing Material: Plastic
Magnet Weight: 7.8 Oz
Overall Diameter: 103.0mm
Overall Depth: 35.8mm
Net Weight: 0.6kg

30-1059



Nominal Impedance: 4--8ohm
Power Capacity: 30 RMS W
Sensitivity (1w/1m): 106 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: Round copper wire
Voice Coil Former: KSV

Diaphragm Material: Silk
Housing Material: Plastic
Magnet Weight: 7.8 Oz
Overall Diameter: 103.2mm
Overall Depth: 40.5mm
Net Weight: 0.6kg

30-1060



Nominal Impedance: 4--8ohm
Power Capacity: 30 RMS W
Sensitivity (1w/1m): 106 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: Round copper wire
Voice Coil Former: KSV

Diaphragm Material: Silk
Housing Material: Plastic
Magnet Weight: 7.8 Oz
Overall Diameter: 100.0mm
Overall Depth: 35.8mm
Net Weight: 0.6kg

30-1061

TWEETER



Nominal Impedance: 4--8ohm
Power Capacity: 15 RMS W
Sensitivity (1w/1m): 90 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 13.28mm
Voice coil Material: Round copper wire
Voice Coil Former: KSV

Diaphragm Material: Ployester
Housing Material: Plastic
Magnet Size: 12.8*2
Overall Diameter: 39.7mm
Overall Depth: 19.6mm
Net Weight: 0.02kg

30-1062



Nominal Impedance: 4--8ohm
Power Capacity: 17 RMS W
Sensitivity (1w/1m): 90 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 19.4mm
Voice coil Material: Round copper wire
Voice Coil Former: KSV

Diaphragm Material: Silk
Housing Material: Plastic
Magnet Size: 19*3
Overall Diameter: 36.2mm
Overall Depth: 24.3mm
Net Weight: 0.03kg

30-1063



Nominal Impedance: 4--8ohm
Power Capacity: 20 RMS W
Sensitivity (1w/1m): 90 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 19.4mm
Voice coil Material: Round copper wire
Voice Coil Former: KSV

Diaphragm Material: Silk edge Titanium
Housing Material: Plastic
Magnet Size: 25*3
Overall Diameter: 43.7mm
Overall Depth: 30.5mm
Net Weight: 0.05kg

30-1064



Nominal Impedance: 4--8ohm
Power Capacity: 20 RMS W
Sensitivity (1w/1m): 90 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: CCAW
Voice Coil Former: KSV

Diaphragm Material: Silk edge Titanium
Housing Material: Aluminum
Magnet Size: 25*5
Overall Diameter: 57.4mm
Overall Depth: 38.8mm
Net Weight: 0.13kg

30-1065



Nominal Impedance: 4--8ohm
Power Capacity: 20 RMS W
Sensitivity (1w/1m): 90 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 13.28mm
Voice coil Material: Round copper wire
Voice Coil Former: KSV

Diaphragm Material: Ployester
Housing Material: Plastic
Magnet Size: 12.8*2
Overall Diameter: 54.5mm
Overall Depth: 22.2mm
Net Weight: 0.03kg

30-1066



Nominal Impedance: 4--8ohm
Power Capacity: 20 RMS W
Sensitivity (1w/1m): 90 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: Round copper wire
Voice Coil Former: KSV

Diaphragm Material: Silk
Housing Material: Plastic
Magnet Size: 25*3
Overall Diameter: 47.0mm
Overall Depth: 30.5mm
Net Weight: 0.07kg

30-1067

30-1068



Nominal Impedance: 4–8ohm
Power Capacity: 20 RMS W
Sensitivity (1w/1m): 90 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: Round copper wire
Voice Coil Former: KSV

Diaphragm Material: Silk
Housing Material: Plastic
Magnet Size: 25*3
Overall Diameter: 54.0mm
Overall Depth: 27.0mm
Net Weight: 0.05kg

30-1069



Nominal Impedance: 4–8ohm
Power Capacity: 20 RMS W
Sensitivity (1w/1m): 90 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: CCAW
Voice Coil Former: KSV

Diaphragm Material: Silk edge titanium
Housing Material: Plastic
Magnet Size: 25*3
Overall Diameter: 54.5mm
Overall Depth: 27.0mm
Net Weight: 0.06kg

30-1070



Nominal Impedance: 4–8ohm
Power Capacity: 20 RMS W
Sensitivity (1w/1m): 90 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: Round copper wire
Voice Coil Former: KSV

Diaphragm Material: Silk
Housing Material: Plastic
Magnet Size: 25*3
Overall Diameter: 60.7mm
Overall Depth: 32.5mm
Net Weight: 0.05kg

30-1071



Nominal Impedance: 4–8ohm
Power Capacity: 20 RMS W
Sensitivity (1w/1m): 90 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: Round copper wire
Voice Coil Former: CCAW

Diaphragm Material: Silk edge Titanium
Housing Material: Aluminum
Magnet Size: 25*3
Overall Diameter: 57.3mm
Overall Depth: 22.7mm
Net Weight: 0.10kg

30-1072



Nominal Impedance: 4–8ohm
Power Capacity: 20 RMS W
Sensitivity (1w/1m): 90 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: CCAW
Voice Coil Former: KSV

Diaphragm Material: Silk edge Titanium
Housing Material: Aluminum
Magnet Size: 25*3
Overall Diameter: 110.0mm
Overall Depth: 75.0mm
Net Weight: 2.20kg

30-1073



Nominal Impedance: 4–8ohm
Power Capacity: 20 RMS W
Sensitivity (1w/1m): 90 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: CCAW
Voice Coil Former: KSV

Diaphragm Material: Silk
Housing Material: Aluminum
Magnet Size: 25*3
Overall Diameter: 65.0mm
Overall Depth: 42.6mm
Net Weight: 0.13kg

30-1074



Nominal Impedance: 4–8ohm
Power Capacity: 20 RMS W
Sensitivity (1w/1m): 90 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: CCAW
Voice Coil Former: KSV

Diaphragm Material: Silk
Housing Material: Plastic
Magnet Size: 25*3
Overall Diameter: 58.9mm
Overall Depth: 28.0mm
Net Weight: 0.06kg

30-1075



Nominal Impedance: 4–8ohm
Power Capacity: 20 RMS W
Sensitivity (1w/1m): 90 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: CCAW
Voice Coil Former: KSV

Diaphragm Material: Silk
Housing Material: Plastic
Magnet Size: 25*3
Overall Diameter: 57.0mm
Overall Depth: 27.3mm
Net Weight: 0.06kg

30-1076



Nominal Impedance: 4–8ohm
Power Capacity: 20 RMS W
Sensitivity (1w/1m): 90 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: CCAW
Voice Coil Former: KSV

Diaphragm Material: Silk
Housing Material: Aluminum
Magnet Size: 25*3
Overall Diameter: 57.0mm
Overall Depth: 23.1mm
Net Weight: 0.11kg

30-1077



Nominal Impedance: 4–8ohm
Power Capacity: 20 RMS W
Sensitivity (1w/1m): 90 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: CCAW
Voice Coil Former: KSV

Diaphragm Material: Silk edge Titanium
Housing Material: Aluminum
Magnet Size: 25*3
Overall Diameter: 56.0mm
Overall Depth: 26.5mm
Net Weight: 0.1kg

30-1078



Nominal Impedance: 4–8ohm
Power Capacity: 20 RMS W
Sensitivity (1w/1m): 90 db
Frequency Range: 2KHZ-20KHZ
Voice Coil Diameter: 25.4mm
Voice coil Material: CCAW
Voice Coil Former: KSV

Diaphragm Material: Silk edge Titanium
Housing Material: Aluminum
Magnet Size: 25*3
Overall Diameter: 57.3mm
Overall Depth: 22.7mm
Net Weight: 0.1kg

NEW



Mono block class D Amplifier
RMS Power @4Ω:1*25W,1%THD
RMS Power @2Ω:1*45W,1%THD
Dimension: (L)100mm x76mm(W)×38mm(H)

29-4001

NEW



2 Channels class D Amplifier
RMS Power@4Ω:2*25W,1%THD
Dimension:(L)100mm x76mm(W)×38mm(H)

29-4002

NEW



Mono block class D Amplifier
RMS Power @4Ω:1*180W
RMS Power @2Ω:1*350W
BRIDGE Power@1Ω1*500 W
Dimension:(L)240mmx176mm(W)×46mm(H)

29-4003



Description

29-3001

Uuniversal Steering Wheel Control Interface (Resistive)
One interface compatible with 120+ analogue (resistive) vehicle applications and thousands of auto radios with IR (infra-red) • Simple programming procedure takes a few minutes by using remote control of receiver • Can be re programmed to work for another head unit or vehicle



Description

29-3002

4 Channels line Output Converter
Features:
4 CHANNEL High to Low Compact Line Output Converter
Adjustable gain control
Perfect for adding an amplifier to an OEM system
Converts 2 channels of speaker wire to 4 RCA outputs
Gold-Plated contacts for enhanced signal transfer
Used when connecting factory speaker wire from the stereo to an aftermarket amplifier
Compact & lightweight design



Description

29-3003

Power Noise Filter
Maximum Noise Reduction
Easy Hook Up
Compact Design



Description

29-3004

Remote Amplifier Level Controller
Enables volume balance in any part of an amplified system
Adds subwoofer level controls to any head unit
Stereo RCA input and output



Description

29-3005

High Low Line Output Converter LOC Gain Control
High to low compact line output converter
Perfect for adding an amplifier to an oem system
Gold-plated contacts
Durable plastic casing
Adjustable gain control



Description

29-3006

2 Channel ground loop isolator



Description

29-3007

4 Channel ground loop isolator



Description

29-3008

2 Channel line output converter,High level input, RCA output,Level gain adjustment



Description

29-3009

2 Channel line output converter,High level input, RCA output,Level gain adjustment, with remote turn-on function



Description

29-3010

4 Channel line output converter,High level input, RCA output,Level gain adjustment



Description

29-3011

4 Channel line output converter,High level input, RCA output,Level gain adjustment, with remote turn-on function



Description

29-3012

Ground loop isolator,breaking ground lops to eliminate engine interference,
Dimension:78(W)*94(L)*45(H)mm



Description

Engine Noise Filter, Reduce and eliminate engine interference, RMS: 5Amps, Dimension: 78(W)*94(L)*45(H)mm

29-3013



Description

Engine Noise Filter, Reduce and eliminate engine interference, RMS: 10Amps, Dimension: 78(W)*94(L)*45(H)mm

29-3014



Description

Engine Noise Filter, Reduce and eliminate engine interference, RMS: 15Amps, Dimension: 78(W)*94(L)*45(H)mm

29-3015



Description

AM/FMM antenna amplifier

29-3016



Description

Headphone amplifier, 1*10W stereo amplifier, 3.5mm plug

29-3017



Description

Headphone amplifier, 2*10W stereo amplifier, 3.5mm plug

29-3018



FEATURES

The NEW bluetooth interfaces allow you to stream music from you mobile device via A2DP. The interface are perfect for the new iphone 7, Iphone 8, iphoneX which do not fearture a 3.5mm jack plug or for anybody who wants to stream music from their phone . Connecting via A2DP means no wires across the dashboard . these interface s are easy to install and provide a perfect solution.

MANUAL

- 1,Connect the Black wire to Ground.
- 2,Connect the red wire to Accessory 12v.
- 3,Connect the plastic connector on the adapter into the matching Female connector on the car OE headunit.
- 4,Search for the A2DP adapter "bluetooth adapter " in the bluetooth section of the device and select it once found.
- 5, important : Enter the AUX function on the OE headunit and begin streaming music from the device.

AUDI		Version:	29-2001
		A3 2009> A5 2009> A6 2009> A7 2009> A8 2009> Q5 2009> Q7 2009> R8 2009> TT 2009>	OTKAD1A2DP Connector Type: OEM Specific AMI System
AUDI		Version:	29-2002
		A3 2005> A4 2006> TT 2006>	OTKAD2A2DP Connector Type: OEM Specific Audi head unit 40 Way Quadlock Connector and AUX function
BMW		Version:	29-2003
		5 Series (E60) 2003-2010	OTKBM1A2DP Connector Type: OEM Specfic
BMW		Version:	29-2004
		E39 E46 E53	OTKBM2A2DP
Citroen		Version:	29-2005
		Berlingo 2005> C2 2006> C3 2005-2016 C4 2005> C5 2004> C6 2005> C8 2004> Jumpy 2007> Synergie 2005>	OTKCT1A2DP Connector Type: OEM Specfic Head Unit: Blaupunkt/VDO/Bosch RD4 (without OEM Bluetooth)
Ford		Version:	29-2006
		C-Max 2003-2010 Focus 2004-2011 Galaxy 2006> Kuga 2008-2012 Mondeo 2004-2013 S-Max 2006> Transit 2006-2013 Transit Connect 2004-2013	OTKFD1A2DP Connector Type: OEM Specific Head Unit:5000C/6000CD with AUX Botton

Ford



Version:		OTKFD2A2DP	29-2007
C-Max	2007-2010	Connector Type: OEM Specific Head Unit: Navigation Models with AUX Button	
Connect	2006-2012		
Fiesta	2005-2008		
Focus	2007-2011		
Fusion	2005-2008		
Mondeo	2007-2014		
S-Max	2006>		
Transit	2006-2012		

Mazda



Version:		OTKMZ1A2DP	29-2008
2	2006>	Connector Type: OEM Specific	
3	2006>		
5	2006>		
6	2006>		
MX-5	2006>		
RX-8	2006>		

Mercedes



Version:		OTKMC1A2DP	29-2009
A Class (W176)	2012>	Connector Type: OEM Specific Head Unit: Mercedes MMI System	
B Class (W242/W246)	2011>		
C Class (W204)	2007>		
E Class(W212)	2010>		
G Class(W463)	2012>		
M Class(W166)	2011>		
GLA(C117)	2013>		
CLS(W211)	2011>		

Opel



Version:		OTKOP1A2DP	29-2010
Astra	2004-2009	Connector Type: OEM Specific Head Unit: CD30MP3 With Active AUX Input	
Tigra	2004-2009		
Zafira	2005-2014		
(Excludes Zafira Tourer)			

Peugeot




Version:		OTKPE1A2DP	29-2011
207	2006>	Connector Type: OEM Specific Head Unit: Blaupunkt/VDO/Bosch Rd4 (without OEM Bluetooth)	
307	2005>		
308	2007>		
407	2005>		
607	2005>		
807	2005>		
Expert	2007>		

Renault



Version:		OTKRN1A2DP	29-2012
Clio	2005>	Connector Type: OEM Specific Head Unit: VDO Update List	
Kangoo	2005>		
Laguna	2005>		
Magane	2005>		
Scenic	2005>		
Twingo	2005>		

Toyota



Version:		OTKTY1A2DP	29-2013
4Runner	2002>	Connector Type: OEM Specific	
Avanza	2003>		
Avensis	2001-2011		
Corolla	2001-2011		
Estima	2006>		
Fortuner	2005-2011		
Innova	2006>		
Landcruiser	2007>		
Matrix	2003>		
Prado	2007>		
Previa	2006>		
Prius	2010>		
RAV4	2001-2011		
Rush	2006-2011		
Vios	2006>		
Yaris	2001-2011		

Vauxhall



Version:		OTKVBX1A2DP	29-2014
Astra	2004-2009	Connector Type: OEM Specific Head Unit: CD30MP3 With Active AUX Input	
Tigra	2004-2009		
Zafira	2005-2014		
(Excludes Zafira Tourer)			

Volkswagen



Version:		OTKVV1A2DP	29-2015
Caddy	2004-2016	Connector Type: OEM Specific Head Unit: RNS310,RNS510,RCD210, RCD310,RCD510 12 Pin Connector	
EOS	2006-2016		
Fox	2005-2016		
Golf	2003-2009		
Golf (MkVI)	2008-2013		
Golf	2011-2016		
Golf Plus	2005-2013		
Jetta (MkIII)	2005-2010		
Jetta (MkIV)	2010-2015		
Multivan	2003-2015		
Phaeton	2002-2016		
Polo	2005-2014		
Scirocco	2008-2016		
Tiguan	2007-2016		
Touran	2003-2016		
Transporter	2003-2016		
UP	2011-2016		

Volkswagen



Version:		OTKVV2A2DP	29-2016
Caddy	2005>	Connector Type: OEM Specific Head Unit: MFD2 RNS RNS2	
Golf (MkV)	2005>		
Golf Plus (MkV)	2005>		
Passat	2005>		
Sharan	2005>		
Touareg	2005>		
Transporter	2005>		



Version:		OTK3.5MMA2DP	29-2017



Version:		OTKRCAA2DP	29-2018

Blaupunkt



Version: **OTKBL1A2DP**
Blaupunkt car radio 2000 and up.

29-2019

Fiat



Version: **OTKAR1A2DP**
Alfa Romeo 159 ab Bj. 2007
FIAT Grande Punto ab Bj. 2007
FIAT 500 ab Bj. 2007
Lancia ab Bj. 2007

29-2020

23-1101



AGU FUSE
20A - 100A

23-1102



AGU FUSE
20A - 100A

23-1103



AGU FUSE
20A - 100A

23-1104



AGU
4/8GA IN - 4/8GA OUT

23-1105



AGU
4/8GA IN - 4/8GA OUT

23-1106



AGU
4/8GA IN - 4/8GA OUT

23-1107



AGU
3x4GA IN - 2x8GA OUT

23-1108



AGU
3x4GA IN - 3x8GA OUT

23-1109



AGU
3x4GA IN - 4x8GA OUT

23-1110



AGU
4/8GA IN - 4/8GA OUT

23-1111



AGU
4/8GA IN - 4/8GA OUT

23-1112



AGU
4/8GA IN - 4/8GA OUT

23-1113



AGU
4/8GA IN - 4/8GA OUT

23-1114



AGU
4/8GA IN - 4/8GA OUT

23-1115



AGU
3x4GA IN - 2x8GA OUT

23-1116



AGU
3x4GA IN - 3x8GA OUT

23-1117



AGU
3x4GA IN - 4x8GA OUT

23-1118



AGU
4/8GA IN - 4/8GA OUT

23-1119



AGU
3x4GA IN - 2x8GA OUT

23-1120



AGU
3x4GA IN - 3x8GA OUT

23-1121



AGU
3x4GA IN - 4x8GA OUT

23-1122



AGU
4/8GA IN - 4/8GA OUT

23-1123



AGU
4/8GA IN - 4/8GA OUT

23-1124



AGU
4/8GA IN - 4/8GA OUT



23-1125

AGU

1x2GA + 2x4GA IN
2x8GA OUT



23-1126

AGU

1x2GA + 2/4GA IN
3x8GA OUT



23-1127

AGU

4/8GA IN - 4/8GA OUT



23-1128

AGU


4/8GA IN - 4/8GA OUT



23-2101

AFS FUSE

20A - 125A



23-2102

AFS FUSE

20A - 125A



23-2103

AFS FUSE

150A - 200A



23-1104

AGU-01

4/8GA IN - 4/8GA OUT



23-2105

AFS-02

4/8GA IN - 4/8GA OUT



23-2106

AFS-03

4/8GA IN - 4/8GA OUT



23-2107

AFS-04

3x4GA IN - 2x8GA OUT



23-2108

AFS-05

3x4GA IN - 3x8GA OUT



23-2109

AFS-06

3x4GA IN - 4x8GA OUT



23-2110

AFS-07

4/8GA IN - 4/8GA OUT



23-2111

AFS-08

2GA IN - 2x4GA OUT



23-2112

AFS-09

4/8GA IN - 4/8GA OUT



23-2113

AFS-10
4/8GA IN - 4/8GA OUT



23-2114

AFS-11
4/8GA IN - 4/8GA OUT



23-2115

AFS-12
3x4GA IN - 4x8GA OUT



23-1116

AFS-13
3x4GA IN - 3x8GA OUT



23-2117

AFS-14
3x4GA IN - 4x8GA OUT



23-2118

AFS-15
4/8GA IN - 4/8GA OUT



23-2119

AFS-16
4/8GA IN - 4/8GA OUT



23-2120

AFS-19
3x0/4GA IN - 2x0/4GA OUT



23-2121

AFS-06
4/8GA IN - 4/8GA OUT



23-2122

AFS-21
4/8GA IN - 4/8GA OUT



23-2123

AFS-22
1x2GA+2x4GA IN -
2x8GA OUT



23-2124

AFS-23
1x2GA+2x4GA IN -
3x8GA OUT



23-2125

AFS-25
0GA IN - 2x4GA OUT



23-2126

AFS-29
4/8GA IN - 4/8GA OUT



23-2127

AFS-30
2x0/4GA IN - 4x4/8GA
OUT+2x0/4GA IN -
4x4/8GA OUT



23-2128

AFS-30-B
2x0/4GA IN - 2x
4/8GA OUT+2x
0/4GA IN - 2x
4/8GA OUT



23-2129

AFS-31
4/8GA IN - 4/8GA OUT



23-2130

AFS-37
3x0GA IN - 2x0GA OUT



23-2131


AFS-39
3X0GA IN - 4x0GA OUT

23-3001



ANL FUSE
30A - 600A

23-3002



ANL FUSE
30A - 600A

23-3003



ANO FUSE
100A - 400A

23-3004



ANH FUSE
100A - 400A

23-3005



ANL-01
0/4GA IN - 0/4GA OUT

23-3006



ANL-01 N
0/4GA IN - 0/4GA OUT

23-3007



ANL-02
0/4GA IN - 0/4GA OUT

23-3008



ANL-03
0/4GA IN - 0/4GA OUT

23-3009



ANL-03N
0/4GA IN - 0/4GA OUT

23-3010



ANL-04
0/4GA IN - 0/4GA OUT

23-3011



ANL-04N
0/4GA IN - 0/4GA OUT

23-3012



ANL-05
0/4GA IN - 0/4GA OUT

23-3013



ANL-06
0/4GA IN - 0/4GA OUT

23-3014



ANL-07
0GA IN - 2x4GA OUT

23-3015



ANL-08
0GA IN - 3x4GA OUT

23-3016



ANL-09
0GA IN - 4x4GA OUT

23-3017



ANL-11
0GA IN - 2x4GA OUT

23-3018



ANL-12
0GA IN - 2x4GA OUT

23-3019



ANL-14
0/4GA IN - 0/4GA OUT

23-3020



ANL-15
0GA IN - 2x4GA OUT

23-3021



ANL-15N
0GA IN - 2x4GA OUT

23-3022



ANL-16
0GA IN - 0GA OUT

23-3023



ANL-18
0/4GA IN - 0/4GA OUT

23-3024



ANL-20
0/4GA IN - 0/4GA OUT



23-3025

ANL-21
0/4GA IN - 0/4GA OUT



23-3026

ANL-22
0GA IN - 2x4GA OUT



23-3027

ANL-23
0/4GA IN - 3x0/4GA OUT



23-3028

ANL-24
1x0GA+2x2GA IN -
4x4GA OUT



23-3029

ANL-26
0/4GA IN - 0/4GA OUT



23-3030

ANL-29
0/4GA IN - 0/4GA OUT



23-3031

ANL-30
0/4GA IN - 0/4GA OUT








23-3032

ANL-31
0/4GA IN - 0/4GA OUT



23-3033

ANL-32
0/4GA IN - 0/4GA OUT





23-5001

DB-01
4GA IN - 2X8GA OUT



23-5003

DB-03
4GA IN - 4X8GA OUT



23-5005

DB-04 N
0GA IN - 4X4GA OUT



23-5007

DB-05 N
2X0GA IN - 5X4GA OUT



23-5009

DB-07
4GA IN - 4X8GA OUT



23-5011

DB-08 N
4GA IN - 4X8GA OUT



23-5002

DB-02
0GA IN - 2X4GA OUT



23-5004

DB-04
0GA IN - 4X4GA OUT



23-5006

DB-05
2X0GA IN - 5X4GA OUT



23-5008

DB-06
3X0GA IN - 4X4GA OUT



23-5010

DB-08
4GA IN - 4X8GA OUT



23-5012

DB-09
2X4GA IN - 4X8GA OUT



23-5013

DB-10
2X0GA IN - 4X4GA OUT



23-5015

DB-12
2X0GA IN - 8X8GA OUT



23-5017

DB-14
4GA IN - 4X8GA OUT



23-5019

DB-16
2X4GA IN - 8X8GA OUT



23-5021

DB-18
4GA IN - 2X8GA OUT



23-5023

DB-20
2X4GA IN - 8X8GA OUT



23-5014

DB-11
2X0GA IN - 3X4GA OUT



23-5016

DB-13
4GA IN - 2X8GA OUT



23-5018

DB-15
0GA IN - 2X4GA OUT



23-5020

DB-17
0GA IN - 2X4GA OUT



23-5022

DB-19
4GA IN - 4X8GA OUT



23-5024

DB-21
0GA IN - 2X0GA OUT

DISTRIBUTION BLOCKS



23-5025
DB-43
0GA IN - 2X0GA OUT



23-5027
DB-25
4GA IN - 4X8GA OUT



23-5029
DB-27
0GA IN - 3X4GA OUT



23-5031
DB-32
0GA IN - 2X4GA OUT



23-5033
DB-37
3X0GA IN - 4X4GA OUT



23-5035
DB-39
2X2GA IN - 4X4GA OUT



23-5026
DB-24
0GA IN - 1X4GA+
2X8GA OUT



23-5028
DB-26
0GA IN - 1X2GA+2X4
GA+2X8GA OUT



23-5030
DB-29
0GA IN - 4X4GA OUT



23-5032
DB-33
2X0GA IN - 4X4GA OUT



23-5034
DB-38
2X0GA IN - 4X4GA+
2X8GA OUT



23-5036
DB-40
2X0GA IN - 4X4GA OUT

RING TERMINALS



23-6001
RT-01
0GA 4GA 8GA



23-6003
RT-02
0GA 4GA 8GA



23-6005
RT-04
0GA 4GA 8GA



23-6007
RT-06
0GA 4GA 8GA



23-6009
RT-08
0GA 4GA 8GA



23-6011
RT-09
0GA 4GA 8GA



23-6002
RT-01 N
20GA 4GA 8GA



23-6004
RT-03
0GA 4GA 8GA



23-6006
RT-05
0GA 4GA 8GA



23-6008
RT-07
0GA 4GA 8GA



23-6010
RT-08 N
0GA 4GA 8GA



23-6012
RT-09 N
0GA 4GA 8GA

RING TERMINALS

CIRCUIT BREAKERS



23-6013

RT-10
0GA 4GA 8GA



23-6014

RT-11
0GA 4GA 8GA




23-6015

RT-12
6.3P 4.8P 2.8P



23-6016

RT-13



23-6017

RT-14



23-6018

RT-15



23-6019

RT-16



23-6020

RT-17



23-6021

RT-18



23-6022

RT-19



23-7001

CB-01 20A
4/8GA IN - 4/8GA OUT



23-7002

CB-01 40A
4/8GA IN - 4/8GA OUT



23-7003

CB-01 60A
4/8GA IN - 4/8GA OUT



23-7004

CB-01 100A



23-7005

CB-02 200A



23-7006

CB-02 300A

MAXI FUSE HOLDERS



23-7007

MAXI FUSE
20A-100A



23-7008

MA-01
4GA IN+4GA OUT



23-7009

MA-04
3X4GA IN+4X8GA OUT

19-0125



Terminal material: brass tin
Material: PP
Wire material: PVC, brass tin
Current voltage: 40A 32VDC
Applies to: ATY Fuse
line number: # 12 ~ # 22AWG

19-0127



Terminal material: brass tin
Seat material: phenolic plastic
Wire material: PVC, brass tin
Current voltage: 40A 32VDC
Applies to: ATY Fuse
line number: # 10 ~ # 22AWG

19-0129



Terminal material: brass tin
Seat material: PA
Wire material: PVC, brass tin
Current voltage: 40A 32VDC
Applies to: ATY Fuse
line number: # 12 ~ # 22AWG

19-0131



Terminal material: brass tin
Material: PP
Wire material: PVC, brass tin
Current voltage: 40A 32VDC
Applies to: ATY Fuse
line number: # 16 ~ # 22AWG

19-0133



Terminal material: brass tin
Seat material: PA
Wire material: PVC, brass tin
Current voltage: 40A 32VDC
Applies to: ATY Fuse
line number: # 14 ~ # 22AWG

19-0135



Terminal material: brass tin
Seat material: PVC
Wire material: PVC, brass tin
Current voltage: 80A 32VDC
Applies to: ATM fuses
line number: # 6 ~ # 14AWG

19-0126



Terminal material: brass tin
Seat material: PA
Wire material: PVC, brass tin
Current voltage: 40A 32VDC
Applies to: ATY Fuse
line number: # 12 ~ # 22AWG

19-0128



Terminal material: brass tin
Seat material: phenolic plastic
Wire material: PVC, brass tin
Current voltage: 40A 32VDC
Applies to: ATY Fuse
line number: # 10 ~ # 22AWG

19-0130



Terminal material: brass tin
Material: PP
Wire material: PVC, brass tin
Current voltage: 40A 32VDC
Applies to: ATY Fuse
line number: # 16 ~ # 22AWG

19-0132



Terminal material: brass tin
Seat material: PVC
Wire material: PVC, brass tin
Current voltage: 40A 32VDC
Applies to: ATY Fuse
line number: # 10 ~ # 22AWG

19-0134



Terminal material: brass tin
Seat material: PVC
Wire material: PVC, brass tin
Current voltage: 80A 32VDC
Applies to: ATM fuses
line number: # 6 ~ # 14AWG

19-0136



Terminal material: brass tin
Seat material: PVC
Wire material: PVC, brass tin
Current voltage: 80A 32VDC
Applies to: ATM fuses
line number: # 6 ~ # 14AWG

19-0137



Terminal material: brass tin
Seat material: PVC
Wire material: PVC, brass tin
Current voltage: 80A 32VDC
Applies to: ATM fuses
line number: # 6 ~ # 14AWG

19-0139



Terminal material: brass tin
Seat material: PVC
Wire material: PVC, brass tin
Current voltage: 80A 32VDC
Applies to: ATM fuses
line number: # 6 ~ # 14AWG

19-0141



MINI FUSE HOLDER

19-0143



MICRO2 FUSE HOLDER

19-0138



Terminal material: brass tin
Seat material: PVC
Wire material: PVC, brass tin
Current voltage: 80A 32VDC
Applies to: ATM fuses
line number: # 6 ~ # 14AWG

19-0140



Terminal material: brass tin
Seat material: phenolic plastic
Wire material: PVC, brass tin
Current voltage: 80A 32VDC
Applies to: GBC Eastern European Fuse
line number: # 12 ~ # 18AWG

19-0142



ATC FUSE HOLDER

19-0144



MICRO FUSE HOLDER

19-0201

Current voltage: 15A 250VAC
Applicable fuse: 5 * 20mm
wire diameter: 14 # -22 #
Material: phenolic plastic, brass contacts

19-0202

Current voltage: 15A 250VAC
Applicable fuse: 5 * 20mm
wire diameter: 14 # -22 #
Material: PA, brass contacts

19-0203

Current voltage: 15A 250VAC
Applicable fuse: 5 * 20mm
wire diameter: 14 # -22 #
Material: ABS, brass contacts

19-0204

Current voltage: 15A 250VAC
Applicable fuse: 5 * 20mm
wire diameter: 14#-22#
Material: PA, brass contacts

19-0205

Current voltage: 15A 250VAC
Applicable fuse: 5 * 20mm
wire diameter: 14 # -22 #
Material: PP, brass contacts

19-0206

Current voltage: 15A 250VAC
Applicable fuse: 5 * 20mm
wire diameter: 14 # -22 #
Material: PP, brass contacts

19-0207

Current voltage: 20A 250VAC
Applicable fuse: 6.35 * 30mm
6.35 * 32mm
wire diameter: 12 # -22 #
Material: PA, brass contacts

19-0208

Current voltage: 20A 250VAC
Applicable fuse: 6.35 * 30mm
6.35 * 32mm
wire diameter: 12#-22#
Material: PA, brass contacts

19-0209

Current voltage: 20A 250VAC
Applicable fuse: 6.35 * 30mm
6.35 * 32mm
wire diameter: 12#-22#
Material: PP, brass contacts

19-0210

Current voltage: 20A 250VAC
Applicable fuse: 6.35 * 30mm
6.35 * 32mm
wire diameter: 12#-22#
Material: ABS, brass contacts

19-0211

Current voltage: 20A 250VAC
Applicable fuse: 6.35 * 30mm
6.35 * 32mm
wire diameter: 12 # -22 #
Material: PA, brass contacts

19-0212

Current voltage: 20A 250VAC
Applicable fuse: 6.35 * 30mm
6.35 * 32mm
wire diameter: 12 # -22 #
Material: PA, brass contacts

19-0213

Current Voltage: 30A 250VAC
Applicable fuse: 6.35 * 30mm
6.35 * 32mm
wire diameter: 14#-22#
Material: PA, brass contacts

19-0214

Current voltage: 30A 250VAC
Applicable fuse: 6.35 * 30mm
6.35 * 32mm
wire diameter: 14 # -22 #
Material: TPE, brass contacts

19-0215

Current voltage: 20A 250VAC
Applicable fuse: 6.35 * 30mm
6.35 * 32mm
wire diameter: 14#-22#
Material: TPE, brass contacts

19-0216

Current voltage: 30A 250VAC
Applicable fuse: 6.35 * 30mm
6.35 * 32mm
wire diameter: 12 # -22 #
Material: phenolic plastic brass contacts

19-0217

Current voltage: 30A 250VAC
Applicable fuse: 6.35 * 30mm
6.35 * 32mm
for wire diameter: 12 # -22 #
Material: phenolic plastic brass contacts

19-0218

Current Voltage: 30A 250VAC
Applicable fuse: 6.35 * 30mm
6.35 * 32mm
wire diameter: 12#-22#
Material: PA, brass contacts

19-0219

Current voltage: 30A 250VAC
Applicable fuse: 6.35 * 30mm
6.35 * 32mm
wire diameter: 12 # -22 #
Material: phenolic plastic brass contacts

NEW



6 WAY FUSE BOX

Input terminal rating : M5 threaded studs(100A 32V DC.max)
Input wire size : #4-6 AWG
Output terminal rating : 30A max per circuit
Output wire size : #12-16 AWG
Red LED indicates when fuse is broken

19-1001

NEW



8WAY FUSE BOX

Input terminal rating : M5 threaded studs(100A 32V DC.max)
Input wire size : #4-6 AWG
Output terminal rating : 30A max per circuit
Output wire size : #12-16 AWG
Red LED indicates when fuse is broken

19-1002

NEW



6 WAY FUSE BOX

Input terminal rating:M6 threaded studs(75A 32V DC.max)
Input wire size:#4-6 AWG
Output terminal rating:20A max per circuit
Output wire size:#12-16 AWG

19-1003

NEW



12 WAY FUSE BOX

Input terminal rating:M4 threaded studs(20A 32V DC.max)
Output wire size:#12-16 AWG
Output terminal rating:20A max per circuit

19-1004

NEW



6 WAY FUSE BOX

Input terminal rating:M5 threaded studs(100A 32V DC.max)
Input wire size:#4-6 AWG
Output terminal rating:30A max per circuit
Output wire size:#12-16AWG
Red LED indicates when fuse is broken

19-1005

NEW



12 WAY FUSE BOX

Input terminal rating:M5 threaded studs(100A 32V DC.max)
Input wire size:#4-6 AWG
Output terminal rating:30A max per circuit
Output wire size:#12-16 AWG
Red LED indicates when fuse is broken

19-1006

NEW



6 WAY FUSE BOX

Input terminal rating:M5 threaded studs(300A 12V-60V DC.max)
Input wire size:#4-6 AWG
Output terminal rating:30A max per circuit
Output wire size:#12-16 AWG
Red LED indicates when fuse is broken

19-1007

NEW



12 WAY FUSE BOX


Input terminal rating:M5 threaded studs(300A 12V-60V DC.max)
Input wire size:#4-6 AWG
Output terminal rating:30A max per circuit
Output wire size:#12-16 AWG
Red LED indicates when fuse is broken

19-1008




Description13-0001

- | | |
|---|-----------------------------------|
| 1.Working Voltage: DC 10.5V~16V | 7.Output impedance: 50Ω |
| 2.Working current: 30mA~60mA | 8.V.S.W.R: ≤3.0:1 |
| 3.Rated voltage: DC 12V | 9.NS: ≤2dB |
| 4.Rated Current: 40mA~50mA | 10.Working Temperature: -30℃~+80℃ |
| 5.Working Frequency: 170MHz~240MHz (Band III) | 11.Storage Temperature: -40℃~+90℃ |
| 1452MHz~1492MHz (L-Band) | 12.Cable specification: 1.5DS, 5M |
| 6.Output Gain: 15dB±3dB (Band III) | 13.Connector: SMA/SMB |
| 12dB±3Db (L-Band) | |



Description13-1002

- | | |
|---|-----------------------------------|
| 1.Working Voltage: DC 10.5V~16V | 7.Output impedance: 75Ω |
| 2.Working current: 30mA~60mA | 8.V.S.W.R: ≤3.0:1 |
| 3.Rated voltage: DC 12V | 9.NS: ≤2dB |
| 4.Rated Current: 40mA~50mA | 10.Working Temperature: -30℃~+80℃ |
| 5.Working Frequency: 170MHz~240MHz (Band III) | 11.Storage Temperature: -40℃~+90℃ |
| 1452MHz~1492MHz (L-Band) | 12.Cable specification: 1.5DS, 5M |
| 6.Output Gain: 15dB±3dB (Band III) | 13.Connector: SMA/SMB |
| 12dB±3Db (L-Band) | |



Description13-0003

- | | |
|---|-----------------------------------|
| 1.Working Voltage: DC 10.5V~16V | 7.Output impedance: 50Ω |
| 2.Working current: 30mA~60mA | 8.V.S.W.R: ≤3.0:1 |
| 3.Rated voltage: DC 12V | 9.NS: ≤2dB |
| 4.Rated Current: 40mA~50mA | 10.Working Temperature: -30℃~+80℃ |
| 5.Working Frequency: 170MHz~240MHz (Band III) | 11.Storage Temperature: -40℃~+90℃ |
| 1452MHz~1492MHz (L-Band) | 12.Cable specification: 1.5DS, 5M |
| 6.Output Gain: 15dB±3dB (Band III) | 13.Connector: SMA |
| 12dB±3Db (L-Band) | |



Description13-0004

- | | |
|--|----------------------------------|
| 1.Assemble Location: roof mount | 7.V.S.W.R: ≤3.0 : 1 |
| 2.Working Principle: PCB amplify | 8.Working Voltage: DC10.5-16V |
| 3.With power lead | 9.Working Current: ≤60mA |
| 4.Cable Length: 300mm | 10.Operating Temp. - -30℃ ~ +80℃ |
| 5.Connector: AM/FM-DIN plug standard, DAB-SMA plug | 11.Storage Temp. -40℃ ~ +90℃ |
| 6.AM/FM | 12.DAB frequency: 150MHz~240MHz |
| Frequency: AM:520KHz~1620KHz | |
| FM:87.5MHz~108MHz | |
| Gain: AM:-2±3dB FM:10±3dB | |



Description13-0005

- | | |
|---|--|
| 1.Working Voltage: DC 10.5V~16V | 7.Gain(PCB): Radio-AM: 10±3dB |
| 2.Working current: 30mA~60mA | Radio-FM: 10±3d |
| 3.Rated voltage: DC 12V | DAB: 20±3dB |
| 4.Rated Current: 40mA~50mA | 8.V.S.W.R: ≤3.0: 1 |
| 5.Working Frequency: 170MHz~240MHz (Band III) | 9.Temperature Range: -40℃~+80℃ |
| 1452MHz~1492MHz (L-Band) | 10.Coaxial Cable: 75ohms, Length: 300mm |
| 6.Output Gain: 15dB±3dB (Band III) | 11.Coaxial Cable: RG-178, 50Ω±2Ω,105PF/m±5PF |
| 12dB±3Db (L-Band) | 1.5C-2V, 75Ω±3Q,69PF/m±3PF |
| | 12.Mast length: 355mm |



Description13-0006

- Antenna AM/FM/DAB mast
- | |
|---------------------------------------|
| 1.Frequency: Radio-AM: 520KHz~1710KHz |
| Radio-FM: 87.5MHz~108MHz |
| DAB: 170MHz~240MHz |
| 2.V.S.W.R: ≤2:1 |
| 3.Length :324MM |



Description13-0007

- AM/FM/DAB Antenna mast
- Mast Length :195.2MM
- | |
|-------------------------------|
| 1、AM frequency : 522~1710KHz; |
| 2、FM frequency : 87.5~108MHz; |
| 3、DAB-III:174~240MHZ; |
| 4、DAB-L : 1452~1492MHZ ; |
| 5、V.S.W.R:≤2.0:1 98%P2MHZ |



Description13-0008

- AM/FM/DAB Antenna mast
- Mast Length :320MM
- | |
|-------------------------------|
| 1、AM frequency : 522~1710KHz; |
| 2、FM frequency : 87.5~108MHz; |
| 3、DAB-III:174~240MHZ; |
| 4、DAB-L : 1452~1492MHZ ; |
| 5、V.S.W.R:≤2.0:1 98%P2MHZ |



Description13-0009

- DAB/AM/FM adapter
- | |
|---------------------------------|
| 1.Working Voltage: DC9.0V~16.0V |
| 2.Working current: 30mA~60mA |
| 3.Frequency: DAB:174MHz~240MHz |
| AM:520KHz~1710KHz |
| FM:87.8MHz~108MHz |
| 4.Output Gain:DAB:8dB±2dB |
| AM/FM:-2±2dB |
| 5.Output impedance: 50Ω |



Description

13-1001

Frequency GPS: 1575.42mhz+3mhz
Work voltage: 3-5V
SWR:<2:1
Gain: >25dbi
Frequency: GSM 890-960mhz
1710-1990Mhz
VSWR<2:1
Power: 25W
Frequency: Fm76-110mhz
AM525-1700Khz
Gain:15dBi±3dBi
Work voltage: 10-14V
Cable: Rg174, 5000mm
Impedance: 50ohm
Connector: SMA MCX FME
Boring dia:Φ15mm



Description

13-1002

Frequency GPS: 1575.42mhz+3mhz
Work voltage: 3-5V
SWR:<2:1
Gain: >25dbi
Frequency: GSM 890-960mhz
1710-1990Mhz
VSWR<2:1
Power: 25W
Frequency: Fm76-110mhz
AM525-1700Khz
Gain:15dBi±3dBi
Work voltage: 10-14V
Cable: Rg174, 5000mm
Impedance: 50ohm
Connector: SMA MCX FME
Boring dia:Φ15mm



Description

13-1003

Frequency: FM76-110MHZ
AM525-1700Khz
Gain:15dBi±3dBi
Work voltage: 10-14V
Cable length: 250mm
Impedance: 75ohm
Boring dia.:Φ15mm
Connector: AUDIO



Description

13-1004

Frequency GPS: 1575.42mhz+ 3mhz
Work voltage: 3-5V
SWR:<2:1
Gain:>25db
Impedance: 50ohm
Cable: RG174. 5000mm
Frequency: GSM 890-960mhz
1710-1990Mhz
VSWR<2: 1
Power: 25W
Impedance: 50ohm
Cable: RG174. 250mm
Frequency: FM 76-110mhz
AM525-1700Khz
Gain:10dBi±3dBi
Work voltage: 10-14V
Cable: RG174, 250mm
Impedance: 50ohm
Boring dia:Φ15mm
Connector: SMA. FME. AUDIO



Description

13-1005

Frequency GPS: 1575.42mhz+ 3mhz
Work voltage: 3-5V
SWR:<2:1
Gain:>25db
Impedance: 50ohm
Cable: RG174. 250mm
Frequency: GSM 890-960mhz
1710-1990Mhz
VSWR<2: 1
Power: 25W
Impedance: 50ohm
Cable: RG174. 250mm
Frequency: FM 76-110mhz
AM525-1700Khz
Gain:10dBi±3dBi
Work voltage: 10-14V
Cable: RG174, 250mm
Impedance: 50ohm
Boring dia:Φ15mm
Connector: SMA. FME. AUDIO



Description

13-1006

Whip length: 16
Frequency: FM 76-110mhz AM525-1700Khz
Gain:10dbi(FM)±3dBi 5dbi(AM)±3dBi
Impedance: 50ohm
Voltage: 10-14V
Cable length: 8
Angle:58°
Boring dia:Φ15mm
Fit VW. Peugeot



Description

13-1007

Frequency GPS: 1575.42mhz* 3mhz
Work voltage: 3-5v
SWR:<2:1
Gain: >25d Bi
Frequency: VHF 174-230mhz or
UHF 470-862mhz
Gain:25dBi±3dBi
Frequency: FM76-110mhz
AM525-1700Khz
Gain:15dBi±3dBi
Work voltage: 10-12V
Cable: RG174. 5000mm
Impedance: 50ohm
Whip length: 175mm
Boring dia:Φ15mm
Connector: SMA, MCX, MMCX



Description

13-1008

Frequency: FM 88-110mhz AM525-1700Khz
Gain:10dBi±3dBi
Work voltage: 10-14V
Whip length: 175mm
Cable: RG174, 250ml
Impedance: 50ohm
Boring dia.:Φ15mm
Connector: Audio/FM Male
Fit: VW Main Cars



Description

13-1009


Frequency: FM 88-110mhz AM525-1700Khz
Gain:10dBi±3dBi
Work voltage: 10-14V
Whip length: 175mm
Cable: RG174, 250ml
Impedance: 50ohm
Boring dia.:Φ15mm
Connector: Audio/FM Male
Fit: VW Main Cars



Description

13-2001

Frequency: FM 76-110mhz
AM525-1700Khz
SWR:≤1.5:1
Whip length: 16"
Cable length: 1500 mm
Impedance: 75ohm
Boring dia.:Φ8mm
Connector: AUDIO
Fit most car



Description

13-2002

Frequency: FM 76-110mhz AM525-1700Khz
sWR:≤1.5:1
Whip length:30"
Cable length: 1500 mm
Impedance: 75ohm
Angle:0-90°
Boring dia:Φ10mm
Connector: AUDIO
Fit most car



Description

13-2003

Frequency: FM 76-110mhz AM525-1700Khz
sWR:≤1.5:1
Whip length:16"
Cable length: 1500 mm
Impedance: 75ohm
Angle:0-90°
Boring dia:Φ8mm
Connector: AUDIO
Fit most car



Description

Frequency: Fm76-110mhz AM525-1700Khz
SWR:≤1.5:1
Whip length: 12.5"
Sections: 1
Cable length: 1300mm
Impedance: 75ohm
Ange:0-90° Boring dia.Φ8mm
Color: Red, Black, White
Connector: AUDIO Fit Passenger, truck

13-2004



Description

Frequency: Fm76-110mhz AM525-1700Khz
SWR:≤1.5:1
Whip length: 13.5"
Sections: 1
Cable length: 1300mm
Impedance: 75ohm
Ange:0-90° Boring dia.Φ8mm
Color: Red, Black, White
Connector: AUDIO Fit Passenger, truck

13-2005



Description

Frequency: FM 76-110Mhz AM525-1700Khz
Gain:15dBi±3dBi
Impedance: 75ohm
Voltage: 10-14V
Cable length: 2300mm
Whip length: 3"
Connector: AUDIO
Stick install

13-2501



Description

Frequency: FM 76-110Mhz AM525-1700Khz
Gain:15dBi±3dBi
Impedance: 75ohm
Voltage: 10-14V
Cable length: 2300mm
Whip length: 11"
Connector: AUDIO
Stick install

13-2502



Description

Frequency: FM 76-110Mhz AM525-1700Khz
Gain:15dBi±3dBi
Impedance: 75ohm
Voltage: 10-14V
Cable length: 2300mm
Whip length: 13"
Connector: AUDIO
Stick install

13-2503



Description

Frequency: FM 76-110Mhz AM525-1700Khz
Gain:20dBi±3dBi
Impedance: 75ohm
Voltage: 10-14V
Cable length: 2300mm
Connector: AUDIO
Stick install

13-2504



Description

Frequency: FM 76-110Mhz AM525-1700Khz
Gain:20dBi±3dBi
Impedance: 75ohm
Voltage: 10-14V
Cable length: 2300mm
Connector: AUDIO
Stick install

13-2505



Description

Frequency: FM 76-110Mhz AM525-1700Khz
Gain:15dBi±3dBi
Impedance: 75ohm
Voltage: 10-14V
Cable length: 2300mm
Whip length: 11"
Connector: AUDIO
Stick install

13-2506

ANTENNA ADAPTERS

13-6501



UNIVERSAL STANDARD
MALE ANTENNA PLUG

13-6502



AUDI/BMW/MERCEDES/VW

13-6503



GENERAL MOTORS
1988-2008

13-6504



CAR ANTENNA ADAPTOR

13-6505



CAR ANTENNA ADAPTOR

13-6506



CAR ANTENNA ADAPTOR

13-6507



CAR ANTENNA ADAPTOR

13-6508



CAR ANTENNA ADAPTOR

13-6509



CAR ANTENNA ADAPTOR

13-6510



CAR ANTENNA ADAPTOR

13-6511



CAR ANTENNA ADAPTOR

13-6512



CAR ANTENNA ADAPTOR

ANTENNA ADAPTERS

13-6513



CAR ANTENNA ADAPTOR

13-6514



CAR ANTENNA ADAPTOR

13-6515



CAR ANTENNA ADAPTOR

13-6516



CAR ANTENNA PLUG

13-6517



CAR ANTENNA PLUG

13-6518



CAR ANTENNA PLUG

13-6519



CAR ANTENNA PLUG

13-6520



CAR ANTENNA JACK

13-6521



CAR ANTENNA JACK

13-6522



CAR ANTENNA ADAPTOR

13-6523



CAR ANTENNA JACK

13-6524



BMW PLUG&JACK
4-8PIN

ANTENNA ADAPTERS

13-6601



CHRSYLER,DODGE,FORD
GM,JEEP
CAR ANTENNA ADAPTOR
2002-UP

13-6602



CHRSYLER,DODGE,FORD
GM,JEEP
CAR ANTENNA ADAPTOR
2002-UP

13-6603



CHRSYLER,DODGE,FORD
GM,JEEP
CAR ANTENNA ADAPTOR
2002-UP

13-6604



GM
CAR ANTENNA ADAPTOR
1988-2008

13-6605



GM
CAR ANTENNA ADAPTOR
1988-2008

13-6606



GM
CAR ANTENNA ADAPTOR
1988-2008

13-6607



FORD,LINCOLN,MERCURY
CAR ANTENNA ADAPTOR
1995-2005

13-6608



FORD,LINCOLN,MERCURY
CAR ANTENNA ADAPTOR
1995-2005

13-6609



FORD,LINCOLN,MERCURY
CAR ANTENNA ADAPTOR
1995-2005

13-6610



AUDI,VW,BMW,MERCEDES
CAR ANTENNA ADAPTOR
1988-2005

13-6611



AUDI,VW,BMW,MERCEDES
CAR ANTENNA ADAPTOR
1988-2005

13-6612



AUDI,VW,BMW,MERCEDES
CAR ANTENNA ADAPTOR
1988-2005

ANTENNA ADAPTERS

13-6613



INFINITI,NISSAN
CAR ANTENNA ADAPTOR
1987-2006

13-6614



INFINITI,NISSAN
CAR ANTENNA ADAPTOR
1987-2006

13-6615



INFINITI,NISSAN
CAR ANTENNA ADAPTOR
1987-2006

13-6616



INFINITI,NISSAN
CAR ANTENNA ADAPTOR
1987-2006

13-6617



INFINITI,NISSAN
CAR ANTENNA ADAPTOR
1987-2006

13-6618



INFINITI,NISSAN
CAR ANTENNA ADAPTOR
1987-2006

13-6619



UNIVERSAL
CAR ANTENNA ADAPTOR

13-6620



UNIVERSAL
CAR ANTENNA ADAPTOR

13-6621



RAKU II TO DIN(FEMALE)
CAR ANTENNA ADAPTOR

13-6622



DIN(FEMALE) TO RAST II
CAR ANTENNA ADAPTOR

13-6623



RAKU II TO DIN(FEMALE)
CAR ANTENNA ADAPTOR

13-6624



UNIVERSAL
MALE TO TWO FEMALE
CAR ANTENNA CABLE

ANTENNA ADAPTERS

13-6625



UNIVERSAL
MALE TO TWO FEMALE
CAR ANTENNA CABLE

13-6626



UNIVERSAL
EXTENSION CABLE
15/30/45/61/91/122/244
305/518/610 CM

13-6627



UNIVERSAL
EXTENSION CABLE

13-6628



INCLUDES TO STANDARD
(MALE) CONNECTOR
CAR ANTENNA ADAPTERS

13-6629




INCLUDES TO STANDARD
(FEMALE) CONNECTOR
CAR ANTENNA ADAPTERS

13-6630




HONDA/ACURA 2005 UP
CAR ANTENNA ADAPTERS

13-6631



HONDA,ACURA 2005 UP
CAR ANTENNA ADAPTERS

13-6632




HONDA,ACURA 2005 UP
CAR ANTENNA ADAPTERS

13-6633




HONDA,ACURA 2009 UP
CAR ANTENNA ADAPTERS

13-6634



HONDA,ACURA 2009 UP
CAR ANTENNA ADAPTERS

13-6635



HONDA,ACURA 2009 UP
CAR ANTENNA ADAPTERS

13-6636



KIA 2007 UP
CAR ANTENNA ADAPTERS

ANTENNA ADAPTERS

13-6637




KIA 2007 UP
CAR ANTENNA ADAPTERS

13-6638



KIA 2007 UP
CAR ANTENNA ADAPTERS

13-6639



INFINITI/NISSAN
CAR ANTENNA ADAPTERS

13-6640



INFINITI/NISSAN
CAR ANTENNA ADAPTERS

13-6641



INFINITI/NISSAN
CAR ANTENNA ADAPTERS

13-6642



SUBARU 2009 UP
CAR ANTENNA ADAPTERS

13-6643




SUBARU 2009 UP
CAR ANTENNA ADAPTERS

13-6644



SUBARU 2009 UP
CAR ANTENNA ADAPTERS

13-6645




TOYOTA/LEXUS 2009
CAR ANTENNA ADAPTERS

13-6646



TOYOTA/LEXUS 2009
CAR ANTENNA ADAPTERS

13-6647



TOYOTA/LEXUS 2009
CAR ANTENNA ADAPTERS

13-6648



SMA-B(FEMALE) TO
SMA-A(MALE) 1M
CAR ANTENNA ADAPTERS

ANTENNA ADAPTERS

13-6649



SMA-B(FEMALE) TO
SMA-A(MALE) 20CM
CAR ANTENNA ADAPTERS

13-6650



SMA-B(FEMALE) TO
WICLIC(MALE) 20CM
CAR ANTENNA ADAPTERS

13-6651



SMA-B(FEMALE) TO
FME(MALE) 20CM
CAR ANTENNA ADAPTERS

13-6652



SMA-B(FEMALE) TO
FME(FEMALE) 20CM
CAR ANTENNA ADAPTERS

13-6653



SMA-B(FEMALE) TO
SMA-B(FEMALE) 1M
CAR ANTENNA ADAPTERS

13-6654



SMA-B(FEMALE) TO
RAKU II 20CM
CAR ANTENNA ADAPTERS

13-6655



DUAL FAKRA 90° (TYP B)
TO 2xFAKRA(TYP Z) 20CM
CAR ANTENNA ADAPTERS

13-6656



DUAL FAKRA TO ISO 20CM
CAR ANTENNA ADAPTERS

13-6657



DUAL FAKRA TO DIN 20CM
CAR ANTENNA ADAPTERS

13-6658




FAKRA (FEMALE) TO
UNIVERSAL (FEMALE) 20CM
CAR ANTENNA ADAPTERS

13-6659



SMA-B(FEMALE) TO
FAKRA (FEMALE) 20CM
CAR ANTENNA ADAPTERS

13-6660



FAKRA(FEMALE) TO
FAKRA (MALE) 20CM
CAR ANTENNA ADAPTERS

ANTENNA ADAPTERS

13-6661



FAKRA(FEMALE) TO
SMA-A(MALE) 20CM
CAR ANTENNA ADAPTERS

13-6662



DUAL FAKRA 90° (TYP Z)
TO 2xFAKRA(TYP Z) 20CM
CAR ANTENNA ADAPTERS

13-6663



FAKRA(FEMALE) TO
RCA (FEMALE)
CAR ANTENNA ADAPTERS

13-6664



MALE TO FAKRA MALE
CAR ANTENNA ADAPTERS

13-6665



DIN TO FAKRA (MALE) 20CM
CAR ANTENNA ADAPTERS

13-6666



GM/CHRYSLER/VW
2002 UP
CAR ANTENNA ADAPTERS

13-6667



AUDI/VW/BMW/MERCEDES
2002 UP
CAR ANTENNA ADAPTERS

13-6668



AUDI/BMW/VW
DUAL FAKRA 2005 UP
CAR ANTENNA ADAPTERS

13-6669



AUDI/BMW/VW/MERCEDES
DUAL FAKRA 2005 UP
CAR ANTENNA ADAPTERS

13-6670



AUDI/BMW/VW
CAR ANTENNA ADAPTERS

13-6671



AUDI/VW
1996-2011
CAR ANTENNA ADAPTERS


13-6672



AUDI/VW
1996-2011
CAR ANTENNA ADAPTERS

ANTENNA ADAPTERS

13-6673




AUDI/VW
CAR ANTENNA ADAPTERS

13-6674



CHRYSLER/DODGE
FORD/GM/JEEP
CAR ANTENNA ADAPTERS

13-6675



VOLVO
1998-04
CAR ANTENNA ADAPTERS

13-6676



VOLVO
1998-04
CAR ANTENNA ADAPTERS

13-6677



AUDI/VW
CAR ANTENNA ADAPTERS

13-6678



MALE RCA PLUG

13-6679



FEMALE RCA SOKET

13-6680



2RCA MALE TO 3.5 STEREO

13-6681



2RCA MALE TO 3.5 STEREO

13-6682



USB A MALE TO
1.35 DC PLUG

13-6683



13-6684



3.5 STEREO TO 3.5 STEREO

ANTENNA ADAPTERS

13-6685

NEW



VOLVO
1999-up
CAR ANTENNA ADAPTERS

12-0101



ALPINE

Alpine 7513,7514,
7515,7515R,7517.

12-0102



ALPINE

Alpine CDE 7854R

12-0103



CLARION

Clarion 8pin

12-0104



CLARION

Clarion 718R-728R
-828R

12-0105



CLARION

Clarion 16pin

12-0106



CLARION

Clarion 18PIN

12-0107



JVC

JVC KS Fx220
-230-240-100

12-0108



JVC

Top New JVC

12-0109



KENWOOD

Kenwood 12PIN

12-0110



KENWOOD

Kenwood 14PIN

12-0111



KENWOOD

Kenwood KRC-256-257
-258-259-356-357-358

12-0112



KENWOOD

Kenwood DNX 2009

12-0113



LG

LG 12PIN

12-0114



PANASONIC

Panasonic CQ 858eg
CQK 02EG J01

12-0115



PANASONIC

Panasonic CQ-RDP 400-
500-650 CQ-RD210

12-0116



PANASONIC

Panasonic CQ-RDP
123-113-103

12-0117



PANASONIC

Panasonic CQ-FX35-FX
44-FX55-FX355;

12-0118



PIONEER

Pioneer KEH2500 KEH
3500 KEH-M 4000RDS

12-0119



PHILIPS

Philips Dc316

12-0120



PIONEER

Pioneer 12pin

12-0121



PIONEER

Pioneer DEH-424R
DEH-625R DEH-
524R DEH-435R

12-0122



PIONEER

Pioneer KEH-2600 KEH-
2600SDK KEH-3600

12-0123



PIONEER

Pioneer KEH-M 800RDS
DEH-M 8500RDS

12-0124



PIONEER

Pioneer KEH-M
800RDS KEH-
M 9300RDS,830RDS

12-0125

PIONEER

Pioneer DEH-P
P 2000RDS

12-0127

PIONEER

Pioneer 16pin

12-0129

PIONEER

Pioneer DEH-P 2200UB
new 2010 models

12-0131

JSONY

Jsony CDX 3000-
3002-3100-3103

12-0133

SONY

SONY 16pin new

12-0135

BMW

BMW 1991-2006,
For car radio system

12-0126

PIONEER

Pioneer KEH-P 7400RDS
KEH-P 435RDS
KEH-P 7600RDS

12-0128

PIONEER

Pioneer DEH-P 600R
DEH-P 7000R
DEH-P 5100R

12-0130

PIONEER

Pioneer DEH 2003-2330R

12-0132

SONY

SONY 16pin

12-0134

SONY

SONY CR340-350-430

12-0136

BMW

BMW 1991-2006,
For car original radio

12-0137

BMW

BMW/Volkswagen
2000up, Ford Transit
2010-2012, For
car radio system

12-0139

CHRYSLER

Chrysler/Plymouth/Ford/
Jeep 1984-2005, For
car original radio

12-0141

CHRYSLER

Chrysler 2002-2009,
For car original radio

12-0143

CHRYSLER

Chrysler 2007up,
For car original radio

12-0145

CHRYSLER

Chrysler/Polymouth/
Dodge/Mitsubishi
1987-1996, For car
radio system

12-0147

CHRYSLER

Chrysler/Polymouth/
Dodge/Mitsubishi 1995up,
Doge Stealth 1994up,
For car radio system

12-0138

BMW

BMW/Volkswagen
2000up, Ford Transit
2010-2012, For car
original radio

12-0140

CHRYSLER

Chrysler/Plymouth/
Ford/Jeep 1984-2005,
For car radio system

12-0142

CHRYSLER

Chrysler 2002-2009,
For car radio system

12-0144

CHRYSLER

Chrysler/Dodge/Jeep
2007up For car
radio system

12-0146

CHRYSLER

Chrysler/Polymouth/
Dodge/Mitsubishi 1987
-1996, For car original radio

12-0148

CHRYSLER

Chrysler/Polymouth/
Dodge/Mitsubishi 1995
up, Doge Stealth 1994
up, For car original radio



12-0149

DAEWOO

Daewoo 2002up,
For car A/V system

12-0150

DAEWOO

Daewoo 2002up, For
after-market A/V system


12-0151

FACTORY

Factory designed
Harness For after-
market A/V system

12-0152

FORD

Ford/Lincoln/Mercury
1988up, For car
radio system


12-0153

FORD

Ford Factory wire for
Premium A/V System

12-0154

FORD

Ford/Lincoln/Mercury
1988up, For car
radio system

12-0156

FORD

Ford/Lincoln/Mercury
1988up, For car
radio system

12-0157

FORD

Ford premium sound
system/Amplifier
eliminator system

12-0158

FORD

Ford premium sound
system/ Amplifier
integrator system

12-0159


FORD

Ford/Lincoln/Mercury



12-0160

FORD

Ford 8Pin+8Pin For after-
market Radio system

12-0161

FORD

Ford/Lincoln/Mazda
1998up Premium Audio
system wire
(16P+20P+8P).

12-0162

FORD

Ford /Lincoln/Mercury
1982-85

12-0163

FORD

Ford/Lincoln/Mercury
/Mazda 1985-2004, For
original radio system


12-0164

FORD

Ford/Lincoln/Mercury
Mazda 1985-2004
, For after-market radio

12-0165

FORD

Ford premium sound
system 1995-up

12-0166

FORD

Ford/Lincoln/Mazda
1998up Car wire harness


12-0167

FORD

Ford/Lincoln/Mercury/
Mazda 1998-2008, For
original radio system

12-0168

FORD

Jaguar 2002-2009 Wire
harness Plugs into Car

12-0169

FORD

Ford/Lincoln/Mercury
2003-up, For Audio system

12-0170

FORD

Ford/Lincoln/Mercury
2003-up, For original
radio system

12-0171

FORD

Ford Focus Fiesta 2010-
up Car wire for Audio system

12-0172

FORD

Ford Focus Fiesta 2010
-up For after market Radio
equipment

12-0173

FORD

Ford 8Pin+8Pin For
after-market Radio
system

12-0174



GM
GM 2010-up Car
wire harness

12-0175



GM
GM 2010-up For after
-market Radio system

12-0176




GM
GM 1978-90 Car
wire harness

12-0178



GM
GM 1988-up For car
original radio machine

12-0179



GM
GM 1988-up Car
wire harness

12-0180



GM
GM 1994-2005
Wire harness

12-0181



BULCK
BULCK/OLDS/
PONTIAC wire harness

12-0182



GM
GM 1994-2005 Wire
harness for original
radio system

12-0183



GM
GM 1998-2006/KIA 2003-
2006/TOYOTA 2003-
2004/HYUNDAI 2003-
2006 wire harness

12-0184



GM
GM 2006-up wire harness

12-0185



GM
GM 2006-up wire harness

12-0186



GM
GM 2006-2012/SUZUKI
2006-up For original
radio equipment

12-0187



GM
GM 1998-2006 wire
harness for original
radio machine

12-0188



GM
General Motors
12pin 1978-90

12-0189



GM
GM 1978-1991 For front
door speaker system

12-0190




HONDA
Honda Civic 2006-2010
Plugs into car harness

12-0191



HONDA
Honda Civic 2006-2010
For original Radio system

12-0192



HONDA
Honda 1982-85

12-0193



HONDA
Honda/Acura 1986-1998
,Hyundai 1986-1991
wire harness

12-0194



HONDA
Honda/Acura 1986-98
For Factory Radio machine

12-0195



HONDA
Honda/Acura/Suzuki
1998-2013 Car harness

12-0196



HONDA
Honda/Acura/Suzuki
1998-2013 For original
Radio system

12-0197



HONDA
Honda/Acura 2008-up
Car harness

12-0198



HONDA
Honda/Acura 2008-up
For factory Radio
machine

12-0199



HONDA
Honda/Acura 1986-98

12-0200



HYUNDAI
Hyundai 1986-91
Car harness

12-0201



HYUNDAI
Hyundai 1986-91
For factory Radio
machine

12-0202



HYUNDAI
Hyundai 1991-2002
Car harness

12-0203



HYUNDAI
Hyundai 1998-2006
Car harness for Radio
system

12-0204




HYUNDAI
Hyundai 1999-2006 For
Original Radio machine

12-0205



HYUNDAI
Hyundai/Kia 2006-2012
Car harness

12-0206



HYUNDAI
Hyundai/Kia 2010-up
Car harness

12-0207



HYUNDAI
Hyundai/Kia 2010-up
For original Radio
machine

12-0208



MAZDA
Mazda 1986-89/Ford
Festiva 1988-93/Mercury
Tracer 1988-90 Radio
harness

12-0209



MITSUBISHI
Mitsubishi 2008-up
Car harness

12-0210



MITSUBISHI
Mitsubishi 2008-up
Car harness For
factory Radio

12-0211




MAZDA
Mazda 1990-up
Car harness

12-0212



MAZDA
Mazda 1990-up Car
harness For factory
Radio machine

12-0213



MAZDA
Mazda 2001-up Radio
harness

12-0214



MAZDA
Mazda 2001-up For
Factory Radio

12-0215



NISSAN
Nissan 1987-94 Car
harness

12-0216



NISSAN
Nissan 1987-94 Factory
Radio harness

12-0217



NISSAN
Nissan 1995-2007
Radio harness

12-0218



NISSAN
Nissan 1995-2007
Original Radio harness

12-0219



NISSAN
Nissan 2007-up/Suburu
2008-up Car harness

12-0220



NISSAN
Nissan 2007-up/Suburu
2008-up Original
Radio harness

12-0221



NISSAN
Nissan 2003-up
Car harness

12-0222



NISSAN
Nissan 2003-up Factory
Radio harness



12-0223

NISSAN

Nissan Plugs into
Car Harness
(Power/4 Speaker)

12-0225

TOYOTA

Toyota Amplifier
Integration
Harness 1992-Up

12-0227

TOYOTA

Toyota 1982-87/
Daihatsu 1989-92
Car Radio harness

12-0229

TOYOTA

Toyota 1987-up
Factory Radio harness

12-0231

METRA

RES-1000 METRA



12-0233


VOLVO

Volvo 14pin 2004-up
Car harness, Factory
Radio Plug

12-0224

TOYOTA

Toyota car harness



12-0226

TOYOTA

Toyota 1982-87/
Daihatsu 1989-92
Car Radio harness

12-0228

TOYOTA

Toyota 1987-up
Radio harness

12-0230

TOYOTA

Toyota Plugs into
car harness (power/4
speakers)

12-0232

VOLVO

Volvo 16pin 2004-up
Car harness, Factory
Radio Plug

12-0234

VOLVO

Volvo 240 1990-1993
Radio harness

12-0235

VOLKSWAGEN

Volkswagen 1987-up
(10 pin) Pre-Amp Plug

12-0237

VOLKSWAGEN

Volkswagen 1987-up
Amplifier Integrator Plugs

12-0239

VOLVO

Volvo 1992-Up
car harness

12-0242

GEO

Geo 1985-97/Chevrolet
Metro 95-99/Spectrum
85-89/Honda Passport
94-95/Isuzu 85-95
Radio harness

12-0244

HONDA

Honda Passport 1995-up/
Isuzu 1998-up/Trooper
1995-up Car harness

12-0246

KIA

Kia/Sepia/Sportage
1995-up

12-0236

VOLKSWAGEN

Volkswagen 1980-2007
Car radio harness

12-0238

VOLVO

Volvo 1985-92
Car harness

12-0240

VOLVO

Volvo 1999-2007
Car radio harness

12-0243

GEO

Geo 1985-97/Chevrolet
Metro 95-99/Spectrum
85-89/Honda Passport
94-95/Isuzu 85-95 For
original Radio machine

12-0245

HONDA

Honda Passport 1995-up/
Isuzu 1998-up/Trooper
1995-up Car harness For
Original Radio machine

12-0247

PEUGEOT

Peugeot/Renault
Factory Radio harness

12-0248

PEUGEOT
Peugeot/Renault Car
Radio harness

12-0249

PENAULT
Renault 2012-up
Car harness

12-0250

RENAULT
Renault 2012-up Factory
Radio harness

12-0251

SUBARU
Subaru 1993-Up Plugs
into Car Harness

12-0252

SUBARU
Subaru 1993-Up Plugs
into Car Harness

12-0253

SUZUKI
Suzuki 1996-Up Plugs
into Car Harness

12-0255

ISO
ISO Radio socket
harness

12-0256

ISO
ISO radio Plug harness

12-0257

ISO
ISO radio Plug harness
assemble-able

12-0258

ISO
ISO radio Plug harness
double fixed

12-0259

CITROEN
Citroen/Peugeot
speaker wire

12-0260

ALFA
Alfa/Ford/Fiat/Lancia
Speaker wire

12-0261

ALFA
Alfa/Citroen/Fiat/Lancia
/Peugeot Speaker wire

12-0262

VW
VW Speaker wire

12-0263

CITROEN
Citroen speaker harness

12-0264

MERCEDES
Mercedes Speaker
harness

12-0265

FORD
Ford 82-88 speaker
harness

12-0266

CHRYSLER
Chrysler speaker harness

12-0267

MAZDA
Mazda speaker harness

12-0268

MISSAN
Nissan speaker harness

12-0269

HONDA
Honda speaker harness

12-0271

GM
GM speaker wire

12-0272

MAZDADA
Mazda spekaer wire


12-0273

CHRYSLER
Chrysler/Dodge
speaker wire



12-0274

GM
GM speaker wire



12-0275

GM
GM speaker wire



12-0276

HYUNDAI
Hyundai speaker wire



12-0277

CHRYSLER
Chrysler/Dodge
speaker wire



12-0278

TOYOTA
Toyota universal
speaker wire




12-0280

OPEL
Opel/Renault/Seat
/VW speaker connector



12-0281

FORD
Ford speaker connector



12-0282

HYUNDAI
Hyundai 1991-2002
Original Radio harness



12-0283

HYUNDAI
Hyundai/Kia 2006-2012
Factory Radio harness



12-0284

SONY
SONY harness



12-0285

VOLKSWAGEN
Volkswagen Golf 2015-up
service harness



12-0286

FIAT
Fiat 500L 2012
Fiat Ducato 2014
Citroen Relay 2014
Peugeot Boxer 2014 Plugs
into Original Equipment Radio




12-0287

CHRYSLER
Chrysler/Dodge 2013-UP
Plugs into Factory Radio
Full Terminated



12-0288

HONDA
Honda Greiz 2015-UP
plugs into original
equipment radio



12-0289

HONDA
Honda Greiz 2015-UP
plugs into car harness

12-0301



ISO
ISO-Alpine 16pin

12-0302



ISO
ISO-Alpine CDE 7854R

12-0303



ISO
ISO-Clarion 16pin

12-0304



ISO
ISO-JVC 16pin

12-0305



ISO
ISO-Kenwood 12pin

12-0306



ISO
ISO-Kenwood 16pin

12-0307



MAZDA
Mazda speaker harness

12-0308



ISO
ISO-LG 12pin

12-0309



ISO
ISO-Panasonic 12pin

12-0310



ISO
ISO-Panasonic 16pin

12-0311



















ISO
ISO-Panasonic
CQRDP 123











12-0312








ISO
ISO-Philips Dc316











12-0416

RANGE

Range Rover Discovery
IV 2009up with no Amp



12-0417

LEXUS

Lexus GS450H 06up
/IS/LX 2005up



12-0418

MERCEDES

Mercedes Benz



12-0419

MERCEDES

Mercedes Benz C
/CLK Class 04up



12-0421

MITSUBISHI

Mitsubishi 96up



12-0422

MITSUBISHI

Mitsubishi Shigun
(Pajero)/Lancer
without Navi



12-0423

MAZDA

Mazda 2000up



12-0424

MAZDA

Mazda 2000up



12-0425

NISSAN

Nissan 2000up



12-0426

NISSAN

Nissan 2002up



12-0427

NISSAN

Nissan/Pathfinder/
Qashqai 2007up



12-0428

PEUGEOT

Peugeot 207 06up/307
-407 04up/607 06up/
308,Citroen C2/C3/C4/
C5/C6/C8 05up



12-0429

SUBARU

Subaru Legacy 94up
/Impreza/Vivio/
Forester/Outback



12-0431

VOLVO

Volvo 850 93up/960 93up
/S40/S70 01up/V40 95up



12-0434

VAUXHALL

Vauxhall/Opel all model
04up(except Agila 08up)



12-0439

NISSAN

Nissan Almera/Tina/
Micra/Primera/Terrano/
Vanetta/x-Trail



12-0441

FIAT


Fiat 500L 2012
FIAT DUCATO 2014
Citroen Relay 2014
Peugeot Boxer 2014 to ISO



12-0430

TOYOTA

Toyota All Models
(Except Land Cruiser)



12-0432

VOLVO


Volvo S40 2000up/S60
/S70/S80/V70 2001up
/XC70/XC90



12-0438

NISSAN

Nissan 05up



12-0440

VOLVO

Volvo XC90 04up/XC60
08up Vehicle fitted with
High P



12-0442

CHRYSLER

Chrysler/Dodge
2013-UP to ISO

25-0101



- 1.Applicability – backup camera for Peugeot expert, citroen spacetourer and toyota proace
- 2.HD Night vision & Waterproof ,8 IR LEDs with light sensor for night mode
- 3.1/3 CMOS/CCD Sensor. 756*504 pixels.DSP digital chip,image clarity without distortion
- 4.170 Viewing Angle: 170 degree visible range works great with the blind spot
- 5.Easy installation with no holes to be drilled; constructed of high grade automotive plastic

25-0102



- 1.Applicability – backup Brake Light Camera For Citroen Jumpy/Peugeot Expert/ Toyota Proace 2007-2016
- 2.HD Night vision & Waterproof ,8 IR LEDs with light sensor for night mode
- 3.1/3 CMOS/CCD Sensor. 756*504 pixels.DSP digital chip,image clarity without distortion
- 4.170 Viewing Angle: 170 degree visible range works great with the blind spot
- 5.Easy installation with no holes to be drilled; constructed of high grade automotive plastic

25-0103



- 1.Applicability – backup camera for any flat surface at the back of a vehicle
- 2.HD Night vision & Waterproof ,8 IR LEDs with light sensor for night mode
- 3.1/3 CMOS/CCD Sensor. 756*504 pixels.DSP digital chip,image clarity without distortion
- 4.170 Viewing Angle: 170 degree visible range works great with the blind spot
- 5.Easy installation with no holes to be drilled; constructed of high grade automotive plastic

25-0104



- 1.Applicability – backup camera for New Mercedes Vito 2016
- 2.HD Night vision & Waterproof ,8 IR LEDs with light sensor for night mode
- 3.1/3 CMOS/CCD Sensor. 756*504 pixels.DSP digital chip,image clarity without distortion
- 4.170 Viewing Angle: 170 degree visible range works great with the blind spot
- 5.Easy installation with no holes to be drilled; constructed of high grade automotive plastic

25-0105



- 1.Applicability – backup camera for Mercedes Sprinter / VW Crafter brake light camera use for 2007-2019
- 2.HD Night vision & Waterproof ,8 IR LEDs with light sensor for night mode
- 3.1/3 CMOS/CCD Sensor. 756*504 pixels.DSP digital chip,image clarity without distortion
- 4.170 Viewing Angle: 170 degree visible range works great with the blind spot
- 5.Easy installation with no holes to be drilled; constructed of high grade automotive plastic

25-0106



- 1.Applicability – backup camera for Renault Trafic(2001-2014),Combo(2001-2011),Vauxhall Vivaro(2001-2014)
- 2.HD Night vision & Waterproof ,8 IR LEDs with light sensor for night mode
- 3.1/3 CMOS/CCD Sensor. 756*504 pixels.DSP digital chip,image clarity without distortion
- 4.170 Viewing Angle: 170 degree visible range works great with the blind spot
- 5.Easy installation with no holes to be drilled; constructed of high grade automotive plastic

25-0107



- 1.Applicability – backup camera for Chevy Express Van and GMC Savana 2003-2016 14 15 brake light camera
- 2.HD Night vision & Waterproof ,8 IR LEDs with light sensor for night mode
- 3.1/3 CMOS/CCD Sensor. 756*504 pixels.DSP digital chip,image clarity without distortion
- 4.170 Viewing Angle: 170 degree visible range works great with the blind spot
- 5.Easy installation with no holes to be drilled; constructed of high grade automotive plastic

25-0108



- 1.Applicability – backup camera,brake light camera for Chevy Express Van and GMC Savana 2003-2016 14 15
- 2.HD Night vision & Waterproof ,8 IR LEDs with light sensor for night mode
- 3.1/3 CMOS/CCD Sensor. 756*504 pixels.DSP digital chip,image clarity without distortion
- 4.170 Viewing Angle: 170 degree visible range works great with the blind spot
- 5.Easy installation with no holes to be drilled; constructed of high grade automotive plastic

25-0109



- 1.Applicability – backup camera for Mercedes Sprinter / VW Crafter brake light camera use for 2007-2019
- 2.HD Night vision & Waterproof ,8 IR LEDs with light sensor for night mode
- 3.1/3 CMOS/CCD Sensor. 756*504 pixels.DSP digital chip,image clarity without distortion
- 4.170 Viewing Angle: 170 degree visible range works great with the blind spot
- 5.Easy installation with no holes to be drilled; constructed of high grade automotive plastic

25-0110



- 1.Applicability – backup camera for Mercedes Sprinter / VW Crafter brake light camera use for 2007-2019
- 2.HD Night vision & Waterproof ,8 IR LEDs with light sensor for night mode
- 3.1/3 CMOS/CCD Sensor. 756*504 pixels.DSP digital chip,image clarity without distortion
- 4.170 Viewing Angle: 170 degree visible range works great with the blind spot
- 5.Easy installation with no holes to be drilled; constructed of high grade automotive plastic

25-0111



- 1.Applicability – backup camera for FORD Transit brake light camera use for 2014-2015 MODEL
- 2.HD Night vision & Waterproof ,8 IR LEDs with light sensor for night mode
- 3.1/3 CMOS/CCD Sensor. 756*504 pixels.DSP digital chip,image clarity without distortion
- 4.170 Viewing Angle: 170 degree visible range works great with the blind spot
- 5.Easy installation with no holes to be drilled; constructed of high grade automotive plastic

25-0112



- 1.Applicability – backup camera for 2017 CRAFTER van brake light camera
- 2.HD Night vision & Waterproof ,8 IR LEDs with light sensor for night mode
- 3.1/3 CMOS/CCD Sensor. 756*504 pixels.DSP digital chip,image clarity without distortion
- 4.170 Viewing Angle: 170 degree visible range works great with the blind spot
- 5.Easy installation with no holes to be drilled; constructed of high grade automotive plastic

25-0113



- 1.Applicability – backup camera for NV Passenger and Cargo Van 2009-2014 brake light camera
- 2.HD Night vision & Waterproof ,8 IR LEDs with light sensor for night mode
- 3.1/3 CMOS/CCD Sensor. 756*504 pixels.DSP digital chip,image clarity without distortion
- 4.170 Viewing Angle: 170 degree visible range works great with the blind spot
- 5.Easy installation with no holes to be drilled; constructed of high grade automotive plastic

25-0114



- 1.Applicability – backup camera for 2010-2017 Nissan NV200 brake light camera
- 2.HD Night vision & Waterproof ,8 IR LEDs with light sensor for night mode
- 3.1/3 CMOS/CCD Sensor. 756*504 pixels.DSP digital chip,image clarity without distortion
- 4.170 Viewing Angle: 170 degree visible range works great with the blind spot
- 5.Easy installation with no holes to be drilled; constructed of high grade automotive plastic

25-0115



- 1.Applicability – backup camera for IVECO Daily brake light camera use for 2011-2014 4 gen
- 2.HD Night vision & Waterproof ,8 IR LEDs with light sensor for night mode
- 3.1/3 CMOS/CCD Sensor. 756*504 pixels.DSP digital chip,image clarity without distortion
- 4.170 Viewing Angle: 170 degree visible range works great with the blind spot
- 5.Easy installation with no holes to be drilled; constructed of high grade automotive plastic

25-0116



- 1.Applicability – backup camera for 2008-2016 Dodge Promaster brake light camera
- 2.HD Night vision & Waterproof ,8 IR LEDs with light sensor for night mode
- 3.1/3 CMOS/CCD Sensor. 756*504 pixels.DSP digital chip,image clarity without distortion
- 4.170 Viewing Angle: 170 degree visible range works great with the blind spot
- 5.Easy installation with no holes to be drilled; constructed of high grade automotive plastic

25-0117



- 1.Applicability – backup camera for 2014 Opel Vivaro / 2014 Renault Traffic brake camera
- 2.HD Night vision & Waterproof ,8 IR LEDs with light sensor for night mode
- 3.1/3 CMOS/CCD Sensor. 756*504 pixels.DSP digital chip,image clarity without distortion
- 4.170 Viewing Angle: 170 degree visible range works great with the blind spot
- 5.Easy installation with no holes to be drilled; constructed of high grade automotive plastic

25-0118



- 1.Applicability – backup camera for Mercedes Benz Sprinter Minivan brake light camera
- 2.HD Night vision & Waterproof ,8 IR LEDs with light sensor for night mode
- 3.1/3 CMOS/CCD Sensor. 756*504 pixels.DSP digital chip,image clarity without distortion
- 4.170 Viewing Angle: 170 degree visible range works great with the blind spot
- 5.Easy installation with no holes to be drilled; constructed of high grade automotive plastic

25-0119



- 1.Applicability – backup camera for FIAT Ducato brake light camera use for late 2006-2015 3 gen, Peugeot Boxer, Citroen Jumper and so on
- 2.HD Night vision & Waterproof ,8 IR LEDs with light sensor for night mode
- 3.1/3 CMOS/CCD Sensor. 756*504 pixels.DSP digital chip,image clarity without distortion
- 4.170 Viewing Angle: 170 degree visible range works great with the blind spot
- 5.Easy installation with no holes to be drilled; constructed of high grade automotive plastic

25-0120



- 1.Applicability – backup camera for 2010-2016 Renault_Master Nissan-NV400 Opel_Movano brake light camera
- 2.HD Night vision & Waterproof ,8 IR LEDs with light sensor for night mode
- 3.1/3 CMOS/CCD Sensor. 756*504 pixels.DSP digital chip,image clarity without distortion
- 4.170 Viewing Angle: 170 degree visible range works great with the blind spot
- 5.Easy installation with no holes to be drilled; constructed of high grade automotive plastic

25-0121



- 1.Applicability – backup camera for FIAT Ducato brake light camera use for late 2006-2017 3 gen, Peugeot Boxer, Citroen Jumper and so on
- 2.HD Night vision & Waterproof ,8 IR LEDs with light sensor for night mode
- 3.1/3 CMOS/CCD Sensor. 756*504 pixels.DSP digital chip,image clarity without distortion
- 4.170 Viewing Angle: 170 degree visible range works great with the blind spot
- 5.Easy installation with no holes to be drilled; constructed of high grade automotive plastic

25-0122



- 1.Applicability – backup Third camera for VW caddy 2003-2015 Brake light Camera
- 2.HD Night vision & Waterproof ,8 IR LEDs with light sensor for night mode
- 3.1/3 CMOS/CCD Sensor. 756*504 pixels.DSP digital chip,image clarity without distortion
- 4.170 Viewing Angle: 170 degree visible range works great with the blind spot
- 5.Easy installation with no holes to be drilled; constructed of high grade automotive plastic

25-0123



- 1.Applicability – backup camera for Universal cargo van Brake light Camera
- 2.HD Night vision & Waterproof ,8 IR LEDs with light sensor for night mode
- 3.1/3 CMOS/CCD Sensor. 756*504 pixels.DSP digital chip,image clarity without distortion
- 4.170 Viewing Angle: 170 degree visible range works great with the blind spot
- 5.Easy installation with no holes to be drilled; constructed of high grade automotive plastic

25-0124



- 1.Applicability – backup camera for RAM PROMASTER cargos van brake light camera
- 2.HD Night vision & Waterproof ,8 IR LEDs with light sensor for night mode
- 3.1/3 CMOS/CCD Sensor. 756*504 pixels.DSP digital chip,image clarity without distortion
- 4.170 Viewing Angle: 170 degree visible range works great with the blind spot
- 5.Easy installation with no holes to be drilled; constructed of high grade automotive plastic

25-0125



- 1.Applicability – backup camera for Ford Transit Custom Brake light Camera brake light camera
- 2.HD Night vision & Waterproof ,8 IR LEDs with light sensor for night mode
- 3.1/3 CMOS/CCD Sensor. 756*504 pixels.DSP digital chip,image clarity without distortion
- 4.170 Viewing Angle: 170 degree visible range works great with the blind spot
- 5.Easy installation with no holes to be drilled; constructed of high grade automotive plastic

25-0126



- 1.Applicability – backup camera for VW T5/T6(2010-2017) Brake light Camera brake light camera
- 2.HD Night vision & Waterproof ,8 IR LEDs with light sensor for night mode
- 3.1/3 CMOS/CCD Sensor. 756*504 pixels.DSP digital chip,image clarity without distortion
- 4.170 Viewing Angle: 170 degree visible range works great with the blind spot
- 5.Easy installation with no holes to be drilled; constructed of high grade automotive plastic

25-0201



- 1.This is an aftermarket tailgate and camera, not OEM. For the power supply, you can connect it to any 12V power source. For example, if you wanted the camera to always be on, you can connect it to a 12v source that is on all the time, or if you only want it when you reverse you can connect it to the reverse taillights. Includes video and power extension cable, 8 Meters.
- 2.Fits: Toyota Tundra 2007-2013
- 3.1/3" lens, 600TVL HD wide angle camera with 0.01Lux/F1.2 min. illumination . Guideline with "ON/OFF" switch.
- 4.High quality fully shielded video cable to isolate noise, ensuring HD image delivered to display monitor
- 5.Route the cable from tailgate to front dash, connect to display with universal RCA connector, you may need additional adapter (not included) if to connect factory radio

25-0202



- 1.170°Wide Viewing Angle: 170 degree visible range designed backup camera is perfect for checking unseen blind spots in your vehicle's mirrors when reversing your car. In addition, the reverse cameras would be perfect for avoiding car crashes while driving in the dark.
- 2.HD Night Version Designed: Tailgate handle cameras with hd night version designed, make pick up driver see very clear at night or in a dark underground parking garage, 1/4" PC 7080 image sensor, 420 TV lines resolution and support NTSC TV system. Total 32.5 feet cable length to cover long car bed
- 3.Easy to Install: This kit comes with all wiring and connectors you need, so you can easily install this reversing handle kits into your truck with aftermarket display. Pls Note: Monitor or navigation unit not included.
- 4.Application: The tailgate backup camera only fits for Dodge Ram 1500(Years 2009, 2010, 2011, 2012, 2013, 2014, 2015,2016, 2017), 2500+ 3500(Years 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017). Pls don't buy if there's no your car model. Thanks a lot!
- 5.12 Month Warranty: Buy with confidence! We offer 12 month replacement warranty and brand new replacement post within 24 hours if any defective product when receive. Also, we offer lifetime support and 24 hours customer service

25-0203



- 1.Good Quality Backup Camera: waterproof,wide view angle camera, night vision better performance at night, parking line with "ON/OFF" switch.
- 2.Fits: our Car Camera w/Tailgate Handle fit for Ford F150(2005-2014),F250(2008-2016),F350(2008-2016),F450(2008-2016),F550(2008-2016).
- 3.Applicability:this backup camera comes with all the wiring and connectors to install into your truck with aftermarket display. MONITOR OR NAVIGATION UNIT NOT INCLUDED. you may need additional adapter (not included) or interface if needed to connect factory radio.
- 4.High Quality Tailgate Handle: Do not destroy the original car style, retain the original car trunk switch function.
- 5.Bring You Safety Driving: our rear view camera is a good assistance when you do car backing.

25-0204



- 1.Good Quality Backup Camera: waterproof,wide view angle camera, night vision better performance at night, parking line with "ON/OFF" switch.
- 2.Fits: our Car Camera w/Tailgate Handle fit for Dodge Ram 1500, 2500, 3500 (Years 2002-2008).
- 3.Applicability:this backup camera comes with all the wiring and connectors to install into your truck with aftermarket display. MONITOR OR NAVIGATION UNIT NOT INCLUDED. you may need additional adapter (not included) or interface if needed to connect factory radio.
- 4.High Quality Tailgate Handle: Do not destroy the original car style, retain the original car trunk switch function.
- 5.Bring You Safety Driving: our rear view camera is a good assistance when you do car backing.

25-0205



- 1.Good Quality Backup Camera: waterproof,wide view angle camera, night vision better performance at night, parking line with "ON/OFF" switch.
- 2.Fits: our Car Camera w/Tailgate Handle fit for 2004-2015 Toyota Tacoma.
- 3.Applicability:this backup camera comes with all the wiring and connectors to install into your truck with aftermarket display. MONITOR OR NAVIGATION UNIT NOT INCLUDED. you may need additional adapter (not included) or interface if needed to connect factory radio.
- 4.High Quality Tailgate Handle: Do not destroy the original car style, retain the original car trunk switch function.
- 5.Bring You Safety Driving: our rear view camera is a good assistance when you do car backing.

25-0206



- 1.Good Quality Backup Camera: waterproof,wide view angle camera, night vision better performance at night, parking line with "ON/OFF" switch.
- 2.Fits: our Car Camera w/Tailgate Handle fit for ISUZU D-Max 1.9 Blue Power Spark Hi-Lander V-Cross 2016 2017 2018 UTE Pick-Up.
- 3.Applicability:this backup camera comes with all the wiring and connectors to install into your truck with aftermarket display. MONITOR OR NAVIGATION UNIT NOT INCLUDED. you may need additional adapter (not included) or interface if needed to connect factory radio.
- 4.High Quality Tailgate Handle: Do not destroy the original car style, retain the original car trunk switch function.
- 5.Bring You Safety Driving: our rear view camera is a good assistance when you do car backing.

25-0207



- 1.Good Quality Backup Camera: waterproof,wide view angle camera, night vision better performance at night, parking line with "ON/OFF" switch.
- 2.Fits: our Car Camera w/Tailgate Handle fit for Ford F150(2005-2014),F250(2008-2016),F350(2008-2016),F450(2008-2016), F550(2008-2016).
- 3.Applicability:this backup camera comes with all the wiring and connectors to install into your truck with aftermarket display, MONITOR OR NAVIGATION UNIT NOT INCLUDED. you may need additional adapter (not included) or interface if needed to connect factory radio.
- 4.High Quality Tailgate Handle: Do not destroy the original car style, retain the original car trunk switch function.
- 5.Bring You Safety Driving: our rear view camera is a good assistance when you do car backing.

25-0208



- 1.Good Quality Backup Camera: waterproof,wide view angle camera, night vision better performance at night, parking line with "ON/OFF" switch.
- 2.Fits: our Car Camera w/Tailgate Handle fit for FORD F-150 2015-2018 .
- 3.Applicability:this backup camera comes with all the wiring and connectors to install into your truck with aftermarket display. MONITOR OR NAVIGATION UNIT NOT INCLUDED. you may need additional adapter (not included) or interface if needed to connect factory radio.
- 4.High Quality Tailgate Handle: Do not destroy the original car style, retain the original car trunk switch function.
- 5.Bring You Safety Driving: our rear view camera is a good assistance when you do car backing.

25-0209



- 1.Good Quality Backup Camera: waterproof,wide view angle camera, night vision better performance at night, parking line with "ON/OFF" switch.
- 2.Fits: our Car Camera w/Tailgate Handle fit for Nissan Frontier 2013-2016.
- 3.Applicability:this backup camera comes with all the wiring and connectors to install into your truck with aftermarket display. MONITOR OR NAVIGATION UNIT NOT INCLUDED. you may need additional adapter (not included) or interface if needed to connect factory radio.
- 4.High Quality Tailgate Handle: Do not destroy the original car style, retain the original car trunk switch function.
- 5.Bring You Safety Driving: our rear view camera is a good assistance when you do car backing.

25-0210



- 1.Good Quality Backup Camera: waterproof,wide view angle camera, night vision better performance at night, parking line with "ON/OFF" switch.
- 2.Fits: our Car Camera w/Tailgate Handle fit for 2014-2015 Chevrolet Silverado/GMC Sierra Pickup.
- 3.Applicability:this backup camera comes with all the wiring and connectors to install into your truck with aftermarket display. weatherproof and water-resistant housing. Built-in night vision illumination LEDs
- 4.High Quality Tailgate Handle: Do not destroy the original car style, retain the original car trunk switch function.
- 5.Bring You Safety Driving: our rear view camera is a good assistance when you do car backing.

25-0211



- 1.170°WIDE VIEWING ANGLE: 170 degree visible range designed backup camera is perfect for checking unseen blind spots in your vehicle's mirrors when reversing your car. In addition, the reverse cameras would be perfect for avoiding car crashes while driving in the dark.
- 2.Fits: our Car Camera w/Tailgate Handle fit for Chevy Silverado/GMC Sierra 2007-2013 Trucks
- 3.HD NIGHT VERSION DESIGN: Tailgate handle cameras with hd night version designed, make pick up driver see very clear at night or in a dark underground parking garage, 1/4" PC 7080 image sensor, 420 TV lines resolution and support NTSC TV system. Total 32.5 feet cable length to cover long car bed.
- 4.High Quality Tailgate Handle: Do not destroy the original car style, retain the original car trunk switch function.IP 67. Waterproof housing with anti-fog lens. With a glass window on the surface that is sealed to protect camera when raining or snowing
- 5.EASY TO INSTALL: This rear view camera kit comes with all wiring and connectors you need, so you can easily install this reversing handle kits into your truck with aftermarket display

25-0212



- 1.Good Quality Backup Camera: waterproof,wide view angle camera, night vision better performance at night, parking line with "ON/OFF" switch.
- 2.Fits: our Car Camera w/Tailgate Handle fit for Toyota 2015-2022 Hilux Revo Vigo.
- 3.Applicability:this backup camera comes with all the wiring and connectors to install into your truck with aftermarket display. MONITOR OR NAVIGATION UNIT NOT INCLUDED. you may need additional adapter (not included) or interface if needed to connect factory radio.
- 4.High Quality Tailgate Handle: Do not destroy the original car style, retain the original car trunk switch function.
- 5.Bring You Safety Driving: our rear view camera is a good assistance when you do car backing.

25-0301



- 1.The Volkswagen rear view camera lets you spot any obstacles behind your car – even moving ones – quickly and easily.
- 2.Installed in the rear of your car, the reversing camera provides an additional safety and convenience feature, reducing the chances of reversing into low level obstacles.
- 3.The camera starts working as soon as you engage reverse gear. It shows the area behind the car on your touch-screen radio or radio navigation system display offering you a clear image with guidelines guaranteeing fuss-free, smooth parking.
- 4.Using the rear view camera means you'll be able to manoeuvre quickly and easily, even into the most difficult parking space. It also alerts you to low-down obstacles which parking sensors may not always detect. The reversing camera is also a great aid when you are hitching up a trailer.
- 5.Automatically switches the radio display to the rear view image as soon as the reverse gear is engaged.

25-0302



- 1.Ford OEM baseplate and emblem for a factory fit and finish, 25' PRELOOMED wiring harness – allows for quick tailgate disconnect with a single connection by the spare tire area. All other electrical connections can be made inside the cab for maximum durability and corrosion avoidance!
- 2.OEM inspired parking guidelines so that the picture will look exactly like it would have from the Ford factory
- 3.Kit includes all necessary OEM Ford mounting hardware and wire connectors
- 4.Super CMOS camera – the best available with over 600 TV lines of resolution and 170 degree view. 3 year warranty on everything!
- 5.Emblem Back-Up Camera For Select Ford Trucks (2004-2014 Ford F150 & 2008-2016 F250/350/450). Genuine Ford Camera Housing & Oval Ford Emblem Cover Used. Emblem Color: Original Dark Blue Ford Color

25-0303



- 1.Digital fill light using CCD image sensor designed for retrovision search and design, fill light and digital software technology, image clarity during the day, night, low intensity lighting.
- 2.170 ° Viewing angle wide field of view, reversing more secure with reversal of reference line (electronic rule line), distance of obstacle at a glance.
- 3.Digital photo processing chip, clear night vision, factory after high-voltage electric immersion test and 12-hour burn-in test, multi-layer waterproof, really high pressure washing and soaking water.
- 4.Video cable connected to the monitor, connect the power line power taillights, reverse, automatic monitoring system reversal to work, you can clearly see the car situation.
- 5.License mount, ideal for all vehicles that use a standard European license plate

25-0304



- 1.Digital fill light using CCD image sensor designed for retrovision search and design, fill light and digital software technology, image clarity during the day, night, low intensity lighting.
- 2.170 ° Viewing angle wide field of view, reversing more secure with reversal of reference line (electronic rule line), distance of obstacle at a glance.
- 3.Digital photo processing chip, clear night vision, factory after high-voltage electric immersion test and 12-hour burn-in test, multi-layer waterproof, really high pressure washing and soaking water.
- 4.Video cable connected to the monitor, connect the power line power taillights, reverse, automatic monitoring system reversal to work, you can clearly see the car situation.
- 5.License mount, ideal for all vehicles that use a standard European license plate

25-0305



- 1.HEAVY-DUTY LICENSE PLATE FRAME BACKUP CAMERA: Perfect for all vehicles that use a standard US license plate. It is like a plate frame mounted on the license plate, holds the license plate securely without blocking the license plate info.
- 2.MARINE GRADE WATERPROOF: Aluminum Zinc Material with IP-67 Standard waterproof , shockproof & dust-proof level, high performance in all-weather condition, Never be foggy or wet inside the camera even in a storm or serious rainy day.
- 3.WIDE VIEWING ANGLE: 170° viewing angle macro lens with mirror image give you a wide viewing vision, high sensitive color CMOS image sensor. Lens angle physically 45° adjustable on the camera, you can adjust the angle according to your needed, you can see all the blind spots behind the car.
- 4.BUILT-IN DISTANCE SCALE LINES: Built-in distance scale lines with trapezoid electronic ruler function, it's a thoughtful powerful parking camera. This makes your reversing or parallel parking job done easier and safer.
- 5.HD INFRARED NIGHT VISION CAMERA CMOS SENSOR: 8 IR LEDs night vision and excellent performance of 0.2 lux at F1.2. High definition color CMOS image sensor. The picture is actually clear during full light and also very clear in total darkness.

25-0306



- 1.Vehicle Car Camera 8 POWERFUL LEDs: Say goodbye to dangerous nighttime driving! This rearview camera is armed with 8 bright LED lights that cut through the darkness and provide much-needed illumination. Driving has never been this safe
- 2.170° VIEWING ANGLE: Blind spots be gone! With a 170° viewing angle, this car backup camera is like a second set of eyes. You'll be more aware of obstacles and other cars on the road
- 3.EASY INSTALLATION: Snap-in design. Install it behind the license plate without drilling any holes. Perfect for vehicles such as Pickup truck, bus, Van, SUV, Mini car etc
- 4.ADVANCED WATERPROOFING: Bad weather? No problem. The Glumes 8-LED Rearview Backup Camera is IP67 waterproof! Rain, Operating temperature: -20 ° + 60, fog, snow, mist, dirt, and more are no match for this amazing gadget
- 5.HIGH-RESOLUTION IMAGES: What's the point of installing a reversing camera if the resolution is blurry? At Glumes , we strive to give you the best— that's why this camera boasts crystal-clear images. Our top-notch camera includes a 1/4" color CMOS sensor, 648×488 PAL/NTSC pixels, and 480 TV lines of resolution

25-0501



LONG STRIP LICENSE
PLATE REAR VIEW
CAR CAMERA SERIES

25-0502



LONG STRIP LICENSE
PLATE REAR VIEW
CAR CAMERA SERIES

25-0503



LONG STRIP LICENSE
PLATE REAR VIEW
CAR CAMERA SERIES

25-0504



LONG STRIP LICENSE
PLATE REAR VIEW
CAR CAMERA SERIES

25-0505



LONG STRIP LICENSE
PLATE REAR VIEW
CAR CAMERA SERIES

25-0506



DRILL HOLE REAR VIEW
CAR CAMERA SERIES

25-0507



DRILL HOLE REAR VIEW
CAR CAMERA SERIES

25-0508



DRILL HOLE REAR VIEW
CAR CAMERA SERIES

25-0509



DRILL HOLE REAR VIEW
CAR CAMERA SERIES

25-0510



DRILL HOLE REAR VIEW
CAR CAMERA SERIES

25-0511



BRACKET TYPE REAR VIEW
CAR CAMERA SERIES

25-0512



BRACKET TYPE REAR VIEW
CAR CAMERA SERIES

25-0513



BRACKET TYPE REAR VIEW
CAR CAMERA SERIES

25-0514



BRACKET TYPE REAR VIEW
CAR CAMERA SERIES

25-0515




BRACKET TYPE REAR VIEW
CAR CAMERA SERIES

25-0516




BRACKET TYPE REAR VIEW
CAR CAMERA SERIES

25-0517



BRACKET TYPE REAR VIEW
CAR CAMERA SERIES

25-0518



BRACKET TYPE REAR VIEW
CAR CAMERA SERIES

25-0519



BRACKET TYPE REAR VIEW
CAR CAMERA SERIES

25-0520



BRACKET TYPE REAR VIEW
CAR CAMERA SERIES

25-0521



BRACKET TYPE REAR VIEW
CAR CAMERA SERIES

25-0522



BRACKET TYPE REAR VIEW
CAR CAMERA SERIES

25-0523



BRACKET TYPE REAR VIEW
CAR CAMERA SERIES

25-0524



BRACKET TYPE REAR VIEW
CAR CAMERA SERIES

25-0525



UNIVERSAL STANDARD
MALE ANTENNA PLUG

25-0526



DRILL HOLE REAR VIEW
CAR CAMERA SERIES

25-0527



DRILL HOLE REAR VIEW
CAR CAMERA SERIES

25-0528



DRILL HOLE REAR VIEW
CAR CAMERA SERIES

25-0529



DRILL HOLE REAR VIEW
CAR CAMERA SERIES

25-0530



DRILL HOLE REAR VIEW
CAR CAMERA SERIES

25-0531



DRILL HOLE REAR VIEW
CAR CAMERA SERIES

25-0532



DRILL HOLE REAR VIEW
CAR CAMERA SERIES

25-0533



DRILL HOLE REAR VIEW
CAR CAMERA SERIES

25-0534



DRILL HOLE REAR VIEW
CAR CAMERA SERIES

25-0535



CAR ANTENNA ADAPTOR

25-0536



LICENSE PLATE FRAME
REAR VIEW
CAR CAMERASERIES

25-0537



LICENSE PLATE FRAME
REAR VIEW
CAR CAMERASERIES

25-0538



LICENSE PLATE FRAME
REAR VIEW
CAR CAMERASERIES

25-0539



LICENSE PLATE FRAME
REAR VIEW
CAR CAMERASERIES

25-0540




LICENSE PLATE FRAME
REAR VIEW
CAR CAMERASERIES

25-0541



BUS REAR VIEW
CAR CAMERA SERIES

25-0542



BUS REAR VIEW
CAR CAMERA SERIES

25-0543



BUS REAR VIEW
CAR CAMERA SERIES

25-0544



BUS REAR VIEW
CAR CAMERA SERIES

25-0545



CAR BUS REAR VIEW
CAR CAMERA SERIESJACK

25-0546



BUS REAR VIEW
CAR CAMERA SERIES

25-0547



BUS REAR VIEW
CAR CAMERA SERIES

25-0548




BUS REAR VIEW
CAR CAMERA SERIES

25-0549



BUS REAR VIEW
CAR CAMERA SERIES

25-0551



WIRELESS SIGNAL
TRANSMITTER&RECEIVER

25-0553



WIRELESS SIGNAL
TRANSMITTER&RECEIVER

25-0555



WIRELESS SIGNAL
TRANSMITTER&RECEIVER

25-0557




WIRELESS SIGNAL
TRANSMITTER&RECEIVER

25-0550



BUS REAR VIEW
CAR CAMERA SERIES

25-0552



WIRELESS SIGNAL
TRANSMITTER&RECEIVER

25-0554



WIRELESS SIGNAL
TRANSMITTER&RECEIVER

25-0556



WIRELESS SIGNAL
TRANSMITTER&RECEIVER

25-0558



WIRELESS SIGNAL
TRANSMITTER&RECEIVER

17-0101

DESCRIPTION

input:12V output :5v
current output:3A

17-0102

DESCRIPTION

input:12-24V output :5v
current output:600mA

17-0103

DESCRIPTION

input:12-24V output :5v
current output:3100mA

17-0104

DESCRIPTION

input:12-24V output :5v
current output:0.5-1A

17-0105

DESCRIPTION

input:12-24V output :5v
current output:1200mA

17-0106

DESCRIPTION

input:12-24V output :5v
current output:800mA

17-0107

DESCRIPTION

input:12-24V output :5v
current output:800mA

17-0108

DESCRIPTION

input:12-24V output :5v
current output:1000mA

17-0109

DESCRIPTION

input:12-24V output :5v
current output:1200mA

17-0110

DESCRIPTION

input:12-24V output :5v
current output:800mA

17-0111

DESCRIPTION

input:12-24V output :5v
current output:600mA

17-2001

DESCRIPTION

input:12-24V output :5v
current output:3600mA

17-2002

DESCRIPTION

input:12-24V output :5v
current output:2100mA

17-2003

DESCRIPTION

input:12-24V output :5v
current output:2400mA

17-2004

DESCRIPTION

input:12V output :5v
current output:2400mA

17-2005

DESCRIPTION

input:12 output :5v
current output:2100mA

17-2006

DESCRIPTION

input:12-24V output :5v
current output:1000mA

17-2007

DESCRIPTION

input:12V output :5v
current output:2000mA

17-2008

DESCRIPTION

input:12V output :5v
current output:2000mA

17-2009

DESCRIPTION

input:12V output :5v
current output:2100mA

17-2010

DESCRIPTION

input:12V output :5v
current output:2100mA

17-2011

DESCRIPTION

input:12V output :5v
current output:4800mA

17-2012

DESCRIPTION

TYPRC input:12V
output :5v current
output:3100mA

17-2013



DESCRIPTION
input:12V output :5v
current output:2400mA

17-2014



DESCRIPTION
input:12V output :5v
current output:2100mA

17-2015



DESCRIPTION
input:12V output :5v
current output:2100mA

17-2016



DESCRIPTION
input:12V output :5v
current output:3100mA

USB ADAPTERS



20-0101



Mercedes Benz TRUCK
Dual Charger USB
Switch Hole Cover

Input voltage : 12-24V
USB Voltage : 5V
USB output : 3.1A
Button size : 40x20mm

20-0102



Mercedes Benz TRUCK
Dual Charger USB
Switch Hole Cover

Input voltage : 12-24V
USB Voltage : 5V
USB output : 3.1A
Button size : 40x20mm

20-0301



CHEVROLET
Single Charger USB
Switch Hole Cover

Input voltage : 12V
USB Voltage : 5V
USB output : 2.1A
Button size : 33x22mm

20-0401



DAF
Dual Charger USB
Switch Hole Cover

Input voltage : 12V
USB Voltage : 5V
USB output : 2.1A
Button size : 46x22mm

20-0501



FORD
Dual Charger USB
Switch Hole Cover

Input voltage : 12V
USB Voltage : 5V
USB output : 2.1A
Button size : 38x23mm

20-0502



FORD
Dual USB Switch Hole Cover
Charger+Audio

Input voltage : 12V
USB Voltage : 5V
USB output : 2.1A
Button size : 38x23mm

20-0503



FORD
Single USB Switch Hole cover
Charger+Digital Voltmeter

Input voltage : 12V
USB Voltage : 5V
USB output : 2.1A
Button size : 33x22mm

20-0601



HONDA
Single Charger USB
Switch Hole Cover

Input voltage : 12V
USB Voltage : 5V
USB output : 2.1A
Button size : 45x26mm

USB ADAPTERS

20-0602



HONDA
Dual Charger USB
Switch Hole Cover

Input voltage : 12V
USB Voltage : 5V
USB output : 2.1A
Button size : 45x26mm

20-0603



HONDA
Dual USB Switch Hole Cover
Charger+Audio

Input voltage : 12V
USB Voltage : 5V
USB output : 2.1A
Button size : 45x26mm

20-0604



HONDA
Single USB Switch Hole cover
Charger+Digital Voltmeter

Input voltage : 12V
USB Voltage : 5V
USB output : 2.1A
Button size : 45x26mm

20-0701



HYUNDAI
Dual Charger USB
Switch Hole Cover

Input voltage : 12V
USB Voltage : 5V
USB output : 2.1A
Button size : 42x23mm

20-0702



HYUNDAI
Single USB Switch Hole cover
Charger+Digital Voltmeter

Input voltage : 12V
USB Voltage : 5V
USB output : 2.1A
Button size : 42x23mm

20-0801



ISUZU
Single Charger USB
Switch Hole Cover

Input voltage : 12V
USB Voltage : 5V
USB output : 2.1A
Button size : 35x22mm

20-0802



ISUZU
Dual Charger USB
Switch Hole Cover

Input voltage : 12V
USB Voltage : 5V
USB output : 2.1A
Button size : 35x22mm

20-0803



Mercedes Benz TRUCK
Dual USB Switch Hole Cover
Charger+Audio

Input voltage : 12V
USB Voltage : 5V
USB output : 2.1A
Button size : 35x22mm

20-0804



ISUZU
Single USB Switch Hole cover
Charger+Digital Voltmeter

Input voltage : 12V
USB Voltage : 5V
USB output : 2.1A
Button size : 35x22mm

20-0901



IVECO
Dual Charger USB
Switch Hole Cover

Input voltage : 12V
USB Voltage : 5V
USB output : 2.1A
Button size : 50x27mm

20-1001



MAN
Dual Charger USB
Switch Hole Cover

Input voltage : 12-24V
USB Voltage : 5V
USB output : 3.1A
Button size : 39x19mm

20-1101



MAZDA
Dual Charger USB
Switch Hole Cover

Input voltage : 12V
USB Voltage : 5V
USB output : 2.1A
Button size : 36x24mm

USB ADAPTERS

20-1102



MAZDA

Dual USB Switch Hole Cover
Charger+Audio

Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 36x24mm

20-1103



MAZDA

Single USB Switch Hole cover
Charger+Digital Voltmeter

Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 36x24mm

20-1201



MITSUBISHI

Single Charger USB
Switch Hole Cover

Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 36x20mm

20-1202



MITSUBISHI

Dual Charger USB
Switch Hole Cover

Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 36x20mm

20-1203



MITSUBISHI

Dual USB Switch Hole Cover
Charger+Audio

Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 36x20mm

20-1204



MITSUBISHI

Single USB Switch Hole cover
Charger+Digital Voltmeter

Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 36x20mm

20-1205



MITSUBISHI

Single USB Switch Hole Cover
Charger+HDMI

Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 36x20mm

20-1301



NISSAN

Single Charger USB
Switch Hole Cover

Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 36x20mm

20-1302



NISSAN

Dual Charger USB
Switch Hole Cover

Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 36x20mm

20-1303



NISSAN

Dual USB Switch Hole Cover
Charger+Audio

Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 36x20mm

20-1304



NISSAN

Single USB Switch Hole cover
Charger+Digital Voltmeter

Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 36x20mm

20-1305



NISSAN

Switch Hole Cover
Digital Voltmeter+Temperature

Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 36x20mm

USB ADAPTERS

20-1306



NISSAN

Dual Charger USB
Switch Hole Cover

Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 35x23mm

20-1307



NISSAN

Single USB Switch Hole cover
Charger+Digital Voltmeter

Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 35x23mm

20-1308



NISSAN

3 Charger USB
Switch Hole Cover
QC 3.0

Input voltage : 12-24V
USB Voltage : 5V
USB output : 3.1A
Button size : 34x20mm

20-1309



NISSAN

Single USB Switch Hole cover
Charger+AUX

Input voltage : 12 V
USB Voltage : 5 V
USB output : 3.1A
Button size : 34x20mm

20-1310



NISSAN

Dual Charger USB
Switch Hole Cover
2 Charger+Digital Voltmeter
QC 3.0

Input voltage : 12 V
USB Voltage : 5 V
USB output : 3.1A
Button size : 34x20mm

20-1401



SCANEA

Dual Charger USB
Switch Hole Cover

Input voltage : 12-24V
USB Voltage : 5V
USB output : 3.1A
Button size : 36x20mm

20-1501



SUZUKI

Dual Charger USB
Switch Hole Cover

Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 42x22mm

20-1502



SUZUKI

Dual USB Switch Hole Cover
Charger+Audio

Input voltage : 12-24V
USB Voltage : 5V
USB output : 3.1A
Button size : 42x22mm

20-1601



TOYOTA-LEXUS

Single Charger USB
Switch Hole Cover

Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 40x20mm

20-1602



TOYOTA-LEXUS

Single Charger USB
Switch Hole Cover

Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 40x20mm

20-1603



TOYOTA-LEXUS

Dual Charger USB
Switch Hole Cover

Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 40x20mm

20-1604



TOYOTA-LEXUS

Dual USB Switch Hole Cover
Charger+Audio

Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 40x20mm

USB ADAPTERS

20-1605



TOYOTA-LEXUS
Single USB Switch Hole cover
Charger+Digital Voltmeter

Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 40x20mm

20-1606



TOYOTA-LEXUS
Switch Hole Cover
Digital Voltmeter+Temperature

Input voltage : 12 V
Button size : 40x20mm

20-1607



TOYOTA-LEXUS
Dual Charger USB
Switch Hole Cover

Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 34x23mm

20-1608



TOYOTA-LEXUS
Dual USB Switch Hole Cover
Charger+Audio

Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 34x23mm

20-1610



TOYOTA-LEXUS
Single USB Switch Hole cover
Charger+Digital Voltmeter

Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 34x23mm

20-1611



TOYOTA-LEXUS
Switch Hole Cover
Digital Voltmeter+Temperature

Input voltage : 12 V
Button size : 34x23mm

20-1612



TOYOTA-LEXUS
Single Charger USB
Switch Hole Cover

Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 33x22mm

20-1613



TOYOTA-LEXUS
Single USB Switch Hole cover
Charger+Button

Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 40x20mm

20-1614



TOYOTA-LEXUS
Dual Charger USB
Switch Hole Cover
QC 3.0

Input voltage : 12 V
USB Voltage : 5 V
USB output : 3.1A
Button size : 34x23mm

20-1615



TOYOTA-LEXUS
Single USB Switch Hole Cover
Charger+HDMI

Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 34x23mm

20-1616



TOYOTA-LEXUS
Dual Charger USB
Switch Hole Cover
QC 3.0

Input voltage : 12 V
USB Voltage : 5 V
USB output : 3.1A
Button size : 26x22mm

20-1617



TOYOTA-LEXUS
Single USB Switch Hole cover
Charger+AUX

Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 26x22mm

USB ADAPTERS

20-1618



TOYOTA-LEXUS
Dual Charger USB
Switch Hole Cover
QC 3.0

Input voltage : 12 V
USB Voltage : 5 V
USB output : 3.1A
Button size : 34x23mm

20-1701



VOLVO TRUCK
Dual Charger USB
Switch Hole Cover

Input voltage : 12-24V
USB Voltage : 5V
USB output : 3.1A
Button size : 47x27mm

20-1801



VW Golf 4
Dual Charger USB
Switch Hole Cover

Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 34x23mm

20-1802



VW
Single USB Switch Hole cover
Charger+AUX

Input voltage : 12 V
USB Voltage : 5 V
USB output : 2.1A
Button size : 34x23mm

20-6001



UNIVERSAL
Single USB +AUX
Extension Cable

20-6002



UNIVERSAL
Dual USB Extension Cable

20-6003



UNIVERSAL
USB +AUX-USB+2RCA
Extension Cable

20-6004



UNIVERSAL
Single USB Extension Cable

20-6005



UNIVERSAL
Single USB +AUX
Extension Cable

20-6006



UNIVERSAL
USB +AUX-USB+2RCA
Extension Cable

20-6007



UNIVERSAL
Dual Charger USB
Switch Hole Cover

Input voltage : 12-24V
USB Voltage : 5V
USB output : 3.1A
Button size : 48x25mm

20-6008



UNIVERSAL
Single USB Switch Hole cover
Charger+AUX

Input voltage : 12-24V
USB Voltage : 5V
USB output : 3.1A
Button size : 48x25mm



14-4001



LED WORK
LIGHT
54W/18pcs*3W Cree+
10pcsX0.1W

14-4002



LED WORK
LIGHT
60W/22pcsX3W Cree+
12pcs X 0.1W

14-4003



LED WORK
LIGHT
47W/15pcsX3W Cree +
20pcsX0.1W

14-4004




LED WORK
LIGHT
74W/24pcsX3W Cree+
20pcs X 0.1W
DRL

14-4005




LED WORK
LIGHT
54W/3pcsX10W Cree +
8pcsX3W

14-4006



LED WORK
LIGHT
77W/5pcsX10W Cree+
8pcsX3W Cree
+30pcsX0.1W

14-4007



LED WORK
LIGHT
47W/15pcsX3W Cree +
20pcs X 0.1W

14-4008



LED WORK
LIGHT
74W/24pcsX3W Cree+
20pcs X 0.1W

14-4009



LED WORK
LIGHT
77W/5pcsX10W Cree+
8pcsX3W Cree
+30pcsX0.1W

14-4010



LED WORK
LIGHT
18W/6pcs*3W
Epistar

14-4011



LED WORK
LIGHT
27W/9pcs*3W
Cree

14-4012



LED WORK
LIGHT
12W/4pcs*3W
Cree

14-4013



LED WORK
LIGHT
18W/6pcs*3W
Cree

14-4014



LED WORK
LIGHT
16W/4pcs*4W
Cree

14-4015



LED WORK
LIGHT
18w/6pcs*3w
Cree

14-4016



LED WORK
LIGHT
18w/6pcs*3w
Cree

14-4017



LED WORK
LIGHT
Lens(white/yellow)

14-4018



LED WORK
LIGHT
6D Flood Lens
(white/yellow)

14-4019



LED WORK
LIGHT
51W/17pcs*3W
Cree

14-4020



LED WORK
LIGHT
96W/32pcs*3W
Cree(black/red)

WORK LIGHT

14-4021

LED WORK
LIGHT

60W/12pcs*5W
Cree(black/red)



14-4022

LED WORK
LIGHT

185W/37pcs*5W
Cree(black/red)



14-4023

LED WORK
LIGHT

90W/9pcs*10W Cree



14-4024

LED WORK
LIGHT

60W/4pcs*15W
Cree



14-4025

LED WORK
LIGHT

36W/12pcs*3W Cree



14-4026

LED WORK
LIGHT

72W/24pcs*3W Cree



14-4027

LED WORK
LIGHT

36W/12pcs*3W Cree



14-4028

LED WORK
LIGHT

72W/24pcs*3W Cree



14-4029

LED WORK
LIGHT

72W/24pcs*3W Cree



14-4030

LED WORK
LIGHT

84W/28pcs*3W Cree



14-4031

LED WORK
LIGHT

60W/20pcs*3W Cree



14-4032

LED WORK
LIGHT

120W/40pcs*3W Cree



WORK LIGHT

14-4033

LED WORK
LIGHT

180W/60pcs*3W Cree



14-4034

LED WORK
LIGHT

240W/80pcs*3W Cree



14-4035

LED WORK
LIGHT

25W/1pc*25W Cree



14-4036

LED WORK
LIGHT

20W/2pcs*10W Cree



14-4037

LED WORK
LIGHT

20W/2pcs*10W Cree



14-4038

LED WORK
LIGHT

40W/4pcs*10W Cree



14-4039

LED WORK
LIGHT

20W/2pcs*10W Cree



14-4040

LED WORK
LIGHT

40W/4pcs*10W Cree



14-4041

LED WORK
LIGHT

48W/42pcs*1W
3030 SMD



14-4042

LED WORK
LIGHT

48W/42pcs*1W
3030 SMD



14-4043

LED WORK
LIGHT

30W/20pcs*1.5W
3030 SMD



14-4044

LED WORK
LIGHT

30W/20pcs*1.5W
3030 SMD



WORK LIGHT

WORK LIGHT

14-4045

LED WORK
LIGHT

16W/16pcs*1W
3030 SMD

14-4046

LED WORK
LIGHT

18W/18pcs*1W
3030 SMD double
color light

14-4057

LED WORK
LIGHT

55W Cree

14-4058

LED WORK
LIGHT

45W/45pcs*1W 3030 SMD

14-4047

LED WORK
LIGHT

60W/12pcs*5W Cree

14-4048

LED WORK
LIGHT

36W/12pcs*3W Red

14-4059

LED WORK
LIGHT

70W/7pcs*10W Cree

14-4060

LED WORK
LIGHT

45W/9pcs*5W Cree

14-4049

LED WORK
LIGHT

36W/12pcs*3W red/
yellow/blue/white

14-4050

LED WORK
LIGHT

60W/4pcs*15W
Cree black

14-4061

LED WORK
LIGHT

45W/9pcs*5W Cree

14-4062

LED WORK
LIGHT

60W/6pcs*10W Cree

14-4051

LED WORK
LIGHT

120W/12pcs X 10W Cree

14-4052

LED WORK
LIGHT

120W/12pcs X 10W Cree

14-4063

LED WORK
LIGHT

45W/9pcs*5W Cree

14-4064

LED WORK
LIGHT

90W/9pcs*10W Cree

14-4053

LED WORK
LIGHT

90W/9pcs X 10W Cree

14-4054

LED WORK
LIGHT

75W/25pcs X 3W Cree

14-4065

LED WORK
LIGHT

55W/11pcs*5W Cree

14-4066

LED WORK
LIGHT

55W/11pcs*5W Cree

14-4055

LED WORK
LIGHT

45W/9pcs*5W Epsitar

14-4056

LED WORK
LIGHT

45W/9PCS*5W Epsitar

14-4067




LED WORK
LIGHT

60W/6pcs*10W Cree

14-4068

LED WORK
LIGHT

60W/6pcs*10W Cree



NEW



30-4025

1156(BA15S, BA15US)
1157(BA15D, BAY15D)
3156, 3157, 7440, 7443
H4,H7,H8,H9,H10,H11,
H13,5202,9004,9005,
9006,9007,P13W,PY24W,
PSX24W,PSX26W

NEW



30-4026

Car LED festoon bulb
DC10-30V 240LM 0.158A 1.9W
Operating voltage:DC10-30V
Operating current:0.158A
Luminance:240LM
RMS power:1.9W

NEW



30-4027

Car LED festoon bulb
DC10-30V 230LM 0.158A 1.9W
Operating voltage:DC10-30V
Operating current:0.158A
Luminance:230LM
RMS power:1.9W

NEW



30-4028

Car LED festoon bulb
DC10-30V 188LM 0.123A 1.5W
Operating voltage:DC10-30V
Operating current:0.123A
Luminance:188LM
RMS power:1.5W

NEW





30-4029

Car LED festoon bulb
DC10-30V 183LM 0.123A 1.5W
Operating voltage:DC10-30V
Operating current:0.123A
Luminance:183LM
RMS power:1.5W



WHEEL HUB LAMP



WHEEL HUB LAMP



WHEEL HUB LAMP

WHEEL HUB LAMP

DATA CHARGING CABLE

17-3001



Material: 16 Nylon Braided
Length: 1M
Color: Black,green

17-3002



Material: 24 nylon bradded
Length: 0.25M
Color: Red black blue
gold silver

17-3003



3 In 1
Material: 24 Nylon braided
Length: 1.25M 0.3M
Color: black red blue
glod silver

17-3004



Material: 24 nylon brad
Length: 1.25M
Color: black red blue
glod silver

17-3005



Material: TPE
Length: 1M 2M
Color: White black

17-3006



Material: 24 nylon braided
Length: 1.25M
Color: red black blue
gold silver

17-3007



material: TPE
Length: 1M 2M
Color: white

17-3008



Material: TPE+ZIN Plated
Length: 1M
Color: red blue black
white pink orange

17-3009



Material16 Nylon braided
Length: 1.25M
Color: red black blue
gold silver

17-3010



Materialbraided
length: 1M
Color: red black grey blue

17-3011



Materail: 24 Nylon braided
Length: 1M 1.5M 2M 3M
Color: red blue black
glod silver

17-3012



Materail:
Length: 1M
Color: red blue black

DATA CHARGING CABLE

17-3013




Material: 24 nylon braided
Length: 1M 1.5M 2M 3M
Color: red blue black
glod silver

17-3014



Material: 24 Nylon braided
Length: 0.25M 1M 1.5M
2M 3M
Color: red blue black
glod silver



	16-0601 Benz GLK300
	16-0602 BMW 3 series
	16-0603 BUICK REGAL
	16-0604 Hyundai ELENTA
	16-0605 Hyundai KONA
	16-0606 Nissan TEANA
	16-0607 TOYOTA COLLORA
	16-0608 VW GOLF 4
	16-0609 VW PASSAT
	16-0610 UNIVERSAL FLOOR MATS
	16-0611 UNIVERSAL FLOOR MATS
	16-0612 waist support back cushion

Wireless Charger



28-0101



Audi A3
2014-2018

28-0102



Audi A4L-A5
2016-2018

28-0103



Audi
A6-A7
2014-2019

28-0104



Audi
Q2L
2018-2019

28-0105



Audi
Q3
2013-2018

28-0106



Audi
Q5
2018+

28-0107



Audi
Q7
2016-2019

28-0201



Benz
GLA
CLA
A series
2015-2018

Wireless Charger

28-0202



Benz
GLC
C-Class
2015-2018

28-0203



Benz
GLE
GLS
2015-2019

28-0301



BMW
2 Series
2016-2019

28-0302



BMW
3 Series
4 Series
2014-2018

28-0303



BMW
5 Series
2017+

28-0304



BMW
7 Series
2017+

28-0305



BMW
X1
2017+

28-0306



BMW
X3
X4
2018+

28-0307



BMW
X3
X4
2013-2017

28-0308



BMW
X5
X6
2017-2018

28-0401



Buick
Lacross
2015-2019



28-0402



Buick
Regal
2015-2019

Wireless Charger

Wireless Charger



Wireless Charger

Wireless Charger

Special CAR Wireless Charger

Special CAR Wireless Charger



Wireless Charger

Wireless Charger

Special CAR Wireless Charger

Special CAR Wireless Charger

28-2102



Volvo
S90
V90
XC60
XC90
2017-2019

28-2201



VW
Teramont
2016-2019

28-2202



VW
Teramont
Phideon
T-Roc

28-2203



VW
Golf 7
2016-2019

28-2204



VW
Tiguan L
2016-2018

NEW

28-0204



Benz
GLC
2015-2020 Quick install

NEW

28-0809



Honda
Civic
2016-2021 Quick install

NEW

28-2005



Toyota
Tundra
2007-2021

NEW

28-2006



Toyota
Tacoma
2016-2021

NEW

28-2301



NISSAN
X-TRAIL 2014-2021
QASHQAI 2016-2018

CAR KEY HOUSING

19-1001



benz

19-1002



Honda
accord
civic

19-1003



Honda
acura
crv

19-1004



Honda
old accord
CRV4

19-1005



Honda
Accord
fit
crv5

19-1006



Honda

19-1007



Honda

19-1008



Honda

19-1009



Honda

19-1010



Peugeot
307,308
408
citron
C4 C5

19-1011



Peugeot
307,308
408
citron
C4 C5

19-1012



BUICK
CRUZE
chevrolet

CAR KEY HOUSING

19-1013



bently

19-1014



VW
PASSAT
POLO
GOLF

19-1015



TOYOTA
CAMRY
Lexus

19-1016



Toyota
RAV4
camry

19-1017



TOYOTA
CAMRY
Lexus

19-1018



TOYOTA
CAMRY
reiz
yaris
RAV4

19-1019



Toyota
camry
reiz
corolla

19-1020



toyota
camry
corolla

19-1021



ford
mondeo

19-1022



Geely
GS, GL,
EC7, EC8
GX7

19-1023



Suzuki

19-1024



land rover
discovery 4

CAR KEY HOUSING



19-1025

Mitsubishi
Lancer



19-1026

VW
PASSAT
POLO
GOLF



19-1027

Hyundai
Kia



19-1028

Hyundai
Kia
i30
ix35
Sportage



19-1029

BUICK



19-1030

Chana
Cx20
Cx30
V3,V5



19-1031

OPEL



19-1032

NISSAN



19-1033

JAGUAR



19-1034

SUZUKI



19-1035

CITROEN



19-1036

ALFA

CAR KEY HOUSING



19-1037

BMW



19-1038

BMW



19-1039

BMW



19-1040

PORSCHE



19-1041

PORSCHE



19-1042

Peugeot
308



19-1043

OPEL



19-1044

FIAT



19-1045

FORD



19-1046

JAGUAR



19-1047

CADILLAC



19-1048

Chrysler




30-0001



- 1/0AWG Power Cable 53.20mm²
- OD:15.8mm

30-0002



- 2AWG Power Cable 33.25mm²
- OD:12.5mm

30-0003




- 4AWG Power Cable 21.6mm²
- OD:10mm

30-0004



- 6AWG Power Cable 13.85mm²
- OD:8.5mm

30-0005












- 8AWG Power Cable 8.31mm²
- OD:6.5mm

30-0006



- 10AWG Power Cable 5.22mm²
- OD:5.5mm

	30-0007 WHITE
	30-0008 ORANGE
	30-0009 LIGHT BLUE
	30-0010 BLACK
	30-0011 CYAN
	30-0012 PURPLE
	30-0013 RED-WHITE
	30-0014 YELLOW
	30-0015 PINK
	30-0016 GRAY
	30-0017 BROWN
	30-0018 RED
	30-0019 GREEN
	30-0020 BLUE

	30-0021 • 12AWG 2×2.77mm ² • OD:4.5×9.0mm		30-0030 • 16AWG 2×1.6mm ² • OD:3.5×7.0mm
	30-0022 • 12AWG 2×3.3mm ² • OD:5.0×10.0mm		30-0031 • 16AWG 2×0.735mm ² • OD:3.0×6.0mm
	30-0023 • 12AWG 2×3.3mm ² • OD:5.0×10.0mm		30-0032 • 16AWG 2×0.735mm ² • OD:3.0×6.0mm
	30-0024 • 12AWG 2×3.3mm ² • OD:5.0×10.0mm		30-0033 • 16AWG 2×0.735mm ² • OD:3.0×6.0mm
	30-0025 • 12AWG 2×3.3mm ² • OD:5.0×10.0mm		30-0034 • 16AWG 2×0.75mm ² • OD:3.0×6.0mm
	30-0026 • 12AWG 2×3.3mm ² • OD:5.0×10.0mm		30-0035 • 16AWG 2×0.45mm ² • OD:3.0×6.0mm
	30-0027 • 16AWG 2×1.6mm ² • OD:3.5×7.0mm		30-0036 • 16AWG 2×0.45mm ² • OD:3.0×6.0mm
	30-0028 • 16AWG 2×1.6mm ² • OD:3.5×7.0mm		30-0037 • 18AWG 2×0.55mm ² • OD:2.5×5.0mm
	30-0029 • 16AWG 2×1.6mm ² • OD:3.5×7.0mm		30-0038 • 18AWG 2×0.45mm ² • OD:2.4×4.8mm

 30-0039 18AWG 2×0.45mm² - OD:2.4×4.8mm	 30-0048 16AWG 2×1.31mm² - OD:3.0×6.0mm
 30-0040 2×12AWG 2×3mm² - OD:9.5mm	 30-0049 18AWG 2×0.823mm² - OD:2.5×5.0mm
 30-0041 2×14AWG 2×2.2mm² - OD:8.4mm	 30-0050 18AWG 2×0.75mm² - OD:2.2×4.4mm
 30-0042 2×15AWG 2×2mm² - OD:8.0mm	 30-0051 18AWG 2×0.823mm² - OD:2.5×5.0mm
 30-0043 2×16AWG 2×1.5mm² - OD:7.0mm	 30-0052 16AWG 2×1.31mm² - OD:3.0×6.0mm
 30-0044 8AWG 2×6.5mm² - OD:6.5×13mm	 30-0053 18AWG 2×0.75mm² - OD:2.2×4.4mm
 30-0045 10AWG 2×4.0mm² - OD:5.0×10.0mm	 30-0054 20AWG 2×0.4mm² - OD:2.0×4.0mm
 30-0046 12AWG 2×3.31mm² - OD:4.5×9.0mm	 30-0055 14AWG 2×1.8mm² - OD:3.2×6.4mm
 30-0047 14AWG 2×2.08mm² - OD:3.5×7.0mm	 30-0056 20AWG 2×0.45mm² - OD:2.0×4.0mm

 30-0057 1M1M OD:4.0mm
 30-0058 1M1M OD:6.0mm
 30-0059 1M1M OD:6.0mm



30-0060

2M2M

▪ OD:6.5mm



30-0061

2M2M


▪ OD:4.0×8.0mm



30-0062

2M2M

▪ OD:7.5mm



30-0063

2M2M

▪ OD:4.0×8.0mm



30-0064

2M2M

▪ OD:6.0mm



30-0065

2M2M

▪ OD:5.3×2.5×5.3mm



30-0066

2M2M

▪ OD:6.5mm



30-0067

2M2M

▪ OD:5.5mm



30-0068

2M2M

▪ OD:7.5mm



30-0069

2M2M

▪ OD:6.0mm



30-0070

2M2M

▪ OD:7.5mm



30-0071

2M2M

▪ OD:6.0mm



30-0072

2M2M

▪ OD:6.5mm



30-0073

2M2M

▪ OD:4.0×8.0mm



30-0078

2M2M

▪ OD:6.5mm



30-0079

2M2M

▪ OD:6.0mm



30-0074

2M2M

▪ OD:6.5mm



30-0075

2M2M

▪ OD:4.0×8.0mm



30-0080

2M2M

▪ OD:4.5+2.0+4.5mm



30-0081

2M2M

▪ OD:6.5mm



30-0076

2M2M

▪ OD:6.0mm



30-0077

2M2M

▪ OD:4.0×8.0mm



30-0082

2M2M

▪ OD:7.5mm



30-0083

2M2M

▪ OD:4.5×9.0mm



30-0084
2F1M 2M1F
OD:4.0×8.0mm



30-0085
2F1M 2M1F
OD:8.0mm




30-0086
2F1M 2M1F
OD:6.0mm



30-0087
2M2M
OD:6.5mm



30-0088
2F1M 2M1F
OD:4.0×8.0mm



30-0089
1F2M 2F1M
OD:4.0×8.0mm



30-0090
2M1F 2F1M
OD:4.5×9.0mm



30-0092
2M2M
OD:4.0×2.0×4.0mm



30-0094
2M1F 2F1M
OD:6.0mm



30-0095
2F1M 2M1F
OD:4.0×8.0mm



30-0091
2M1F 2F1M
OD:4.0×8.0mm



30-0093
2M1F 2F1M
OD:4.0×8.0mm



30-0096
2F1M 2M1F
OD:3.7×7.4mm



30-0097

2M2M

▪ OD:6.5mm



30-0098

2M2M

▪ OD:5.5×2.5×5.5mm



30-0099

2M2M

▪ OD:6.0mm



30-0100

2M2M

▪ OD:4.0×8.0mm



30-0101

2M2M

▪ OD:5.3×2.5×5.3mm



30-0102

2M2M

▪ OD:4.0×8.0mm



30-0103

2M2M

▪ OD:3.8×2.0×3.8mm



30-0104

2M2M

▪ OD:3.5×7.0mm



30-0105

2M2M

▪ OD:3.6×7.2mm



30-0106

2M2M

▪ OD:4.5×9.0mm



30-0107

2M2M

▪ OD:5.5mm



30-0108

2M2M

▪ OD:4.0×8.0mm



30-0109

3M3M

▪ OD:3.5×6.0×3.5mm



30-0110

2M2M

▪ OD:6.8mm



30-0115

2M2M

▪ OD:4.0×8.0mm



30-0116

2M2M

▪ OD:6.8mm



30-0111

3M3M

▪ OD:3.5×5.0×3.5mm



30-0112

2M2M

▪ OD:6.8mm



30-0117

2M2M

▪ OD:3.7×7.6mm



30-0118

2M2M

▪ OD:3.8×7.6mm



30-0113

3M3M

▪ OD:3.6+3.6+3.6mm



30-0114

2M2M

▪ OD:5.0×10.0mm



30-0119

2M2M

▪ OD:3.5×2.0×3.5mm



30-0120

2M2M

▪ OD:4.0×8.0mm



30-0121

2M2M

▪ OD:4.0×8.0mm



30-0122

2M2M

▪ OD:4.0×8.0mm



30-0127

2M2M

▪ OD:7.0mm



30-0128

2M2M

▪ OD:5.8mm



30-0123

2M2M

▪ OD:4.0×8.0mm



30-0124

2M2M

▪ OD:4.0×8.0mm



30-0129

2M2M

▪ OD:3.6×7.2mm



30-0130

2M2M

▪ OD:4.0×8.0mm



30-0125

2M2M

▪ OD:4.0×8.0mm



30-0126

2M2M

▪ OD:4.0+2.0+4.0mm



30-0131

2M2M

▪ OD:3.6×3.6mm



30-0132

2M2M

▪ OD:4.0×8.0mm



30-0133

2M2M

▪ OD:4.0×8.0mm



30-0134

2M2M

▪ OD:4.0×8.0mm



30-0139

2M2M

▪ OD:3.6×7.2mm



30-0140

2M2M

▪ OD:4.0×8.0mm



30-0135

2M2M

▪ OD:4.0×8.0mm



30-0136

4M4M

▪ OD:7.0mm



30-0141

2M2M

▪ OD:3.6×7.2mm



30-0142

2M2M

▪ OD:3.6×7.2mm



30-0137

2M2M

▪ OD:5.5mm



30-0138

2M2M

▪ OD:4.0×8.0mm



30-0143

2M2M

▪ OD:4.0×8.0mm



30-0144

2M2M

▪ OD:4.0+2.0+4.0mm



30-0145

2M2M

▪ OD:3.6×7.2mm



30-0146

2M2M

▪ OD:4.5×9.0mm



30-0147

2M2M

▪ OD:4.0×8.0mm



30-0148

2M2M

▪ OD:4.0×8.0mm



30-0149

2M2M

▪ OD:4.0×8.0mm



30-0150

2M2M

▪ OD:4.0×8.0mm



30-0151

▪ OD:3.0mm



30-0153

▪ OD:3.0mm



30-0155

▪ OD:3.0mm



30-0152

▪ OD:2.6×5.2mm



30-0154

▪ OD:2.6×5.2mm



30-0156

▪ OD:3.0mm



30-0157

▪ OD:3.0mm



30-0162

▪ OD:3.0mm



30-0163

▪ OD:3.0mm



30-0158

▪ OD:3.0mm



30-0159

▪ OD:3.0mm



30-0164

▪ OD:3.0mm



30-0165

▪ OD:3.0mm



30-0160

▪ OD:3.0mm



30-0161

▪ OD:3.0mm



30-0166

▪ OD:3.0mm



30-0167

▪ OD:3.0mm

30-0168

1/0AWG

- 1-17FT of 1/0awg frosted transparent power cable
- 1-3FT of 1/0awg frosted black ground cable
- 1-17FT of transparent frosted black twist RCA cable
- 1-12FT of 12awg speaker wire, frosted transparent/frosted transparent black
- 1-17FT 18awg solid blue remote turn-on wire
- 1-ANL fuse holder with 250amp ANL fuse
- 2-Nickel plated 1/0awg ring terminal with 8.5mm hole
- 2-1/0awg spade terminal, one with silver boot the other with black boot
- 1-22-18awg nickel plated spade lug
- 1-22-18awg red vinyl butt splice
- 10-6" black wire ties
- 2-black self-tapping screw
- 1-Snap-in wire grommet

30-0170

4AWG

- 1-17FT of 4awg transparent blue power cable
- 1-3FT of 4awg transparent ground cable
- 1-17FT of twist transparent blue/transparent RCA wire
- 1-17FT of 16awg transparent speaker wire
- 1-17FT 18awg solid blue remote turn-on wire
- 1-ANL fuse holder with 100amp ANL fuse
- 1-Nickel Plated 4awg ring terminal with 8.5mm hole- red boot
- 1-Nickel Plated 4awg ring terminal with 8.5mm hole- black boot
- 2-4awg spade terminal, one with red boot the other with black boot
- 1-6FT black split loom, OD: 10.5mm
- 2-16-22ga butt connector
- 10-4" black wire ties
- 1-4awg snap bushing

30-0169

2AWG

- 1-17FT of 2awg frosted transparent orange power cable
- 1-3FT of 2awg frosted black ground cable
- 1-17FT of frosted transparent orange twist RCA wire
- 1-17FT 18awg frosted transparent orange remote turn-on wire
- 1- Nickel plated AFS fuse holder with 125amp AFS fuse
- 1- Nickel plated 2awg ring terminal with 8.5mm hole- red boot
- 1- Nickel plated 2awg ring terminal with 8.5mm hole- black boot
- 2-14-16awg blue female quick disconnect
- 3-22-18awg nickel plated spade lug
- 2-22-18awg red vinyl butt splice
- 10-6" black wire ties
- 1-Snap-in wire grommet

30-0171

4AWG

- 1-17FT of 4awg matte solid red power cable
- 1-3FT of 4awg matte solid black ground cable
- 1-17FT of matte solid red RCA cable
- 1-12FT of 12ga matte solid red /matte solid black speaker wire
- 1-17FT 18awg solid blue remote turn-on wire
- 1-AGU fuse holder with 80amp AGU fuse installed & connected to wire
- 1-Nickel Plated 4awg ring terminal with 8.5mm hole- red boot
- 1-Nickel Plated 4awg ring terminal with 8.5mm hole- black boot
- 2-4awg spade terminal, one with red boot the other with black boot
- 4-Nickel speaker terminals, two with red boot the other with black boot
- 1-22-18awg nickel plated spade lug
- 1-22-18awg red vinyl butt splice
- 10-4" black wire ties
- 1-4awg snap bushing
- 2-black self-tapping screw

30-0172

4AWG



- 1-17FT of 4awg frosted transparent blue power cable
- 1-3FT of 4awg frosted transparent black ground cable
- 1-17FT of transparent blue RCA wire
- 1-17FT of 16awg transparent speaker wire with blue edge
- 1-17FT 18awg solid blue remote turn-on wire
- 1- Gold plated AGU fuse holder with 60amp AGU fuse
- 1-Gold plated 4awg ring terminal with 8.5mm hole- blue boot
- 1-Gold plated 4awg ring terminal with 8.5mm hole- black boot
- 2-4awg spade terminal, one with blue boot the other with black boot
- 4- Gold speaker terminals, two with blue boot the other with transparent boot
- 10-4" black wire ties
- 1-Snap-in wire grommet
- 2-black self-tapping screw

30-0174

6AWG



- 1-17FT of 6awg transparent red power cable
- 1-3FT of 6awg transparent black ground cable
- 1-17FT of blue double shielding structured RCA wire with remote
- 1-Gold plated AGU fuse holder with 60amp AGU fuse
- 2-Gold plated 6awg ring terminal with 8.5mm hole
- 2-6awg spade terminal, one with red boot the other with black boot
- 1-22-18awg red vinyl butt splice
- 1-4awg snap bushing
- 10-4" black wire ties

30-0173

4AWG



- 1-17FT of 4awg transparent blue power cable
- 1-3FT of 4awg transparent ground cable
- 1-17FT of blue double shielding structured RCA cable
- 1-17FT 18awg solid blue remote turn-on wire
- 1- Nickel plated AGU fuse holder with 80amp AGU fuse
- 1-Nickel plated 4awg ring terminal with 8.5mm hole- blue boot
- 1-Nickel plated 4awg ring terminal with 8.5mm hole- black boot
- 2-4awg spade terminal, one with blue boot the other with black boot
- 4-22-18awg nickel plated spade lug, two with red boot the other with black boot
- 1-6FT black split loom, OD: 10.5mm
- 1-4awg snap bushing
- 2-black self-tapping screw

30-0175

8AWG



- 1-17FT of 8awg frosted transparent violet power cable
- 1-3FT of 8awg frosted transparent black ground cable
- 1-17FT of frosted transparent violet twist RCA cable
- 1-17FT of 16awg frosted transparent violet / matte solid black speaker wire
- 1-17FT 18awg solid black remote turn-on wire
- 1- Nickel plated AFS fuse holder with 60amp AFS fuse
- 2-Nickel plated 8awg ring terminal with 8.5mm hole
- 2-8awg spade terminal, one with red boot the other with black boot
- 4- Nickel speaker terminals, two with red boot the other with black boot
- 1-22-18awg red vinyl butt splice
- 10-4" black wire ties
- 1-8awg snap bushing
- 2-black self-tapping screw

30-0176

8AWG

- 1-17FT of 8awg matte solid blue power cable
- 1-3FT of 8awg matte solid black ground cable
- 1-17FT of frosted braid blue RCA cable
- 1-17FT of 16ga matte solid blue/matte solid black speaker wire
- 1-17FT 18awg solid blue remote turn-on wire
- 1-Gold plated AFS fuse holder with 60amp AFS fuse
- 2-Gold plated 8awg ring terminal with 8.5mm hole
- 2-8awg spade terminal, one with blue boot the other with black boot
- 4- Gold speaker terminals, two with blue boot the other with transparent boot
- 1-22-18awg red vinyl butt splice
- 10-4" black wire ties
- 1-Snap-in wire grommet
- 2-black self-tapping screw

30-0178

10AWG

- 1-17FT of 10awg matte solid red power cable
- 1-3FT of 10awg matte solid black ground cable
- 1-17FT of frosted transparent black twist RCA wire
- 1-12FT of 12awg speaker wire, frosted transparent/frosted transparent black
- 1-17FT 18awg solid blue remote turn-on wire
- 1-ATC fuse holder with 30amp fuse(connected)
- 1-Nickel plated 10awg ring terminal with 8.5mm hole- red boot
- 1-Nickel Plated 10awg ring terminal with 8.5mm hole- black boot
- 2-10awg spade terminal, one with red boot the other with black
- 4- 12-10 awg yellow female quick disconnect
- 1-22-18awg nickel plated spade lug
- 1-22-18awg red vinyl butt splice
- 10-4" black wire ties
- 1-10awg snap bushing

30-0177

8AWG

- 1-17FT of 8awg matte solid red power cable
- 1-3FT of 8awg matte solid black ground cable
- 1-17FT of matte solid red RCA wire
- 1-12FT of 12awg matte solid red /matte solid black speaker wire
- 1-17FT 18awg solid blue remote turn-on wire
- 1-AGU fuse holder with 40amp AGU fuse installed & connected to wire
- 1-Nickel plated 8awg ring terminal with 8.5mm hole- red boot
- 1-Nickel Plated 8awg ring terminal with 8.5mm hole- black boot
- 2-8awg spade terminal, one with red boot the other with black boot
- 4- Nickel speaker terminals, two with red boot the other with black boot
- 1-22-18awg nickel plated spade lug
- 1-22-18awg red vinyl butt splice
- 10-4" black wire ties
- 1-8awg snap bushing
- 2-black self-tapping screw



30-2001

European standard Type2 AC charging plug

- Rated current:16A or 32A
- Operating Voltage:250V or 415V
- Mechanical life:No-load plug in/pull out >10000times
- Coupled insertion force:>45N,<80N
- Impact of external force:can afford 1m drop and 2t vehicle run over pressure
- Insulation resistance:>1000MQ(DC500V)
- Terminal temperature rise:<50K
- Withstand voltage:2000V
- Contact resistance:0.5mΩ max
- Contact bush:copper alloy, silver plating
- Operating temperature:-30 C to +50 C
- Cable specification:
16A single-phase 3*2.5mm²+2*0.5mm²/ 16A three-phase 5*2.5mm²+2*0.5mm²/
32A single-phase 3*6mm²+2*0.5mm²/ 32A three-phase 5*6mm²+2*0.5mm²
- Cable color:black
- Charging standard:IEC62196-2



30-2002

Type2 to Type2 AC double head gun charging cable

- Rated current:16A or 32A
- Operating Voltage:250V or 415V
- Mechanical life:No-load plug in/pull out >10000times
- Coupled insertion force:>45N,<80N
- Impact of external force:can afford 1m drop and 2t vehicle run over pressure
- Insulation resistance:>1000MQ(DC500V)
- Terminal temperature rise:<50K
- Withstand voltage:2000V
- Contact resistance:0.5mΩ max
- Contact bush:copper alloy, silver plating
- Operating temperature:-30 C to +50 C
- Cable specification:
16A single-phase 3*2.5mm²+2*0.5mm²/ 16A three-phase 5*2.5mm²+2*0.5mm²/
32A single-phase 3*6mm²+2*0.5mm²/ 32A three-phase 5*6mm²+2*0.5mm²
- Cable color:black
- Charging standard:IEC62196-2



30-2005

American standard Type1 AC charging plug

- Rated current:16A or 32A
- Operating Voltage:240V
- Mechanical life:No-load plug in/pull out >10000times
- Coupled insertion force:>45N,<80N
- Impact of external force:can afford 1m drop and 2t vehicle run over pressure
- Insulation resistance:>1000MQ(DC500V)
- Terminal temperature rise:<50K
- Withstand voltage:2000V
- Contact resistance:0.5mΩ max
- Contact bush:copper alloy, silver plating
- Operating temperature:-30 C to +50 C
- Cable specification: 16A 3*2.5mm²+2*0.5mm²/ 32A 3*6mm²+2*0.5mm²
- Cable color:black
- Charging standard:SAE J1772



30-2006

Type1 to Type2 AC double head gun charging cable

- Rated current:16A or 32A
- Operating Voltage:250V
- Mechanical life:No-load plug in/pull out >10000times
- Coupled insertion force:>45N,<80N
- Impact of external force:can afford 1m drop and 2t vehicle run over pressure
- Insulation resistance:>1000MQ(DC500V)
- Terminal temperature rise:<50K
- Withstand voltage:2000V
- Contact resistance:0.5mΩ max
- Contact bush:copper alloy, silver plating
- Operating temperature:-30 C to +50 C
- Cable specification: 16A 3*2.5mm²+2*0.5mm²/ 32A 3*6mm²+2*0.5mm²
- Cable color:black
- Charging standard:IEC62196-2



30-2003

16A European standard type2 level 2 EV charger

- Rated current:16A
- Operating Voltage:250V
- Mechanical life:No-load plug in/pull out >10000times
- Coupled insertion force:>45N,<80N
- Impact of external force:can afford 1m drop and 2t vehicle run over pressure
- Insulation resistance:>1000MQ(DC500V)
- Terminal temperature rise:<50K
- Withstand voltage:2000V
- Contact resistance:0.5mΩ max
- Contact bush:copper alloy, silver plating
- Operating temperature:-30 C to +50 C
- Cable specification: 16A 3*2.5mm²+2*0.5mm²
- Cable color:black
- Charging standard:IEC62196-2



30-2004

32A European standard type 2 level 2 EV charger

- Rated current:32A
- Operating Voltage:250V
- Mechanical life:No-load plug in/pull out >10000times
- Coupled insertion force:>45N,<80N
- Impact of external force:can afford 1m drop and 2t vehicle run over pressure
- Insulation resistance:>1000MQ(DC500V)
- Terminal temperature rise:<50K
- Withstand voltage:2000V
- Contact resistance:0.5mΩ max
- Contact bush:copper alloy, silver plating
- Operating temperature:-30 C to +50 C
- Cable specification: 32A 3*6mm²+2*0.5mm²
- Cable color:black
- Charging standard:IEC62196-2



30-2007

16A American standard Type1 level 2 EV charger

- Rated current:16A
- Operating Voltage:110V/240V
- Mechanical life:No-load plug in/pull out >10000times
- Coupled insertion force:>45N,<80N
- Impact of external force:can afford 1m drop and 2t vehicle run over pressure
- Insulation resistance:>1000MQ(DC500V)
- Terminal temperature rise:<50K
- Withstand voltage:2000V
- Contact resistance:0.5mΩ max
- Contact bush:copper alloy, silver plating
- Operating temperature:-30 C to +50 C
- Cable specification: 16A 3*2.5mm²+2*0.5mm²
- Cable color:black
- Plug model: 5-15/6-20/10-30/14-50
- Charging standard:SAE J1772



30-2008

32A American standard Type1 level 2 EV charger

- Rated current:32A
- Operating Voltage:240V
- Mechanical life:No-load plug in/pull out >10000times
- Coupled insertion force:>45N,<80N
- Impact of external force:can afford 1m drop and 2t vehicle run over pressure
- Insulation resistance:>1000MQ(DC500V)
- Terminal temperature rise:<50K
- Withstand voltage:2000V
- Contact resistance:0.5mΩ max
- Contact bush:copper alloy, silver plating
- Operating temperature:-30 C to +50 C
- Cable specification: 32A 3*6mm²+2*0.5mm²
- Cable color:black
- Charging standard: SAE J1772



30-2009



30-2010



30-2011



30-2021



30-2022



30-2023



30-2012



30-2013



30-2014



30-2024



30-2025



30-2026



30-2015



30-2016



30-2017



30-2027



30-2028



30-2029



30-2018



30-2019



30-2020



30-2030

NEW



30-6001

IVECO
Window Switch
OEM number 5801484207

NEW



30-6002

GMC
Chevy Rearview Mirror Switch
OEM number 15009690

NEW



30-6003

CHEVY
Head Light Switch
OEM number 19381535

Car roof luggage rack

Car roof luggage rack

Car roof luggage rack

Car roof luggage rack




30-3001

Models :Universal
Material: Aluminum & Plastic



30-3002

Models: HONDA CRV 2012-2015
Material: Aluminum & Plastic



30-3003

Models: HONDA CRV 2012-2015
Material: Aluminum & Plastic



30-3004

Models:
CHEVROLET EQUINOX
GMC TERRIAN 2010-2016
Material: Aluminum & Plastic



30-3005

Models:
FORD EXPLORER 2015-2017
Material: Aluminum



30-3006

Models:
HONDA PILOT 2016-2017
Material: Aluminum & Plastic



30-3007

Models: CRV 2017
Material: Aluminum



30-3008

Models: CRV 2017
Material: Aluminum



30-3009

Models:
MAZDA CX-5 2017-2019
Material: Aluminum



30-3010

Models:
JEEP COMPASS 2011-2016
Material: Aluminum & Plastic



30-3011

Models:
TOYOTA SIENNA 2011-2017
Material: Aluminum & Plastic



30-3012

Models:
JEEP PATRIOT 2007-2015
Material: Aluminum & Plastic



30-3013

Models:
CHEVROLET TRAVERSE 2009-2017
Material: Aluminum & Plastic



30-3014

Material:Steel
Product size:150*50*15CM
To fit 2" hitch receiver
Load capacity:250KG
Foldable
Straight tube



30-3015

Models: Toyota Highlander 2015-2019
Material: Aluminum & Plastic



30-3016

Hitch Mount Bike Rack
Bicycle Carrier



30-3017

Hitch Mount Cargo Carrier/
Luggage Basket



30-3018

Roof Top Cargo Carrier/
Luggage Basket



30-3019

Hitch Mount 2 Bikes Rack/
Carrier



WeChat Account



Since 1999

AUTOMOTIVE AUDIO ACCESSORIES

Hangzhou OnTeck Industries Limited/Sales Department
Address: Unit B301, HuaXing Times Plaza, 478 Wensan
Road, Hangzhou, China
Contact Person: KEVIN LI
Tel: 86-15824124561
Fax: 86-571-87208928 or 87208927
E-mail: Sales@ONTECK.COM

杭州宏克实业有限公司
地 址： 中国杭州市文三路478号华星时代广场B座301室
联系人： 李先生
电 话： 86-15824124561
传 真： 86-571-87208928 or 87208927
邮 箱： Sales@ONTECK.COM